

CPS-30 CREDIT CARD PAYMENT STATION



TIBA's CPS-30 Credit Card Only Pay Station is the industry's most reliable ticket payment kiosk, designed for high-traffic entrance lobbies and pedestrian areas.

The Payment Station:

- Calculates and displays parking fees.
- Processes traditional credit & debit card payments.
- Prints patron receipts upon request.
- Returns validated tickets for use at exit.

The CPS-30 accepts and processes paid, unpaid or expired tickets, plus validation stickers, vouchers and chaser tickets. In addition, this system utilizes payments for special events or from monthly customers.

TIBA's CPS-30 supports both traditional and EMV Chip & Pin bankcard processing, proximity access cards, as well as Mag-Stripe or Mifare hotel room keys.

The CPS-30 also features a slide-out front panel for receipt paper refills and routine maintenance, plus a built-in audio annunciator and intercom substation.

FEATURES*

- Motorized barcode ticket reader
- EMV Chip & Pin
- PCI 3.2 compliant
- 4.3" color TFT customer display
- Mag-Stripe insertion card reader
- RFID proximity card reader
- Thermal receipt printer
- QR barcode scanner
- Built-in audio annunciator
- Analog, Digital, VoIP intercom options
- Data line surge protection
- Thermostat controlled heater
- Stainless steel construction
- Custom panels & housing colors
- ADA compliant
- CE, FCC, CE, UL certified

APPLICATIONS & USES



Mixed usage facilities



Municipal properties



Airports, other transport facilities



Shopping malls



Hotel, Valet, event operations



Residential, commercial complexes



Sport arenas, convention centers



University, medical campuses

* Not all features are available or standard in all regions. Check with your local TIBA representative for availability.

FEATURES

Ticket Reader	Motorized barcode ticket verifier
Credit Card Reader	Traditional Mag-Stripe or EMV Chip & Pin
QR Barcode Scanner	eValidations, state driver licenses
Receipt Printer	For receipts and lost tickets
Hotel Keys	Mag-Stripe or Mifare room keys
Customer Display	Hi-resolution TFT color display
Intercom	Analog, digital, VoIP station options
Surge Protection	Built-in

OPERATIONS

Processor	Embedded industrial controller
Communication & Network	RS-485 industrial communication or TCP/IP (requires adapter)
Built-In Clock	Backed up by lithium ion battery; Keeps clock and data up to 10 years
Off-Line Operation	Full off-line operation supported
Remote Monitoring	Real-time transaction & events monitoring by SmartPark FMS software

HOUSING

Construction	Stainless steel
Measurements	14.0" (35.6 cm) width; 18.7" (47.5 cm) depth; 59.7" (151.6 cm) height
Weight	127 Lbs. (57 kg)
Color (Housing)	Standard: White RAL 9010 Custom colors available
Locks	Two mechanical locks

ELECTRICAL

Voltage	100 - 240 VAC 50-60 HZ
Current	1A, 5.3A with heater
Power Consumption	240W, 640W with heater
Operating Voltage	24VDC

ENVIRONMENTAL CONDITIONS

Operating Temperature	-4° to 122° F (-20° to 50°C) with heater
Water Rating	IP54


REGULATORY



Safety • UL 60950-1:2007
• CAN/CSA-C22.2 No. 60950-1-07



EMC • CE, FCC Part 15, Subpart B, Class B



www.tibaparking.com

USA

2228 Citygate Drive, Columbus, Ohio 43219
T. +1 614 328 2040 • F. +1 614 864 2153

ISREAL

17 Ha-Mefalsim Street, Petah-Tikva 4951251
T. +972 3619 9777 • F. +972 3 905 4306