## RADIO CONTROLLED HOOK SYSTEM



IT MAKES A TON OF SENSE

## VERSATILITY



LOAD ATTACHED DIRECTLY TO HOOK

BASKET RIGGING FOR INCREASED LIFTING CAPACITY



CHOKER
RIGGING
WHEN NO
LIFTING
POINTS
AVAILABLE

SAFELY RELEASE FROM DISTANCE




## PERFORMANCE

# EFFICIENCY

More lifts in a workday

## SAFETY

Reduce risk exposure and hazardous situations



LUDWIGHOOK

LUDWIGHOOK<sup>XL</sup>



DETACH LOADS FROM SAFE DISTANCE

#### SYSTEM

LUDWIGHOOK

LUDWIGHOOK<sup>XL</sup>









RADIO CONTROL



CHARGING UNIT
OPTIONAL: MOBILE CHARGING







TRANSPORT CASE

FOR YOUR SAFETY
HOOKS CAN ONLY
OPEN WHEN THE
LOAD IS FULLY
SET DOWN

### TECHNICAL DATA

LUDWIGHOOK

LUDWIG**HOOK**<sup>XL</sup>

SAFE WORKING LOAD

4,400LB

11,600LB

PRODUCT WEIGHT

6.2LB

15LB

DIMENSIONS IN INCHES (H x W x D)

 $4.7 \times 7.8 \times 4$ 

6.1 x 12.1 x 7

RADIO RANGE

164 FT

RADIO FREQUENCY

913.7 & 919 MHz

BATTERY AUTONOMY

2 WEEKS

COMPACT LIGHTWEIGHT STURDY VERSATILE



LudwigHook North America 7240 Waverly Street Montréal (QC), H2R 2Y8

+1 (438) 506 2250✓ contact@ludwighookusa.com

WWW.LUDWIGHOOKUSA.COM