

Welcome to PROXY Pro RAS!

Orientation & Usage Guide for New Administrative Users

Proxy Networks greatly appreciates your interest in using PROXY Pro RAS Edition, our flagship remote desktop product. We strive to ensure everyone has a thorough, positive and successful experience. This guide is intended to provide an orientation to the common interfaces in the interest of leaving readers confident and capable of extracting the most out of the software. The Proxy Networks Support Team would like your experience with Proxy to be smooth and they are available to help ensure everything goes well by phone at 617 453 2700 or by emailing our support desk at support@proxynetworks.com.

Standard PROXY Pro Usage Topics Covered Within

Part 1) Introducing PROXY Pro RAS

- Components, Licensing, Account Types
- Part 2) Logging into the PROXY Pro RAS Environment
 - From a browser or from the installed Master viewer

Part 3) Tour of the PROXY Pro Web Console Tabs

- Summary and Takeaways for each of the 7 Tabs

Part 4) Sharing a Device

- How to share a device on any platform

Part 5) Connecting to a Device

- How to connect to a device from any platform

Part 6) Introducing the Connection Windows: PROXY Pro Master (PC and Mac), ClickOnce and HTML5

- Tour of the installed PROXY Pro Master and explanation of buttons
- Tour of the HTML5 Master and explanation of buttons
- Tour of the Mac Master and explanation of buttons

Part 7) Connecting to and testing with the installed PROXY Pro Host

Installing configuring and testing

Part 8) Connecting to and testing with the installed PROXY Pro Host for Mac

Installing configuring and testing

Advanced PROXY Pro Topics and Additional Resources

Below is a partial list of supplementary documentation, quick start guides, product manuals and other helpful resources that usually become relevant. These and other resources can be found at <u>https://www.proxynetworks.com/documentation</u>

• PROXY Pro Datasheet

PROXY Pro InfoSec Policy

- PROXY Pro Azure AD Integration
- PROXY Pro SLA
- PROXY Pro Host ManualsPROXY Pro Host Settings Guidelines
- PROXY Pro Deployment Tool Quick Start Guide
- PROXY Pro Host Settings Management Tips
- PROXY Pro Host Stealth Mode Guidelines
- PROXY Pro Host for Mobile: MDM Guidelines



Part 1) Introducing PROXY Pro RAS

PROXY Pro RAS is a fast, reliable and secure remote desktop software platform from Proxy Networks. There are two sets of components – the PROXY Pro Web Components and the optional complimentary Installed Components. The software can be used with the Host on Demand only (invoked by the **SHARE** button on the Proxy Web Console landing page) and connecting to them can be done fully from the Proxy Web Console. But, we encourage exploring the PROXY Pro Host, the installed client as well as our PROXY Pro Master, our installed viewer. The Installed Components compliment the Web Components and they are available for download from any Proxy Networks software zip file here: https://products.proxynetworks.com/downloads/

PROXY Pro Web Components

ClickOnce Master (Windows): The primary connection window utilizes Microsoft's ClickOnce technology to deliver the installation-free fully featured connection window.

Mac Master (Mac): The primary connection window for Mac downloads and runs, closely equivalent to the Master for PC.

HTML5 Master (Any platform): The secondary connection window that launches within a browser tab, works on any platform.

PROXY Pro Host on Demand (Any platform): The temporary Host, invoked by the SHARE button on the landing page, intended for attended sessions.

Installed Components (Optional)

PROXY Pro Master (Windows): The traditional viewer Proxy has had since the beginning is also available and supported for use with in addition to the web console.

PROXY Pro Host (Windows or Mac): The installed Host runs in the background and allows for attended or unattended sessions.

PROXY Pro Deployment Tool: Create a settings template for the Host; generate transform.mst to deploy with.

The manuals for each component are available at https://www.proxynetworks.com/documentation.

The ClickOnce technology was developed by Microsoft a few years ago and was chosen as the delivery mechanism for the connection window and the Host on Demand components. It was chosen because our software components could be run in an installation-free mode that, best of all, did not require admin rights. The ClickOnce browser plugin is included in IE, was included in Edge and is now an optional component for both the Edge and Chrome browsers. For the fully-featured experience with Proxy, we recommend using the ClickOnce plugin by clicking the "More Tools" button on the Proxy Web Console landing page.

When a connection to a Host is launched, and the ClickOnce plugin is not detected, instead of failing to connect Proxy will launch the connection to the desired Host within a browser tab using the HTML5 Master. The HTML5 Master will also be the connection mode you'll be in by default on any non-Windows device like Chromebooks, iPads and Androids.

Licensing is determined by the amount of concurrent users and there are two types of users – Administrative account users and Master account users. Each customer has a single Administrative account license, typically associated with the director of IT, an support manager or similar, and then some greater number of Master account licenses to accommodate each of the members of the support and/or helpdesk team. Master account users may login to see, support and connect to Host computers to view, remote control, transfer files, chat, copy/paste clipboard content and related remote desktop capabilities. However, they cannot create Host groups, move Hosts in and out of groups, set security around them, change settings to do with the software as these are functions and capabilities left up to Administrative account users. With these licensing model notes in mind, you'll notice that the tour of the Web Console has a slightly different view based on the account type you're logged in as.



Part 2) Logging into the PROXY Pro RAS Environment

PROXY Pro RAS Edition customers hosting it on-premise can confirm the address with their IT department, and if we're hosting RAS for you we'll be sure to provide that address during ramp-up time.

What we are providing is a web-based remote desktop console intended to be used for on-the-fly support sessions with the Host on Demand, and can also be tested with the installed PROXY Pro Host client and the installed PROXY Pro Master viewer. Some customers prefer the look and feel of a modern web-based UI and some prefer an installed viewer that doesn't involve the web browser. The latest software zip file can be downloaded from https://products.proxynetworks.com/downloads/



When you arrive at your PROXY Pro environment, it'll be within your browser at a web address provided to you by Proxy Networks. On the landing page, there are four points of interest:

(1) The SHARE button will download and launch the Host on Demand client, allowing the device to be connected to and remote controlled.

(2) The LOGIN button will prompt you for credentials – please use the username and password provided to you by Proxy Networks in order to connect to shared devices (section 2).

(3) The Connect by PIN box will launch a connection to a Host associated with that PIN (assuming successful authentication). The Host on Demand, when launched, presents a 6-digit code to the user and inputting it launches a connection to that Host.

(4) The More Tools hyperlink offers the ClickOnce plugin, recommended for the fully functional connection window. Also offers the optional component Remote Printing, available for download.



The **More Tools** link will launch a Browser Information dialog box, shown on the right. It will tell you if the browser supports ClickOnce.

If the ClickOnce cache becomes corrupt, we provide a utility to fix that. If the Host on Demand fails with a launch error, this utility fixes most errors.

Optionally, use the Remote Printing driver to redirect print jobs from one side to the other.

But most importantly, use the "Click here for more information" button to get the ClickOnce plugin, circled right. It offers the fully featured connection window on PC and is recommended for the best, most complete experience.

PROXY PRO WEB CONSOLE Name Value Browser Google Chrome 105.0.0.0 Browser Version Operating System Windows 10 or Windows Server 2016 (or later) Platform Desktop/Server Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) User Agent Chrome/105.0.0.0 Safari/537.36 Client Address 50.232.61.218 (external) ClickOnce Deployment Supported Host on Demand and Master on Demand applications are delivered to the client via ClickOnce Deployment. If deployment isn't working, us this utility to clear the local ClickOnce cache Clear ClickOnce Cache Remote Printing Support install package download (optional, requires Administrator rights) Google Chrome and Microsoft Edge (v77 and later) require an add-on to enable ClickOnce deployment. Click here for more information.

Part 3) Tour of the PROXY Pro Web Console Tabs

Upon successfully logging into the Proxy Web Console, note the blue navigation banner at the top. Administrative account users will see all 7 tabs and can view interact with each of them. The last four tabs are for administation – adjusting security, viewing current activity, running connection reports and changing software settings, shown below:

More Tools and Browser Information



Master account users will be able to see and interact with the first three tabs, shown below. They will be able to find, connect to and take remote control of any of the Hosts within the Managed Hosts groups as designated by an Administrative user. They are permitted to view the At-a-Glance tab for an alternate view of the Hosts, and the Recordings tab allows for playback of past screen recordings taken of Hosts and can export to .WMV as desired.



Each customer has at least one Administrtative account license and then some greater number of Master accounts to accommodate members of the helpdesk or IT teams. With this baseline information stated, let's proceed with the tour.

The following several pages dive into each of the available tabs, what they are for and what information is generally useful to know about each. The quick takeaways for each of the Proxy Web Console tabs are:

- Hosts Tab: Primary dashboard to find Hosts and connect to them, and view status.
- At-A-Glance Tab: Provides additional information about Hosts.
- **Recordings Tab**: Search for recordings, play them back, optionally export to .WMV.

The last four tabs are for Administrative users only:

- Accounts Tab: Define which users can login and what groups of Host computers they are permitted to connect to.
- Activity Tab: A snapshot in time showing connections in progress, recordings in progress and license utilization.
- Analytics Tab: Generate reports showing who connected to what and when.
- Gateway Tab: Administrative users can set back end settings like auto-timeouts, grouping rules and other preferences.



Part 3.1) PROXY Pro Web Console: Hosts Tab

(1) The top-most navigation bar displayed below shows all 7 tabs available to an Administrative account user.

ROXY Networks		Welcome to d Host gestion list appears for up i	PROXY Pro!	ł	Gateway Logged Since: License	9/12/2022 8:55:08 AM
A HOSTS AT-A	-GLANCE RECOR	DINGS ACCOUNTS	ACTIVITY AN	ALYTICS	GATEWAY	S 🖓 🕄 🚔 🗠 (
Action (4)	My Hosts (M	y Hosts)				(3)
My Hosts Managed Hosts	HOST NAME (Contains):			Q, Se	arch
Department 1 Department 2	(5) Action •					Ċ
Department 3	HOST NAM	1 <u>E</u>	CONNECTION	PI	<u>N STATUS</u>	ADDRESS
Department 4	rgallager o	IN RYANTESTPC	🔣 2 🖛 🔒	무 💿 82	8714 OK	
Department 5	✓ proxvdesk	top		· -	7810 OK	
Host for VDI Host on Demand	Connectio	n 🕨 Connect via Clic	kOnce (6	75	5752 OK	_
Mobile Hosts	Recording	Connect In Brow	wser			U HIDEIDEIDI
RDS Servers	Managem	ent Connect via Ins	talled Master	28	3976 OK	······································
Staging Area	Details	Connect via Clic	kOnce for View Only	(e) 89	No Reverse	
	Host Sett	ngs Connect In Brow	wser for View Only	0	Connection	
System						
System Unmanaged Hosts	Security	Connect via Ins	talled Master for View Only	14	1279 OK	5

- (2) The global "Find Host" box can be used to locate and then connect to a Host if you know some of the characters in the Host's Station Name value, usually the computer name and/or username - useful to find and connect to Hosts quickly.
- (3) The secondary controls on the navigation bar are, from left to right: Check Browser Compatibility (which offers the ClickOnce browser plugin for the full experience), Settings, Online Documentation, Print, Export to CSV or Excel, and Logout.
- (4) Each of the groups of Hosts are presented in Managed Host Groups. Click a group and the Hosts in that group will be displayed. Administrative users can create groups by right-clicking Managed Hosts to match business units, geographical location or in any custom structure as desired. Administrative users set which Host Groups are available to Master users.

(5) The center-most pane displays each of the Host computers in the group selected from (4).

- The HOST NAME column shows each Host by computer name or usename click to connect.
- The **CONNECTION** column indicates state information. The most important takeaways would be that Gray means the Host is offline, Green means it's online & ready and solid green means there's a connection to it in progress.
- The PIN column displays the 6-digit code associated with the Host; input this value into the Connect by PIN box on your Proxy Web Console landing page to be connected directly to that Host.



- The ADDRESS column will indicate the IP address of the Host.
- The VERSION column, not shown, indicates the Host's software version number.
- The LAST CONNECT column, not shown, provides a timestamp showing the last time and date there was a connection.

(6) Actions/Right-Click will have several options as shown. The default mode is Connect via Clickonce, and Connect in Browser launches it wihin a browser tab (HTML5) and the third connects to the Host with the installed Master, if one is present. This alleviates the need to download the ClickOnce component. A tour of each of the connection windows is found later in this document. Though the Master isn't necessary to be installed, it is a failsafe option that delivers the complete fully featured experience and is recommended if using the ClickOnce Master, which requires the browser plugin, is not an option. The second set of connection links are the same as the first three but in View Only mode.

The View Connection URLs link presents a convenient set of hyperlinks for each of the 6 menu items. Each URL remains static – save them for later or even as bookmarks to commonly accessed Hosts – a quick way to access a Host. This of course requires successful authentication, one must provide an account valid & listed on the "Accounts" tab.

Part 3.2) PROXY Pro Web Console: At-A-Glance Tab

Similar to the Hosts tab, the At-A-Glance tab presents Host information at the top, such as the availability status, address, platform (operating system), Host software version and the last time the server heard from the Host.

CTIVE HOSTS						
ROUP NAME: Department 1	•	(1) FILTER BY RECENT:	Connections for Se	ervices	•	
Action 🔻						Ċ
HOST NAME	ADDRESS	CONNECTION	PIN	PLATFORM	VERSION	LAST TIMESTAMP
ProxyDemoHost2022 (2)	51	별 0 수 🖁 🕂 💿	755752	Win2016(x64) v1607	10.4.4162	9/9/2022 4:25:19 PM
proxydesktop	5	별 0 🗢 🗟 🕂 💿	667810	Win2016(x64) v1607	10.5.4387	9/9/2022 4:24:24 PM
ACTIVE ACCOUNTS) (3)			<u>Vie</u>	w all members ((2 <u>) of Department 1 group</u>
	(3) Account type Acc	20UNT ADDRESS	START TIME		W all members (¢
ACCOUNT NAME	ACCOUNT TYPE ACC	20UNT ADDRESS	START TIME 9/10/2022 9:51	CON		LICENSES
ACCOUNT NAME	ACCOUNT TYPE ACC			CON	IECTION MODE	LICENSES
ACCOUNT NAME	ACCOUNT TYPE ACC Administrative 97			CON	IECTION MODE	
ACCOUNT NAME	ACCOUNT TYPE ACC Administrative 97			CON	IECTION MODE	
/iew all (1) active accounts	ACCOUNT TYPE ACC Administrative 97		9/10/2022 9:51	CON	IECTION MODE	LICENSES 2 = ···· (5)

- (1) Use the Group drop-down to select a container to view the Hosts within it.
- (2) Each Host is avaijlable for connevity as a blue clickable hyperlink.
- (3) Administrative account users may view a list of Active Accounts presently using a license, IP address, connection start time and for what services (Web Console Master, ClickOnce Connection Window).
- (4) Administrative account users may view a list of Active Connections to Hosts, associated user's account type, IP, name of the Host and the connection start time.
- (5) Administrative users may click the "hamburger" icon to disconnect a user.



GATEWAY SERVER AT-A-GLANCE (6)

GATEWAY SERVER:	PROXYDESKTOP	
LICENSE MODE: REMAINING.	CONCURRENT USERS (WITH HOD)	
GATEWAY SERVER PARAM	IETER	VALUE
Administrative users (in us	e / maximum allowed)	2 / 10
Master users (in use / max	imum allowed)	1 / 10
Personal users (in use / ma	aximum allowed)	0 / 10
Limited Admin users (in us	e)	0
Non-Transient workstations	s (in use / maximum allowed)	12 / unlimited
Host for RDS (in use / max	imum allowed)	1 / unlimited
Host on Demand (session i	in use / pinned in use / mobile in use / maximum allowed)	0 / 0 / 0 / unlimited
Host for Transient VDI (in	use / maximum allowed)	0 / unlimited
Number of active reverse of	connections	8
Number of active masters		1
Number of active master c	onnection services	4
Number of active hosts		1
Number of active host con	nection services	4
Number of active recording	js	0
Number of gateway data s	ervice connections	3

(6) Upon scrolling to the bottom of the page, Administrative account users will see a detailed breakdown about various metrics, all of which is a live snapshot in time.

Of that list, these may be considered most helpful:

- Current number of logged in Admins
- Current number of logged in Masters
- Current number of Hosts reporting in
- Current number of Active Connnections
- Current number of Active Recordings

This is a useful place to find a snapshot-in-time of what remote desktop activity is presently happening.

Part 3.3) PROXY Pro Web Console: Recordings Tab

The Recorings tab is for retrieving past recordings and playing them back. Additionally, use the filter button to search for them based on the user who initiated them, the Host associated with the recorings, with a custom date range and more.

*	HOSTS	AT-A-GLANCE	RECORDINGS	ACCOUNTS	ACTIVITY	ANALYTICS	GATEWAY		000	<u>ම ස</u> ර	 Input a Host name to retrieve recent recordings.
MANA	GE HOST	RECORDINGS									retheve recent recordings.
HOST	NAME (Conta	ins):				Q	earch	T (1)			(2) View a list of recent recordings associated with
Action	n 🔻									Ċ	the Host machine.
	ST	ARTED BY		T NAME		HOST US	ER START	TIME	DURATION	SIZE	
4 EC2	AMAZ-ISF4	1KN	(2)								(3) Right-click to choose how to
~	EC	2AMAZ-B2VKF84\Admi	inistrator Prox	yDemoHost2022	Play via ClickOnce	Administ	rator 9/6/20	022 9:39:14 AM	30 sec	1895 KB	play it back, along with
	EC	2AMAZ-B2VKF84\Admi	inistrator Prox	yDemoHost2022	Play In Browser	Administ	rator 9/4/20)22 3:10:49 PM	47 sec	1490 KB	Delete and View Details.
4	1 🕨	▶ 10 ▼ ite	ems per page		Play via Installed Ma Delete	ister (3)			1 - 2	of 2 items	Delete and view Details.
© 2012-2	2022 Proxy Ne	tworks, Inc.		L L	Details						



Similar to right-clicking a Host -> Connection to see the three connection options (ClickOnce, HTML5, Master), the recordings playback system offers these same three choices.

Additionally, delete the recording or view recording properties like timestamp, session ID, issued by and other details.

The ClickOnce recording playback window, shown, has a toolbar with a row of controls starting with Play, Pause, Play Slow (.5x), Play Normal Speed, Play at 2X, Play at 4X.

Use the cursor to reposition the playback bar to choose a particular point in time to view.

Sizing controls are presented that include Full Screen, Fit 1:1, Fit to Window, Minimize and Pause, Select Host Monitor, Next Monitor – all of which can make playback more optimally fit your screen.

Last, note buttons for Copy Screenshot, Export to WMV and Disconnect.

A similar playback window appears when Play via Browser is launched, with a slightly reduced capabilities (vs the Installed Master or ClickOnce as its playing back here within a browser tab.

ProzyDemoteloszozz @ y6/cozz 9:39:14 AM via PROX/Desktop - PROX/ Pro Master Playter Image: Im

ProxyDemoHost2022 @ 9/6/2022 9:39:14 AM via gws.proxydesktop.com - PROXY Pro HTML5 Master Playback 🛛 🗴								
🔀 🗗 🛷 III 🕨 🕨 🕨 0:00:29 -:- 0:00:29	?	Ó	Ľ					
•								

Part 3.4) PROXY Pro Web Console: Accounts Tab

The "Accounts" tab is where an Administrative account user will configure which user accounts are permitted login, what role they are (Administrative, Master, Personal), and in the case of Masters, what groups of Hosts should they have access to. It's normal and encouraged to populate this list with each of the members of the support team or service desk that will need to use Proxy to connect to and support Host devices as part of the first-time setup process.

0 🖪 🤅

 (\Box)



(3) The Actions column presents two options – either use the pen button to edit or the trash can to delete.

×

×

1 of 3) Importing a New User or Group

- 1) From the Location drop-down, select your domain or an Azure AD.
- 2) Mind the Object Type – select either User or Group.
- Input the username or group name; partial names are accepted. 3)

2 of 3) Define the Account Type

- 4) Administrative account users have full administration rights over the software instance.
- 5) Master account users are the daily use account type for members of a support team.
- 6) Personal accounts are a one-to-one mapping of a userID to one Host.

3 of 3) If Master, Define Which Groups They See

Administrative users have rights to all Hosts, and any one Personal account user is tied to exactly one Host, and Master users can be given access to one or many Managed Host Groups.

- 7) Permit them to connect to each Host group by checking the topmost box, or assign granular access rights.
- 8) Click next and Save for the import to take effect.

The user or group will now be able to successfully login to Proxy.

Part 3.5) PROXY Pro Web Console: Activity Tab

O Cancel

Create/Edit Web Console Account

O User O Group

proxydemo

Create/Edit Web Console Account

Account Name:

Account Type:

Account Authority:

Create/Edit Web Console Account

Account Authority: EC2AMAZ-B2VKF84

If no groups are selected, this account will not have security permissions set for it, but members of the

account may have rights based on other account

If a previous selected group is unselected, the

security permissions for this account will be

group memberships and permissions

Master Grant the Master account access to the Host(s) in

Account Name:

Account Type:

removed

the selected Group(s).

EC2AMAZ-B2VKE84

O Cancel

EC2AMAZ-B2VKF84

O Cancel

EC2AMAZ-B2VKF84\proxydemo

•

Previous

○ Administrative ○ Master ○ Personal

Previous

Managed Hosts

Department 1 Department 2

Department 3

Engineering

Marketing

Sales

Site B

Site A

(Enter account name, partial or complete and click Check Names or Next)

EC2AMAZ-B2VKF84\proxydemo 🔒

Check Names

→ Next

Next

OBJECT TYPE:

ACCOUNT NAME:

LOCATION:

The Activity Tab is the best place to see a live dashboard of any and all in-progress remote desktop activity. Although there are several sub-tabs, the Account Activity sub-tab (shown) is typically most useful.

The Connections sub-tab will indicate connections to Hosts that are in progress, a list of any screen recordings currently in progress can be found on the Host Activity sub-tab and a list of machines reporting in from outside the server's network will be listed on the Reverse Connections sub-tab. The Host Status Updates sub-tab will list any machine as it reports in to indicate a



status change such as when the Host service first starts, the service stops, a user logs in or out – anything that would be relevant to the server so that it marks as accurately as possible with the most up-to-date state info. A blank list is ideal with machines popping in and out – machines will appear and disappear from this page as updates are received and processed.

The Activity tab is most useful for a shift supervisor or a manager looking to keep an eye on remote desktop activity throughout the course of any given day. We hope you are able to extract useful live information about daily remote desktop activities here.

Account Activity Connections Host Activity Recording Activity Recercing Activity Recercing Postal Status OPDAtes (1) Administrative users (in use / maximum allowed): 2 / 10 Master users (in use / maximum allowed): 1 / 10 Personal users (in use / maximum allowed): 0 / 10 Non-Transient worktations (in use / maximum allowed): 1 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for Transient VDI (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for Transient VDI (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / unlimited Host for RDS (in use / maximum allowed): 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0	*	HOSTS	AT-A-GLANCE	RECORDINGS	ACCOUNTS	ACTIVITY	ANALYTICS	GATEWAY		٥	2 📥 🗠 🖒	(1) Active Accounts will
Convertion Mode	ACCOL	JNT ACTIVITY	CONNECTION	IS HOST ACTI	VITY RECORD	ING ACTIVITY	REVERSE CON	NECTIONS	HOST STATUS UPD	ATES		provide a breakdown as to
Administrative users (in use / maximum allowed): Administrative users (in use / maximum allowed): Administrative users (in use / maximum allowed): Presonal users (in use / maximum allowed): Demonstrative mobile / maximum allowed): Demo	(1)											•
Administrative users (in use / maximum allowed): 2 / 10 reporting in and how many of each type. Master users (in use / maximum allowed): 0 / 10 0 / 10 Non-Transient workstations (in use / maximum allowed): 1 / unlimited Host for RDS (in use / maximum allowed): 1 / unlimited Host on Demand (session / pinned / mobile / maximum allowed): 0 / 0 / 0 / unlimited Host for Transient VDI (in use / maximum allowed): 0 / 0 / 0 / unlimited (2) (3) (4) (5) C2) (3) (4) (5) (2) Mccoulunt NAME Accoult Appression Start TIME Connection Mode Licenses Master 9/10/2022 5:36:17 PM 9/10/2022 5:36:17 PM Image: I	ACTIV	E ACCOUNTS	5									
Master users (in use / maximum allowed): 1 / 10 Personal users (in use / maximum allowed): 0 / 10 Non-Transient workstations (in use / maximum allowed): 1 / unlimited Host on Demand (session / pinned / mobile / maximum allowed): 0 / 0 / 0 / unlimited Host for Transient VDI (in use / maximum allowed): 0 / 0 / 0 / unlimited (2) (3) (4) (5) (2) (3) (4) (5) (2) (2) (3) (4) (5) (2) (2) (3) (4) (5) (2) (4) (5) (2) (2) (2) (2) (3) (4) (5) (2) (2) (3) (4) (5) (2) (2) (3) (4) (5) (2) (3) The start time of each in-progress connection will be (3) The start time of each in-progress connection will be	Admini	strative users (i	n use / maximum a	llowed):	2	2 / 10						•
Non-Transient workstations (in use / maximum allowed): 12 / unlimited Host for RDS (in use / maximum allowed): 1 / unlimited Host on Demand (session / pinned / mobile / maximum allowed): 0 / 0 / 0 / unlimited Host for Transient VDI (in use / maximum allowed): 0 / 0 / 0 / unlimited (2) (3) (4) (5) (5) (2) (6) (2) (7) (1) (8) (2) (9) (2) (1) (1) (1) (1) (1) (1) (2) (2) (1) (3) (4) (5) (5) (2) (1) (2) (2) (1) (2) (2) (3) (4) (4) (5) (5) (2) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (3) (1) (3) (1) (4) (2) (5) (2) (6) (2) (7) (2) (9) (2) (1) (2) (1) (2) (2) (1) (3) (2) (3) (2) (3) (2) (3)												
Host for RDS (in use / maximum allowed): Host on Demand (session / pinned / mobile / maximum allowed): C C C C C C C C C C C C C				·								of each type.
Host for Transient VDI (in use / maximum allowed): 0 / unlimited (2) (3) (4) (5) (2) Account INAME Account TYPE Account Administrative START TIME CONNECTION MODE Licenses Master 9/10/2022 5:36:17 PM 9/10/2022 4:35:18 PM 9/10/2022 4:35:18 PM 9/10/2022 4:35:18 PM 9/10/2022 9:51:51 AM 9/10/202 9:51:51 AM 9/10/20				,								
Host for Transient VDI (in use / maximum allowed): 0 / unlimited (2) COUNT INAME ACCOUNT TYPE ACCOUNT ADDRESS START TIME CONNECTION MODE CONNECTION MODE C	Host or	n Demand (sess	ion / pinned / mobi	ile / maximum allowe	d): () / 0 / 0 / unlimite	d					(2) The name of each active
(2) (3) (4) (5) (4) (5) (4) (5) (5) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (3) (4) (5) (5) (5) (6) (7) (Host fo	or Transient VDI	(in use / maximum	allowed):	() / unlimited	J					
Image: Second static	(2)						(3)	(4	l)	(5) Č	
Administrator Administrative 9/10/2022 5:36:17 PM Image: Comparison of the start time of each in-progress connection will be progress connection will	ACCOUN	T NAME		ACCOUNT TYPE	ACCOUNT ADDRES	S	START TIME		ONNECTION MODE) (LICENSES	associated with the logon.
Administrative 9/10/2022 9:51:51 AM Image: Constraint of the	Carrier	,\dm	inistrator	Administrative	9		9/10/2022 5:36:17	7 PM) 🗐 💾 ঠ 🔤 1		0 🔳 \cdots	
	F	,prox	ydemo	Master	92		9/10/2022 4:35:18	в РМ	🗿 🗐 🗐 🌆 🔤 0		1	(3) The start time of each in-
		\Adm	inistrator	Administrative			9/10/2022 9:51:51	1 AM	🗿 🕘 🐏 🏧 1	Л	2 🔳 😶	progress connection will be listed.

- (4) The series of icons in the Connection Mode section indicate which component(s) are active & in use by each account. From left to right, these represent the use of the Web Console, Administrative Utility, the installed Master, the Recording Playback window and if Remote Control is active.
- (5) The licenses column offers a hamburger which then offers a Disconnect button, ideal when the need arises to kick off an inactive user to free up a license for another user. The ... button brings up a properties dialog that provides more information about the user.

Part 3.6) PROXY Pro Web Console: Analytics Tab

The best place to retrieve historical connection information is from the Analytics tab -> Services Audit sub-tab. Pulling reports to get information about connections in the past can be achieved by first clicking the (1) filter button, then unchecking all services except Remote Control, selecting the Start Time to give it a large enough window and click Search to be provided with a list of all connections made.

PROXY Networks		• 1 • ∞	
HOSTS AT-A-GLANCE RECORDINGS ACCOUNTS ACTIVITY CONNECTIONS AUDIT SERVICES AUDIT RECORDINGS AUDIT LICENSES AUDIT	ANALYTICS GATEWAY	ි ව 🚔 🖻 🗘 (6)	 First, click the Filter button, required to expand the search fields shown here.
SERVICES AUDIT HOST NAME (Contains): PROTOCOL: PORT (Port Number): ACCOUNT NAME (Contains): ACCOUNT AUTHORITY (Contains): ACCOUNT ADDRESS (Contains):	(2) (1 Q Search (1)		(2) Use this Search button to submit the query – double check the search criteria before to ensure accurate results.
CONNECTION STATUS: START TIME (From-To): SERVICES: (4) Remote Control Clipboard File Transfer Remote Printing Remote Management (Required)	er		(3) Enter the time window in which to search, make sure to go back far enough.
(5) Account name account authority host name	SERVICE START TIME	C END TIME	(4) Check the "Remote
	Remote Control 9/10/2022 9:51:56 AM		Control" services box and every connection made will
Administrator rgallager on RYANWIN10 Image: State of the state o	Remote Control 9/9/2022 9:18:41 PM	9/9/2022 10:49:13 PM 1 - 2 of 2 items	show up in the search results.

- (5) Search results will be displayed at the bottom. The name of the user account, the authority(domain) and the name of the Host computer that was connected to. In this case I've selected only Remote Control as the desired service, and we can see two connections within the time frame specified one yesterday and one today that has not yet ended.
- (6) Finally, note the Print and Export buttons found atop the web console in the navigation bar. Send the search results to your printer immediately, or save the search results to a more digestible format such as .CSV file or .XLSX file for review outside of the Proxy Web Console.

Part 3.7) PROXY Pro Web Console: Gateway Tab (1 of 2)

The Gateway Tab is the control center for all general software settings. This document will not cover every setting like the product manual does, but instead will bring to light the most interesting ones that customers tend to find are most useful.

PROXY • Networks	•	•••••	
HOSTS AT-A-GLANCE RECORDINGS ACCOUNTS	ACTIVITY ANALYTICS GATEWAY	S 🗢 🛛 🖶 🎧	(1) The "Jump To" pulldown
SATEWAY SETTINGS NETWORK LICENSES POLLING RANG	ES SYSTEM INFORMATION		allows for quick navigation
			to each settings section.
ATEWAY SETTINGS			
lump To ▼ (1)		Ó	(2) Each settings section has its
NAME	VALUE		section label located here.
General (2)		(3)	
PROXY Pro Gateway Server version	10.5.4387 hotfix#1 (07-26-2022)		(2) Click the Dep button to adit
Station name	PROXYDesktop		(3) Click the Pen button to edit.
Automatically manage newly discovered workstation Hosts	Yes		
Default Group for newly managed workstation Hosts	Staging Area (in Managed Hosts) (4)		(4) Newly discovered (installed)
Show Host console users by username only (without domain names)	Yes		Hosts can be sent to a
Automatically update status of "Managed Hosts" older than (minutes)	30		
Automatically delete Hosts with last connect time older than (days)	120 (5)		specific custom group.
Automatically stop Host on Demand with last use time older than (hours)	• (6)		
Delete empty Active Directory groups	Yes		(5) This is effectively a cleanup
Concurrent user mode warn users after (minutes)	100		• •
Concurrent user mode suspend users (release license) after additional (minutes)	⁵⁰⁰ (7)		mechanism that can remove Hosts that the server hasn't
Concurrent user mode log users out after additional (minutes)	500		heard from in X days.
Concurrent user mode input control timeout (minutes)	100		nearu nonn ni A uays.

(6) This setting applies to cases where users inadvertently leave the temporary Host on Demand client running on their computer after the session has ended. If users forget to close it, Proxy can close it for them after a specifiable timeout.

(7) Because the license model is centered around concurrent usage, it's possible that users might not log out of Proxy and their license does not get freed up for another colleague. An Administrative user can visit the Accounts tab and disconnect an idle Master user manually, but the mechanisms here can do this automatically. The values shown are illustrative and are not the defaults – they can and should be modified to match usage patterns as appropriate.

web console	
Default number of table rows	10 (8)
Display Custom Style	No (9)
Hide disabled navigation tabs	Yes
Web Console message	Welcome to PROXY Pro! (10)
Auditing	
Log information to event log	No
Log information to text file	Yes
Only log failures	No
Audit log file name	.\AuditLogs
Maximum log file age (days)	190 (11)
Log file rollover frequency	Once weekly (12)
Audit Transform Interval	1

- (8) By default, 10 Hosts show per page and can be configured to show up to several hundred Hosts per page.
- (9) Interested in rebranding? Here's the toggle switch also refer to our rebranding instructions noted at the end of this document (applicable to on-premise RAS only).
- (10) At the top of the web console by the global search box, consider adding a custom welcome message or message of the day.
- (11) The Audit log directory will roll over after 190 days (6 months).
- (12) The Audit log will create a new file daily or weekly.

Part 3.7) PROXY Pro Web Console: Gateway Tab (2 of 2)

(1) Automatic Recording: For those interested in taking screen recordings, one can simply right-click a Host and choose the Record option. This generally works well for infrequent use, though some organizations rely on screen recording heavily to



the point where company policies require that all remote desktop sessions be screen recorded for compliance purposes.

			1	
abl	Auto Recording	×		
oup	Senable Automatic Recording			
ers	Note	1		
ıpi	If Automatic Recording is enabled, the Gateway will automatically record Hosts only under the following conditions:			
	Host is a member of one of the groups selected below			
	AND		n	
ba	Identity of user making remote control connection to Host is in the list of users or groups configured below.			
	- Click group name to toggle selection of one or more groups:	1		
t C DN st 1	Clear group selection Clear group selection Department 1 Department 2 Clear group selection Clear group selection		î	
atio	Department 3			
nne	▲ Site A			
	Engineering Matrix			
nne	Marketing			
ck ۱	Sales			
st i				
	Caution	1		

- (2) After having enabled the automatic recording toggle mentioned in (1), use the checkboxes corresponding to a group that should be screen recorded when a connection is made to them.
- (3) Additionally, should only a certain user/group have their sessions recorded, use the + button to select an account.
- (4) Click the trash can to delete the account associated with the auto recording policy.

(1) In the Grouping section, create automatic Host grouping policies based on AD container, IP, Tag or security group. This is especially useful to be aware of when preparing to implement Proxy when there are hundreds or thousands of Hosts.

+ Org. Unit r	bup Hosts according to the following + IPv4 address rule		
T org. onic ru	T IPV4 address rule	Ext. tag rule	AII
RULE TYPE	CONDITION	GROUP	ACTION
Extension tag	BostonDept2,BostonDept2	Department 2 (in Managed Hosts)	
IPv4 Address	192.168.1.1(255)	Department 1 (in Managed Hosts)	
- Action when no			
Additive: Host	added to groups in matching rules;	no group memberships removed g rules and removed from groups named in non-matchin	g rules; other group members
Additive: Host Named Group unchanged	added to groups in matching rules;	g rules and removed from groups named in non-matchin	g rules; other group members
Additive: Host Named Group unchanged Exclusive: Hos	added to groups in matching rules; s: Host added to groups in matching st added to groups in matching rules	g rules and removed from groups named in non-matchin	

- Use this to create grouping rules based on what (IPv4) addresses Hosts report in on.
- (2) Hosts can be deployed with (or later configured with) an Extension Tag. Use this to create tag rules.
- (3) This is an example extension tag rule that sends a Host into a group by tag.
- (4) This is an example IPv4 rule that sends any Hosts from the shown range (.1-.255) to group "Department 1".

Although there are plenty of other settings to explore, we hope to have pointed out the most useful and interesting ones.

Part 4) Sharing a Device via Host on Demand



SHARE

The Host on Demand is a temporary remote desktop client designed for attended support scenarios. It's invoked by the user by clicking the orange SHARE button on the Proxy Web Console landing page. It works on both PC and Mac for full remote control and works for remote view (view only) on mobile platforms like iOS, Android and Chromebook.

Below are some fast facts about the Host on Demand.

- Allows the device to be connected to on the fly without any installation necessary.
- It does not require admin rights nor a reboot in order to run and allow the machine to be controlled on PC.
- It can be "elevated" by right-clicking and choosing PIN Host on Demand. It will relaunch and upon reconnecting, the user may now perform software installs, interact with UAC prompts and anything that requires elevation.
- When pinned (Elevated), the Host on Demand will restart with Windows and continue to run until closed.
- Right-click the HOD panel, click Host Settings while holding SHIFT to modify settings. For example, click the "Access" tab to set it to "No permission required" so that if the machine is rebooted, the HOD will restart and not require permission to connect. Sessions revert to defaults if it is closed and re-launched.
- Supported on PC, Mac, iOS, Android and Chromebook guides specific to each platform are referenced at the end.

Upon launch, you'll immediately notice the mini Host Control Panel toolbar at the top center of the screen, and then a PROXY Pro Host PIN box presented in the center, both shown below.

PROXY Pro 📮 💄 🛆 🗙 🖒 READY	
PROXY Pro Host PIN	\times
Welcome! You're running the PROXY Pro Host on Demand. Your personal identification number (PIN) is: 849772 Although this number is not required to connect to your machine, i uniquely identifies you. Please provide this number to the person who will be remote controlling your computer if asked. OK	

The PIN uniquely identifies a device and will show up in the Proxy Web Console with this PIN code associated with it. Note that by default, an active Host on Demand will appear in the fashion of "USER on COMPUTERNAME (PIN)".

When Proxy Networks began supporting mobile devices, the majority of those devices had generic and sometimes nondescript device names.

A better way was needed to differentiate one device from another, so each device will be given a PIN when shared.

Assuming the user who launches the Host on Demand can supply this PIN to the PROXY Pro user, they have what they need in order to find and then connect to it.

The installed PROXY Pro Host is ideal on company issued computers, as it runs in the background and is always reporting in. It allows for connectivity in attended or unattended scenarios, whereas the Host on Demand is for scenarios where the Host will not be installed, mainly to provide a method to support personal or non-company devices. The persistent and non-persistent Host options and full platform support hopefully present a convenient method to support a wide range of devices.

- On Windows: Visit the Proxy Web Console landing page and click **SHARE**. If ClickOnce is detected, a dialog box with a "Run" / "Don't Run" dialog will appear click Run. If ClickOnce is not detected, it will download as an .exe run it.
- On Mac: Visit the Proxy Web Console landing page and click **SHARE**.
- On iOS: Visit the Proxy Web Console landing page and click **SHARE**. First time use will direct you to the app store once installed, click **SHARE** which will launch Host for Mobile app.
- On Android/Chromebook: Visit the Proxy Web Console landing page and click **SHARE**. First time use will direct you to the app store once installed, click **SHARE** which will launch Host for Mobile app.

Part 5) Connecting to a Shared Device via Host on Demand and installed Host



There are three ways to connect to Hosts – here they are!

- a) The easiest way to get connected to another machine is to ask a user to visit your landing page and hit SHARE. This will download and activate the Host on Demand which presents a 6-digit code to them, which they read off to you or email you. Insert that code into the Quick Connect PIN box on the landing page and a connection to that machine will immediately launch (upon successfully authenticating).
- b) Connecting by PIN is intended to be a convenient quick way to get connected to another user's device, but is not the only option. Instead, log into the Proxy Web Console and make note of the following Managed Hosts Groups. In particular, the Host on Demand group will list any/all shared devices that are either PC or Mac. Beneath, see the Mobile Hosts group which would list any/all shared devices that are iOS, Android and Chromebook. They appear as blue clickable hyperlinks click to connect. Any regular installed Hosts will appear in the top level group and can be moved to other groups more on that later.
- c) Third, we support the use of, and encourage testing with the PROXY Pro Master, our installed viewer. After installing Master.msi from the software zip file, the following brief one-time configuration is necessary.



To configure the PROXY Pro Master:

- 1) Click the Gateway Hosts tab.
- **2)** Click the Manage... button.
- 3) Click New to add the new Gateway.
- 4) Please input the connectivity information:Display Name is title for the server
 - Protocol should be set to WSS.
 - Port should be set to 443, the default port associated by <Standard> when WSS is used.
 - The Gateway Specifier will be the same address provided except without https://.

-Optionally on the Connect As tab, input the username and password provided to you and you will not be prompted for authentication each time the Master is opened.

A list of Host will be presented – double-click to connect. A number of right-click options are available to explore such as Screen recording, connecting for File Transfer, adding it to the Favorites tab and more.

Part 6) Introducing the Connection Windows: PROXY Pro Master (PC and Mac), ClickOnce and HTML5



PROXY Pro does support all mainstream platforms and has been architected to "just plain work" in every scenario possible. Given that our platform support goes beyond Windows, the connection window interface will differ slightly based on the platform used. When using PROXY Pro on PC, the ClickOnce Master will provide the full experience just like the installed Master, our classic viewer since the beginning. The ClickOnce Master is available on IE by default, in Edge with the ClickOnce plugin, and Chrome with the ClickOnce plugin. ClickOnce is available from the "More Tools" hyperlink found on any Proxy Web Console landing page. If ClickOnce is not detected on the system when a connection is launched, PROXY will deliver the connection within a browser tab leveraging the HTML5 Master. If you see the HTML5 Master on PC, just note that you are not receiving the full, complete experience as you would with the ClickOnce or Installed Master and we do recommend testing with each to determine which is best for you.

The installed PROXY Pro Master can be installed on your system and when you right-click a Host to connect, use the Connect -> Connect in Master option, it can then become the default connection method (over ClickOnce and HTML5). When a connection Is launched, it'll call up a copy of the locally installed Master which avoids the need to use ClickOnce and the slightly less feature rich HTML5, which is really intended for use on phones and tablets – Android, iOS and Chromebook. Upon attempting to launch a connection from Mac for the first time, the web console will offer the download of the Master installation file for Mac.

Quick Facts & Take-Aways about Each of the 3 Viewers

iOS 👘

Using the installed PROXY Pro Master is ideal when a customer...

- Primarily uses Windows computers to connect to other devices.
- Likes the idea of an installed viewer (as opposed to something web based).
- Prefers to always have full, complete product functionality.

Using the installed Mac Master is ideal when a customer...

- Primarily uses Macs to connect to other devices.
- Prefers using the Mac Master instead of the HTML5 Master.

Using the ClickOnce Master is ideal when a customer...

- Primarily uses Windows computers to connect to other devices.
- Prefers not to install a viewer like the Master.
- Prefers having complete functionality over the HTML5 Master.
- Prefers that connections launch within their own window as opposed to within a browser tab.
- Is willing and able to install the required ClickOnce browser plugin on Edge or Chrome.

Using the HTML5 Master is ideal when a customer...

- Primarily uses Android, iOS or Chromebooks to connect to other devices.
- Prefers not to install a viewer like the Master on their Windows PC.
- Prefers not to install any browser plugin like ClickOnce on their Windows PC
- Prefers that connections launch and are contained within a web browser tab

With this information in mind, let's introduce the different connection windows and the key takeaways in the next section.



Part 6) (Continued) Introducing the Connection Windows: Master (PC and Mac), ClickOnce and HTML5

In this section we'll highlight the most important takeaways about each of the viewers.

PROXY Pro Master Connection Window

- (1) The installed Master is the most feature rich, has a complete menu bar to explore – the full range of options are available.
- (2) The toolbar represents each of the connection controls and we'll dive into each button next.
- (3) Note the tabs at the bottom for File Transfer, Remote Printing, Remote Management – offering the complete experience.

ClickOnce Master Connection Window

- (1) The toolbar is complete with all available functions just like the installed Master.
- (2) Just like the installed Master, note the tabs at the bottom for File Transfer, Remote Printing and Remote Management, providing an equally complete experience.

Requires the ClickOnce plugin – click the More Information button on the landing page or the blue checkmark on the web console to get the plugin.





Part 6) (Continued) Introducing the Connection Windows: Master (PC and Mac), ClickOnce and HTML5

The HTML5 Connection Window

(1) All primary controls located along the top of the screen and will launch within a browser tab, works on all platforms.

When using a device like iOS, Chromebook or Android to connect to another device, this is the interface one would see on those platforms.

Also worth noting, this method works on any and all platforms.

The Mac Master Connection Window:

- (1) All screen sizing controls grouped together in the center
- (2) Input Control, Clipboard and more are located to the right

The Mac Master will be available for download when attempting to connect from a Host from a Mac.

Mac users may prefer that connections to Hosts launch within their own native windows. Contrast to the HTML5 Master, which opens connections to Hosts within a browser tab.



Folder Processes Performance Users Details Service Processes Performance Users Details Service Name CPU Memory AtureClie Name Image: Comparison of the service for the service f	File Options View Processes Performance Users Details Services Name 12% 70% Name 6.9% 136.4 MB WMII Provider Host 5.1% 5.8 MB WMI Provider Host 5.1% 5.8 MB System 0.6% 0.1 MB System interrupts 0% 0 MB System interrupts 0% 13.5 MB System colar Service Host: Local System (13) 0% 18.5 MB Sig Service Host: Local Security Authority Process (3) 0% 6.5 MB Windows Explorer 0% 15.0 MB To Proxy Host: Host Server application (32 bit) 0% 6.8 MB To Proxy Host: Network Service (5) 0% 7.8 MB	cycle Bin	(1)				(2)	
Folder Processes Performance Users Details Services Name 12% 70%	Processes Performance Users Details Services Name		🙀 Task Manager	-		<		
vereClie	Name 12% 70% P 12% 70% CPU Memory MMI Provider Host 6.9% System 0.6% System interrupts 0% Service Host: Local System (13) 0% To Local Security Authority Process (3) 0% Mindows Explorer 0% Mindows Explorer 0% Service Host: Network Service (5) 0% Service Host: Remote Procedure Call (2) 0% Service Host: Identi Foreign the Immercention 10% 10.100	-						
Name CPU Memory PrecCie P Antimalware Service Executable 6.9% 136.4 MB If WMI Provider Host 5.1% 5.8 MB If System 0.6% 0.1 MB If System interrupts 0.0% 0.0MB If System interrupts 0% 3.47 MB If Sigl Server Telemetry Client 0% 3.47 MB If Toxing Host: Host Server application (32 bit) 0% 6.5 MB If Proxy Host: Host Server application (32 bit) 0% 6.8 MB If Service Host: Network Service (5) 0% 7.8 MB If Service Host: Network Service Call (2) 0% 4.11 MB	Name CPU Memory > II Antimalware Service Executable 6.9% 136.4 MB III Whill Provider Host 5.1% 5.8 MB III System 0.6% 0.1 MB III System interrupts 0% 0 MB III System interrupts 0% 0 MB III System interrupts 0% 13.5 MB III System interrupts 0% 34.7 MB III Cocal Security Authority Process (3) 0% 6.5 MB III Cocal Security Authority Process (3) 0% 6.5 MB III Cocal Security Authority Process (3) 0% 6.8 MB III Cocal Server application (32 bit) 0% 6.8 MB III Service Host: Network Service (5) 0% 7.8 MB III Service Host: Remote Procedure Call (2) 0% 4.11 MB	rolder	Processes Performance Users Details Services					
Are Cire WMI Provider Host System System interrupts Service Host: Local System (13) Service Host: Network Service (3) Service Host: Network Service (5) Service Host: Network Service (5) Service Host: Remote Procedure Call (2) Service Host: Remote Procedure Call	Image: Will Provider Host 5.1% 5.8 MB Image: System 0.6% 0.1 MB Image: System interrupts 0% 0 MB Image: System interrupts 0% 0 MB Image: System interrupts 0% 0 MB Image: System interrupts 0% 18.5 MB Image: System interrupt Client 0% 34.7 MB Image: System interrupt Authority Process (3) 0% 6.5 MB Image: Windows Explorer 0% 15.0 MB Image: Service Host: Network Service (5) 0% 7.8 MB Image: Service Host: Network Service (5) 0% 4.1 MB Image: Service Host: Network Service (3) 0% 1.3 MB		Name					
Image: System 0.6% 0.1 MB Image: System interrupts 0% 0 MB Image: Service Host: Local System (13) 0% 18.5 MB Image: Sql Server Telemetry Client 0% 34.7 MB Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image	 System System interrupts Service Host: Local System (13) Service Host: Local System (13) Service Host: Local System (13) Service Host: Local Security Authority Process (3) Cocal Security Authority Process (3) Service Host: Network Service (5) S	ureClie	> III Antimalware Service Executable	6.9%	136.4 MB	^		
Image: System interrupts 0% 0 MB Image: Service Host: Local System (13) 0% 18.5 MB Image: Sql Server Telemetry Client 0% 34.7 MB Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image: Image: Image: Image: Sql Server Telemetry Client 0% 6.5 MB Image: Image	System interrupts 0% 0 MB Service Host: Local System (13) 0% 18.5 MB Service Host: Local System (13) 0% 34.7 MB Image: Service Host: Local Security Authority Process (3) 0% 6.5 MB Image: Windows Explorer 0% 15.0 MB Image: Service Host: Network Service (5) 0% 6.8 MB Image: Service Host: Network Service (5) 0% 7.8 MB Image: Service Host: Network Service (5) 0% 4.1 MB Image: Service Host: Local Service Most Procedure Call (2) 0% 4.1 MB		🗃 WMI Provider Host	5.1%	5.8 MB			
 Service Host: Local System (13) Sql Server Telemetry Client Sql Server Telemetry Client Sql Server Telemetry Client Sql Server Telemetry Client Sql Service Host: Network Service (3) Service Host: Network Service (5) Service Host: Remote Procedure Call (2) State Host 	> C Service Host: Local System (13) 0% 18.5 MB > I Sql Server Telemetry Client 0% 34.7 MB > I Local Security Authority Process (3) 0% 6.5 MB I' Windows Explorer 0% 15.0 MB > I' Proxy Host: Host Server application (32 bit) 0% 6.8 MB > Service Host: Network Service (5) 0% 7.8 MB > C Service Host: Remote Procedure Call (2) 0% 4.1 MB		System	0.6%	0.1 MB			
 Image: Sql Server Telemetry Client Image: Sql Server Telemetry Telemetry Client Image: Sql Server Telemetry T	> Is Sql Server Telemetry Client 0% 34.7 MB > Is Local Security Authority Process (3) 0% 6.5 MB Image: Windows Explorer 0% 15.0 MB > Image: Proxy Host: Host Server application (32 bit) 0% 6.8 MB > Image: Service Host: Network Service (5) 0% 7.8 MB > Image: Service Host: Remote Procedure Call (2) 0% 4.1 MB		System interrupts	0%	0 MB			
 Local Security Authority Process (3) Windows Explorer Proxy Host: Host Server application (32 bit) Service Host: Network Service (5) 7.8 MB Service Host: Remote Procedure Call (2) 4.1 MB 	Image: Local Security Authority Process (3) 0% 6.5 MB Image: Windows Explorer 0% 15.0 MB Image: Windows Explorer 0% 6.8 MB Image: Windows Explorer 0% 7.8 MB Image: Windows Explorer 0% 4.1 MB Image: Windows Explorer 0% 13.4 MB		> 🔯 Service Host: Local System (13)	0%	18.5 MB			
Windows Explorer 0% 15.0 MB > Image: Proxy Host: Host Server application (32 bit) 0% 6.8 MB > Image: Service Host: Network Service (5) 0% 7.8 MB > Image: Service Host: Remote Procedure Call (2) 0% 4.1 MB	Windows Explorer 0% 15.0 MB Image: Description of the service of the s		> 💽 Sql Server Telemetry Client	0%	34.7 MB			
> Image: Proxy Host: Host Server application (32 bit) 0% 6.8 MB > Image: Service Host: Network Service (5) 0% 7.8 MB > Image: Service Host: Remote Procedure Call (2) 0% 4.1 MB	> ■ Proxy Host: Host Service application (32 bit) 0% 6.8 MB > ⊡ Service Host: Network Service (5) 0% 7.8 MB > ⊡ Service Host: Remote Procedure Call (2) 0% 4.1 MB		> 💽 Local Security Authority Process (3)	0%	6.5 MB			
> Image: Service Host: Network Service (5) 0% 7.8 MB > Image: Service Host: Remote Procedure Call (2) 0% 4.1 MB	> Image: Service Host: Network Service (5) 0% 7.8 MB > Image: Service Host: Remote Procedure Call (2) 0% 4.1 MB		🦮 Windows Explorer	0%	15.0 MB			
> 💽 Service Host: Remote Procedure Call (2) 0% 4.1 MB	Service Host: Remote Procedure Call (2) 0% 4.1 MB 4.1 MB 4.1 MB		Proxy Host: Host Server application (32 bit)	0%	6.8 MB			
	PT Controlled Land Controlle Innovation NP (3100 V		> 🔯 Service Host: Network Service (5)	0%	7.8 MB			
			> 🔂 Service Host: Remote Procedure Call (2)	0%	4.1 MB			
Control Look Look Control (No Jonana Marian) OP 1340	Fewer details		. Carical Last, I and Carica (Ma Janana tina)	0.0/	1.3 MD	~		
Fewer details End task			Fewer details		End task			



😽 TestUser on TESTPC via PROXYDesktop - PROXY Pro Master

File Transfer

🔂 • 💠 🗗 👰 • 🖳 🏷 🍪 🎱 • 🖳 🧐 🐴 🔍 🔍 🤿

Remote Printing

Part 6.1) Tour of the Connection Window Functions: PROXY Pro Master & ClickOnce Master

This section covers key takeaways about the installed PROXY Pro Master along with what each function is useful for.

8

Remote Control

副影酔

4

Shown to the right is a snippet of the installed PROXY Pro Master's connection window toolbar. Below please find additional detail and context about each item.

Note the **File Transfer** tab located at the bottom of the window.

(1) Navigation between each PROXY Service

From left to right, **Remote Control, File Transfer, Remote Printing, Remote Management** and **Disconnect**. Each button is a shortcut to one of the Proxy "services". As an alternative to using these buttons, note that clicking each tab at the bottom left of the connection window can also take you to each respective service when you need to move a file or directory using the **File Transfer** tab, or using the **Remote Management** tab to restart a service, kill a process look oat Windows logs or similar. (2) Screen Sizing Options & Monitor Selection

If both the target Host and your own machine have matching screen resolutions, **Full Screen** works great. When that isn't appropriate, try the **Fit to Window** mode, as it permits dragging the edges of the connection window and Proxy will auto-scale the Host's screen resolution to the window. The **Fit 1:1** mode has Proxy capturing the target machine's resolution to match your own resolution at a 1:1 ratio, ideal when screen resolutions match. The **Monitor Select** drop-down will list each connected monitor, click to view each, along with a view-all button to see all, and the **Next Monitor** cycles through each. (3) Taking Keyboard & Mouse Control, Sending Keystrokes and More

From left to right, Input Control, Send CAD, Send Keystroke, Toggle Visual Effects, Toggle Input Suppression, Blank Screen. Use the Input Control button to grab mouse and keyboard control, click it again to enter View Only mode (hotkey toggle=12). Use the Send CTRL+ALT+DEL to log into Windows and similar or try CTRL+ALT+BACKSPACE, Proxy's shortcut keystroke. The Send Keystroke option list includes Windows+L, Print Screen, Alt+Print Screen (to capture the active window), F11, F12. The Toggle Visual Effects button permits a Master user to disable a Host's Visual Effects like disabling wallpaper if the Host is configured to allow it. Check the target Host's Proxy Host Control Panel -> Effects tab if this button is gray – the Host needs to be set to the Permit value in order to allow connected users to toggle effects. The Suppress Host Input button will disable the Host computer's local keyboard and mouse until this has been toggled, or once the user has disconnected from the Host. The Blank Host Screen button presents a message on the Host console indicating that it is being remotely controlled by an administrator through PROXY Pro Host, which also disables the keyboard and mouse, active until toggled or upon disconnect. (4) Clipboard Sharing and Chat

From left to right, **Auto-Share Clipboard**, **Get Clipboard from Host**, **Send Clipboard to Host**, **Chat**, **Copy Graphics Screen**, and **Settings**. The first three buttons control how copying and pasting clipboard content shall behave between your own computer and a Host computer you are connected to. In this case, **Automatic Clipboard Sharing** is disabled, so one may copy and paste back and forth manually by clicking the **Get Clipboard from Host** button to move its content to your own computer, or use **Send Clipboard to Host** to move clipboard content on your local machine to the Host's clipboard. Use **Chat** to initiate a chat session with the Host user and the **Copy Graphics Screen** button is equivalent to a screen snipping tool for grabbing screen snippets – draw a box on the Host and it's on your clipboard. The **Settings** button brings up the installed Master's preferences menu – we encourage exploring what connection defaults you find most useful.

Remote Management

周 🏽 🗗

 \times

💁 😭



Part 6.1.1) Tour of the Connection Window Functions: PROXY Pro Master & ClickOnce Master

Below is a list of each of the functions, their respective buttons along with a brief description & purpose of each.

÷ 🔁 -	÷	Ъ	₽.	P	0	3	• 🎱	P	ণ্ড	1	æ	۵,	۵	$ \Rightarrow$	© <mark>n</mark>	3
Α	В	С	D	Е	F	G	Н		J	Κ	L	М	Ν	0	Ρ	Q

(A) Full Screen Mode		Click to view the Host's desktop in full-screen mode.
(B) Fit To Window Mode	.	Click to view the Host's desktop within the window size.
(C) Fit One-to-One	G	View the Host screen at a 1:1 resolution mapping.
(D) Monitor Select	9	Click to view primary, secondary or all monitors.
(E) Next Monitor	₽	Click to cycle through to the next monitor.
(F) Take Input Control	Ċ	Click to take control of the Host machine's keyboard and mouse.
(G) Send Ctrl+Alt+Del		Click to send the Control + Alt + Delete keystroke combination.
(H) Send Keystroke	۰	Sends one of the below keystroke(s) to remote desktop.
	Ctrl+Alt+Del	Click to send the Control + Alt + Delete keystroke combination.
	Windows+L	Lock remote Host desktop.
	PrintScreen	Capture snapshot of entire desktop and copy to clipboard.
	Alt+PrntScrn	Capture snapshot of active window and copy to clipboard.
	F11	Toggle between normal and full screen modes.
(I) Toggle Visual Effects	₽	Toggle visual effects on/off (e.g. Host wallpaper).
(J) Disable Host's KB/Mouse	۲	Toggle the Host user's ability to use their keyboard and mouse.
(K) Blank Host Screen	9	Toggle the Host from sending screen output to the console user.
(K) Auto-share clipboard	8	While enabled, copy and paste clipboard content freely back and forth.
(L) Get Clipboard from Host	۵	If auto-share clipboard is off, click to get clipboard content from Host.
(M) Send Clipboard to Host	ê,	If auto-share clipboard is off click to send clipboard content to the Host.
(N) Chat	Ş	Open a chat window to communicate via text with the end user.
(O) Copy Graphics	o,	Select an area on the Host's screen to be pasted into mspaint or Word.
(P) Close	8	Closes the Remote Desktop Window and terminates the connection.



Part 6.2) Tour of the Connection Window Functions: HTML5 Master

This section covers what readers should know about the ClickOnce Master along with what each function is useful for.

The HTML5 Master works within a browser tab and is supported on all platforms. It was developed to be the UI for mobile devices such as iOS, Android, Chromebook.



οÅ

(1) Screen Sizing Options & Monitor Selection

From left to right, **Fit to Window, Fit 1:1, Monitor Select** (choose one to be centered in the connection window) and **Next Monitor**. Each button can be used to help optimize the manner in which the remote Host's screen(s) are presented. If both the target Host and your own machine have matching screen resolutions, **Full Screen** works perfectly every time and is achieved with the F11 key which fullscreens the browser tab. When full screen is not appropriate, try the **Fit to Window** mode, as it permits dragging the edges of the browser tab's window itself – reposition as needed. The **Fit 1:1** has Proxy capturing the target machine's resolution to match your own resolution at a 1:1 ratio, ideal when screen resolutions match. The **Monitor Select** drop-down will list each connected monitor, click to view each, along with a view-all button to see all, and the **Next Monitor** cycles through each.

(2) Taking Keyboard & Mouse Control, Sending Keystrokes and More

From left to right, **Input Control, Send CAD, Send Keystroke, Toggle Visual Effects, Toggle Input Suppression, Blank Screen.** Use the **Input Control** button to grab mouse and keyboard control, click it again to enter View Only mode. Use the **Send CTRL+ALT+DEL** to log into Windows and similar. The **Send Keystroke** option list includes Windows+L, Print Screen, Alt+Print Screen (to capture the active window), F11, F12. The **Toggle Visual Effects** button permits a Master user to disable a Host's Visual Effects like disabling wallpaper if the Host is configured to allow it. Check the target Host's Proxy Host Control Panel -> Effects tab if this button is gray – the Host needs to be set to the Permit value in order to allow connected users to toggle effects. The **Suppress Host Input** button will disable the Host computer's local keyboard and mouse until this has been toggled, or once the user has disconnected from the Host. The **Blank Host Screen** button presents a message on the Host console indicating that it is being remotely controlled by an administrator through PROXY Pro Host, which also disables the keyboard and mouse, active until toggled or upon disconnect.

(3) Copying & Pasting Clipboard Content

From left to right, **Copy Clipboard to Host**, **Get Clipboard from Host**. Instead of automatic clipboard sharing like with the installed Master and ClickOnce Master, click the **Copy Clipboard to Host** button to bring local clipboard content to the Host. Or, use the **Get Clipboard from Host** button to move clipboard content from the Host to your local computer. This works for text only in the context of the HTML5 Master, but you can transfer files of up to 26mb using the uploader interface. The third icon launches a copy of the installed Master if one is detected, should one want to perform functions not available in the HTML5 Master.

			Q.	
Copy Clipboa	ard to Host			×
Text				
Manually paste from	m Clipboard to	above Text	Area and pres	SS Send
Or select a file and Choose File No fi	• •	P:		
Upload				



Part 6.2.1) Tour of the Connection Window Functions: HTML5 Master

Below is a list of each of the functions, their respective buttons along with a brief description & purpose of each.

\leftrightarrow \rightarrow C $$ https://myser	ver.proxyair.c	om/							È	☆	0	* 🗆	۲	:
TestUser on TESTPC via myga	teway.com - P	ROXY	Pro HTI	ML5 Ma	ister Co	onnectio	on							
🔀 🖻 👰 🚇	۵۵	#		ð				Q			?	(D	Ľ
A B C D	E F	G	н		J	Κ	L.	Μ			Ν	()	Р
(A) Use Fit to Window Mode	\mathbf{X}		Click to	view t	he Host	t's mach	nine's d	lesktop	o with	nin th	ne wind	low si	ze.	
(B) Use Fit One-to-One Mode	6		View th	e Host	screen	at a 1:1	L resolu	ution m	nappi	ng.				
(C) Monitor Select	F ••		Click to	view p	rimary,	, seconc	lary or	all mo	nitor	S.				
(D) Cycle to Next Monitor			On mul	ti-mon	itor Hos	sts, click	k to vie	w the	nextı	moni	tor.			
(E) Take Input Control	4		Click to	take co	ontrol c	of the H	ost ma	chine's	s keyl	ooard	d and n	nouse	•	
(F) Ctrl+Alt+Del Keystroke	e d		Send Co	ontrol +	- Alt + D	Delete k	eystro	ke to H	lost.					
(G) Send Windows Keystroke	f y -		Send co	mman	ds such	n as Prin	t Scree	en, C+A	۸+D, ۱	Wind	ows Lo	ck.		
(H) Toggle Visual Effects	Ţ		Enable	or disa	ble visu	ual effec	ts (like	e wallpa	aper)	•				
(I) Disable Host Mouse & KB	ð		Toggle	the Ho	st user'	s ability	to use	e their l	keybo	bard	and mo	ouse.		
(J) Blank Host Screen			Toggle	the Ho	st from	sendin	g scree	n outp	ut to	the o	console	e user	•	
(K) Send Clipboard to Host			Paste cl	ipboar	d conte	ents to H	lost.							
(L) Get Clipboard from Host			Copy cli	ipboard	d conte	nts fron	n Host							
(M) Launch PROXY Pro Master	Q		Launch	a local	сору о	f the PR	OXY P	ro Mas	ter (i	f inst	alled).			
(N) Connection Window Help	?		Click th	is icon	to get ł	nelp wit	h basio	topics	5.					
(O) Show/Hide Header	(i)		Enables	or dis	ables th	ne blue	bar sho	owing t	the m	achii	ne iden	itity.		
(P) Show/Hide Toolbar	В		Enables	or dis	ables th	ne toolb	ar con	taining	the r	ow c	of butto	ons.		



Part 6.3) Tour of the Connection Window Functions: Mac Master

This section covers what readers should know about the Mac Master along with what each function is useful for.

🗯 Master Connection Edit	View C	Options Window								
\varTheta 😑 🔵 ProxyDemoHost20		Entire Desktop (1024 x 768) 💲	0	80	•	&	e.	3	B	>>

The Mac Master delivers connections to Hosts that launch within separate windows like on PC. It can be used instead of the HTML5 Master or in conjunction and we encourage trying both.

(1) Screen Sizing Options & Monitor Selection

From left to right, **Fit 1:1, Fit to Window, Monitor Select** (choose one to be centered in the connection window) and **Next Monitor**. Each button can be used to help optimize the manner in which the remote Host's screen(s) are presented. If both the target Host and your own machine have matching screen resolutions, **Full Screen** works perfectly every time. When full screen is not appropriate, try the **Fit to Window** mode, as it permits dragging the edges of the connection window itself. The **Fit 1:1** has Proxy capturing the target machine's resolution to match your own resolution at a 1:1 ratio, ideal when screen resolutions match. The **Monitor Select** drop-down will list each connected monitor, click to view each, along with a view-all button to see all, and the **Next Monitor** cycles through each.

(2) Taking Keyboard & Mouse Control, Sending Keystrokes and More

From left to right, **Input Control, Send CAD, Send Keystroke, Toggle Visual Effects, Toggle Input Suppression, Blank Screen.** Use the **Input Control** button to grab mouse and keyboard control, click it again to enter View Only mode. Use the **Send CTRL+ALT+DEL** to log into Windows and similar. The **Send Keystroke** option list includes Windows+L, Print Screen, Alt+Print Screen (to capture the active window), F11, F12 among others. The **Toggle Visual Effects** button permits a Master user to disable a Host's Visual Effects like disabling wallpaper if the Host is configured to allow it. Check the target Host's Proxy Host Control Panel -> Effects tab if this button is gray – the Host needs to be set to the Permit value in order to allow connected users to toggle effects. The **Suppress Host Input** button will disable the Host computer's local keyboard and mouse until this has been toggled, or once the user has disconnected from the Host. The **Blank Host Screen** button presents a message on the Host console indicating that it is being remotely controlled by an administrator through PROXY Pro Host, which also disables the keyboard and mouse, active until toggled or upon disconnect.

(3) Copying & Pasting Clipboard Content + Disconnect

The first three buttons control how copying and pasting clipboard content shall behave between your own computer and a Host computer you are connected to. In this case, **Automatic Clipboard Sharing** is enabled, so copy and paste freely back and forth. If disabled, one can manually send and receive clipboard content. Use the **Get Clipboard from Host** button to move its content to your own computer, or use **Send Clipboard to Host** to move clipboard content on your local machine to the Host's clipboard. Last, the **Disconnect** button is found on the right which will terminate the connection and the connection window will close.

 (\times)

Entire Desktop (1024 x 768) 🗘



Part 6.3.1) Tour of the Connection Window Functions: Mac Master

Below is a list of each of the functions, their respective buttons along with a brief description & purpose of each.

Entire Desl	ktop (1024 x 768) 🗘	
A B	С	D EFGHIJKLM N
(A) Use Fit One-to-One Mode		Click to view the Host's machine's desktop within the window size.
(B) Use Fit-to-Window Mode		View the Host screen at a 1:1 resolution mapping.
(C) Monitor Select	\$	Click to view primary, secondary or all monitors.
(D) Display Next Host Monitor	(D)	On multi-monitor Hosts, click to view the next monitor.
(E) Take Input Control	Ē	Click to take control of the Host machine's keyboard and mouse.
(F) Ctrl+Alt+Del Keystroke		Send Control + Alt + Delete keystroke to Host.
(G) Send Windows Keystroke		Send commands such as Print Screen, C+A+D, Windows Lock.
(H) Toggle Visual Effects	\$\$\$	Enable or disable visual effects (like wallpaper).
(I) Disable Host Mouse & KB	\otimes	Toggle the Host user's ability to use their keyboard and mouse.
(J) Blank Host Screen		Toggle the Host from sending screen output to the console user.
(K) Auto Share Clipboard		While enabled, copy and paste clipboard content freely back and forth.
(L) Get Clipboard from Host	2	Paste clipboard contents to Host.
(M) Send Clipboard to Host		Copy clipboard contents from Host.
(N) Disconnect	\otimes	Close and exit the connection.



Part 7) Testing with the installed PROXY Pro Host

This section will cover the process of getting the traditional Host installed and configured to report to a PROXY Pro server. Please be sure to download the latest version our downloads page at <u>https://products.proxynetworks.com/downloads/</u>. Although it's not covered here, we have supplementary documentation covering each of the Host Settings in depth and another for creating an install package containing custom Host settings and deploying it to large groups of machines.

Begin by installing the Host-x64.msi on the machine you wish to test with. Once installed, open the Proxy Host Control Panel to the "Gateways" tab and click "Add Gateway". The Station Specifier would be the server address in the form of sample.address.com. Select the WSS protocol and hit OK – the Host will now report itself to your server.



Beyond configuring the Host to report to your server, be aware of the following partial list of Host Settings.





Part 8) Testing with the installed PROXY Pro Host for Mac

The PROXY Pro Host for Mac User Manual is available from https://www.proxynetworks.com/documentation

This page will cover the process of getting the Host installed on Mac and configured to report to a PROXY Pro server. The PROXY Pro Host for Mac (PKG) can be downloaded directly by visiting the PROXY Pro landing page and simply clicking the **SHARE** button. This will bring up a page with a Download button if there is no Host already installed. Click Download, let the software (PKG file) download, then click the downloaded file to open it. This runs the Host installer, which guides the user through installing the software. Or, grab it here: https://products.proxynetworks.com/wcapps/proxy/v100/PROXYProHost.pkg

After installation there are no settings by default but there are a few easy paths forward to get the Gateway information populated into the Host:

- Click SHARE from the Proxy Web Console landing page or
- Click the "Click here to launch it now" link if the page was left open

To manually configure it, open the Proxy Host Control Panel from the menu bar Host Control Panel and click Preferences, shown on the right: PROXY Pro Host Control Panel for Mac Overview: When opened, notice each of the five tabs. The Host for Mac Manual covers each in full detail, but the important takeaways start with the Station Name field on the General tab, which defines how the Host presents itself to the Web Console & Master. The Gateway tab represents which servers its configured to report to, modify screen capture variables on the **Screen** tab, set connection mode on the **Access** tab and set extension tags (for auto-grouping) via the **Tags** tab. Configuring the Host to report into the server manually: Although the Gateway connectivity information can be included automatically or by a clicking the SHARE button, it may be important to know that you can manually set the server address on the Host. From the Gateway tab, hit the + button to add a new Gateway. Enter the address and select the WSS protocol; <Standard> implies port 443 when the WSS protocol is selected. Click OK and the Host will report itself in. The Host is now accessible!

Configuring the Host's Permission to Connect Setting: Although this setting can be included automatically, it may be important to know that the Host can be set to allow connections without any consent (No Permission Required), require that consent must be granted (Grant) or that the connection is requested and will establish if not explicitly denied (Request). If either Grant or Request is used, set an appropriate timeout. **Required Permissions specific to Mac:**



	PROXY Pro Host Control Panel
	General Gateways Screen Access Tags
	Station Name: %PIN% (%USER% on %NAME%)
	evaluates to: 991412 (ryangallager on support-macbook)
	Popup Notifications: 🥑 Enable connect/disconnect notifications
Personal Id	dentification Number: 991412
	Workstation ID: w={61a9b520-ff59-44f0-aa4f-741913cdc909}
•	PROXY Pro Host Control Panel
	General Gateways Screen Access Tags
Station	n Specifier Protocol Last Status Address Gateway S
	Protocol: WSS SPort: <standard></standard>
	Station Specifier: myaddress.proxyair.com
	OK Cancel
	A L (m) (A L)
T	
	Status Status Reporting is idle.
Resend S	
Resend S	
	PROXY Pro Host Control Panel
Resend S	PROXY Pro Host Control Panel
• •	PROXY Pro Host Control Panel General Gateways Screen Access Tags
Connection F	PROXY Pro Host Control Panel General Gateways Screen Access Tags Permission
Connection F	PROXY Pro Host Control Panel General Gateways Screen Access Tags Permission mission required
Connection F No perm Permiss	PROXY Pro Host Control Panel General Gateways Screen Access Tags Permission
Connection F No permiss Permiss	PROXY Pro Host Control Panel General Gateways Screen Access Tags Permission mission required sion must be granted by Host within the timeout period

There are two permissions that need to be granted to the Host application on any modern Mac.

1) Starting with macOS Mojave (10.14), System Preferences > Security & Privacy, Accessibility, a permission to "control your computer" is present. The PROXY Pro Host will appear in this list as "PROXY Pro Host" and must be granted the right to control your computer to provide input control services.

2) Starting with macOS Catalina (10.15), System Preferences > Security & Privacy, Screen Recording, a permission to "record the screen" is present. The PROXY Pro Host will appear in this list as "PROXY Pro Host" and must be granted the right to record the screen to provide remote view/control services.



Thank you!

We sincerely hope the information contained within this orientation guide was "just about right" and helps get new users warmed up to using PROXY Pro quickly. For those seeking additional information, we have a documentation page that covers a wide range of topics. Below we'll point out a few that are usually relevant:

Each of these and more can be found on our documentation page at https://www.proxynetworks.com/documentation

- PROXY Pro Datasheet
 - Feature comparison between our products
- PROXY Pro SLA

•

- Service level agreement terms, conditions and related information
- PROXY Pro InfoSec Policy
 - Information about the Information Security policy
- PROXY Pro Azure AD Integration
 - Steps to integrate Azure AD authentication into PROXY Pro
 - PROXY Pro Host Manual (Windows, Mac, Android, iOS)
 - The complete product manuals for the Host on each platform
- PROXY Web Console Operations Guide
 - The complete product manual for the Proxy Web Console usage and administration
- PROXY Pro Deployment Tool Quick Start Guide
 - Steps to use our tool to create a deployment package for the Host
 - PROXY Pro Host Settings Guidelines
 - Proxy Networks makes recommendations on which Host Settings are appropriate
- PROXY Pro Host Settings Management Tips
 - Guidelines for rolling out changes to Host Settings once they have been deployed
- PROXY Pro Host Stealth Mode Guidelines
 - Steps to use Proxy in a stealth mode scenario
- PROXY Pro Host for Mobile: MDM Guidelines
 - Steps to roll out the Host for Mobile app with server connectivity details included

Beyond our documentation page, we have a library of YouTube content covering various topics from product demos, particular feature sets, administration tips and more.

The Proxy Networks YouTube Channel: https://www.youtube.com/c/ProxyNetworks

The Proxy Networks blog will post periodic updates about the product: <u>https://www.proxynetworks.com/blog</u>

We hope you find Proxy useful, effective and that you enjoy using it! Let us help ensure your usage is successful. Our teams are available by email at sales@proxynetworks.com and support@proxynetworks.com and support@proxynetworks.com<