



Donor code 160023		Vitrification date 21.11.2022
Tests	Results	Date
Blood tests		
Complete blood count	Within the norm	10.11.2022
Coagulogram	Within the norm	10.11.2022
Biochemical blood test	Within the norm	10.11.2022
Blood group test	B(III)	19.08.2021
Blood Rh-factor	+	19.08.2021
Urine tests		
Common urine test	Within the norm	10.11.2022
Hormones		
Anti-Müllerian hormone (AMH)	Within the norm	10.11.2022
Follicle-stimulating hormone (FSH)	Within the norm	10.11.2022
Luteinizing hormone (LH)	Within the norm	10.11.2022
Estradiol (E2)	Within the norm	10.11.2022
Prolactin (PRL)	Within the norm	10.11.2022
Progesterone	Within the norm	10.11.2022
Thyroid-stimulating hormone (TSH)	Within the norm	10.11.2022
TORCH infections		
Cytomegalovirus, IgG (CMV IgG)	Within the norm	10.11.2022
Cytomegalovirus, IgM (CMV IgM)	Within the norm	10.11.2022
Herpes Simplex Virus 1/2, IgG (HSV 1/2 IgG)	Within the norm	10.11.2022
Herpes Simplex Virus 1/2, IgM (HSV 1/2 IgM)	Within the norm	10.11.2022
Toxoplasma gondii, IgG (Toxo IgG)	Within the norm	10.11.2022
Toxoplasma gondii, IgM (Toxo IgM)	Within the norm	10.11.2022
Rubella Virus, IgG (RUB IgG)	Within the norm	10.11.2022
Rubella Virus, IgM (RUB IgM)	Within the norm	10.11.2022
Chlamydia trachomatis, IgG	Within the norm	10.11.2022
Chlamydia trachomatis, IgM	Within the norm	10.11.2022
Serology (blood test)		
HBsAg	Not detected	10.11.2022
Anti-HBc	Not detected	10.11.2022
Anti-HCV	Not detected	10.11.2022
Treponema pallidum, Syphilis	Not detected	10.11.2022
HIV	Not detected	10.11.2022
Genetic tests		
Karyotype	46XX	19.08.2021
Fragile X	Within the norm	19.08.2021
Cystic Fibrosis	Within the norm	19.08.2021
Spinal Muscular Atrophy (SMA)	Within the norm	19.08.2021
Human T-lymphotropic virus (HTLV-1,2)	Not detected	19.08.2021
Thalassemia HPLC	Within the norm	10.11.2022
Sickle Cell Disease HPLC	Within the norm	10.11.2022
Deafness DFNB1 (GJB2)	Within the norm	10.11.2022
Deafness DFNB1(delGJB6)	Within the norm	10.11.2022
Urogenital smears		
Pap Test (Papanicolaou Smear)	Within the norm	17.11.2022
Chlamydia trachomatis DNA (Real-time PCR)	Not detected	17.11.2022
Neisseria gonorrhoeae DNA (Real-time PCR)	Not detected	17.11.2022
Urogenital smear for microflora (on glass)	Within the norm	17.11.2022
Serology (Real-Time PCR)		
Hepatitis B Virus DNA (HBV DNA)	Not detected	21.11.2022
Hepatitis C Virus RNA (HCV RNA)	Not detected	21.11.2022
Treponema pallidum, DNA	Not detected	21.11.2022
HIV RNA	Not detected	21.11.2022