



Donor code : 213731		Vitrification date : 16.06.2025
Tests	Results	Date
<b>Blood tests</b>		
Complete blood count	Within the norm	04.06.2025
Coagulogram	Within the norm	04.06.2025
Biochemical blood test	Within the norm	04.06.2025
Blood group test	<b>A(II)</b>	19.11.2024
Blood Rh-factor	-	19.11.2024
<b>Urine tests</b>		
Common urine test	Within the norm	11.06.2025
<b>Hormones</b>		
Anti-Müllerian hormone (AMH)	Within the norm	19.11.2024
Follicle-stimulating hormone (FSH)	Within the norm	19.11.2024
Luteinizing hormone (LH)	Within the norm	19.11.2024
Estradiol (E2)	Within the norm	19.11.2024
Prolactin (PRL)	Within the norm	19.11.2024
Progesterone	Within the norm	19.11.2024
Thyroid-stimulating hormone (TSH)	Within the norm	19.11.2024
<b>TORCH infections</b>		
Cytomegalovirus, IgG (CMV IgG)	Within the norm	19.11.2024
Cytomegalovirus, IgM (CMV IgM)	Within the norm	19.11.2024
Herpes Simplex Virus 1/2, IgG (HSV 1/2 IgG)	Within the norm	19.11.2024
Herpes Simplex Virus 1/2, IgM (HSV 1/2 IgM)	Within the norm	19.11.2024
Toxoplasma gondii, IgG (Toxo IgG)	Within the norm	19.11.2024
Toxoplasma gondii, IgM (Toxo IgM)	Within the norm	19.11.2024
Rubella Virus, IgG (RUB IgG)	Within the norm	19.11.2024
Rubella Virus, IgM (RUB IgM)	Within the norm	19.11.2024
Chlamydia trachomatis, IgG	Within the norm	19.11.2024
Chlamydia trachomatis, IgM	Within the norm	19.11.2024
<b>Serology (blood test)</b>		
HBsAg	Not detected	04.06.2025
Anti-HBc	Not detected	04.06.2025
Anti-HCV	Not detected	04.06.2025
Treponema pallidum, Syphilis	Not detected	04.06.2025
HIV	Not detected	04.06.2025
<b>Genetic tests</b>		
Karyotype	46XX	19.11.2024
Fragile X	Within the norm	19.11.2024
Cystic Fibrosis	Within the norm	19.11.2024
Spinal Muscular Atrophy (SMA)	Within the norm	19.11.2024
Human T-lymphotropic virus (HTLV-1,2)	Not detected	19.11.2024
Thalassemia HPLC	Within the norm	19.11.2024
Sickle Cell Disease HPLC	Within the norm	19.11.2024
Deafness DFNBI (GJB2)	Within the norm	19.11.2024
Deafness DFNBI(delGJB6)	Within the norm	19.11.2024
<b>Urogenital smears</b>		
Pap Test (Papanicolaou Smear)	Within the norm	19.11.2024
Chlamydia trachomatis DNA (Real-time PCR)	Not detected	11.06.2025
Neisseria gonorrhoeae DNA (Real-time PCR)	Not detected	11.06.2025
Urogenital smear for microflora (on glass)	Within the norm	11.06.2025
<b>Serology (Real-Time PCR)</b>		
Hepatitis B Virus DNA (HBV DNA)	Not detected	16.06.2025
Hepatitis C Virus RNA (HCV RNA)	Not detected	16.06.2025
Treponema pallidum, DNA	Not detected	16.06.2025
HIV RNA	Not detected	16.06.2025