



# WITOP DECOR

Creating WPC Walls For Green Stylish Living

## ABOUT US

[sales1@chanta.group](mailto:sales1@chanta.group)

[www.witopdecor.com](http://www.witopdecor.com)  
+86-0539-8622802

23 floor,B03,LuShang Center,Linyi City,Shandong,China.



SHANDONG WITOP DECOR MATERIALS CO., LTD.



# FACTORY OVERVIEW



# SHANDONG WITOP DECORATION MATERIALS




Welcome you to visit  
Company Profile

Shandong Witop Decoration Materials Co., Ltd is located in Linyi City, with 10 years production experience on research and development .  
Dedicated to strict quality control and thoughtful customer service, Our mission is to focus on customers' concerns and continuously create maximum value for customers.  
We mainly export products to Southeast Asia, Middle East, South America, Africa and Europe.  
We are specialized in new decoration materials.  
Our company has rich experience in the wpc and spc industry.

## CERTIFICATIONS



## REPORT FOR QUALIFY EVALUATION



## PROFESSIONAL TEAM

We have a young team. Everyone plays an important role in the team. They are responsible for market development, sales, quality inspection and publicity. Our common goal is to maintain customers and provide excellent products to you.





# WPC Wall Panel

HOT SALE!



CTWPC-15516/18



HOT SALE!



CTWPC-15923



HOT SALE!



CTWPC-16820/23/24



HOT SALE!



CTWPC-21020



CTWPC-15508A



HOT SALE!



CTWPC-15509



HOT SALE!



CTWPC-15912



HOT SALE!



CTWPC-20311/14/15



CTWPC-14017



HOT SALE!



CTWPC-15011



HOT SALE!




CTWPC-15008



HOT SALE!



CTWPC-150/16012




CTWPC-17017/20



HOT SALE!



CTWPC-170/17814



HOT SALE!



CTWPC-17114



NEW!



CTWPC-18524



CTWPC-16012



HOT SALE!



CTWPC-16015



HOT SALE!




CTYX-20025



HOT SALE!



CTWPC-20515



SCAN TO GET VR SCENE

# WPC Wall Panel

SCAN TO GET VR SCENE



Product grid for WPC Wall Panels:

- CTWPC-15515 (155mm width, 15mm height)
- CTWPC-15915 (159mm width, 15mm height)
- CTWPC-16011 (160mm width, 11mm height)
- CTWPC-16813 (168mm width, 15mm height)
- CTWPC-13214 (132mm width, 14mm height)
- CTWPC-20512 (205mm width, 12mm height)
- CTWPC-19512 (195mm width, 12mm height)
- CTWPC-21015 (210mm width, 15mm height)
- CTWPC-16815 (168mm width, 15mm height)
- CTWPC-17315 (173mm width, 15mm height)
- CTWPC-18824 (188mm width, 24mm height)
- CTWPC-17622 (176mm width, 22mm height)
- CTWPC-17816 (178mm width, 16mm height)
- CTWPC-18728 (187mm width, 28mm height)
- CTWPC-20322/25 (203mm width, 25mm/22mm height options)
- CTWPC-21010 (210mm width, 10mm height)
- CTWPC-21010 (205mm width, 10mm height)
- CTWPC-5018 (50mm width, 18mm height)

# New Arrival

SCAN TO GET VR SCENE



New Arrival products:

- CTWPC-U150 (150mm width, 24mm height)
- CTWPC-U300 (300mm width, 24mm height)


# Black Half Covered Series

Black Half Covered Series products:

- CTWPC-12012B (120mm width, 12mm height)
- CTWPC-12512B (125mm width, 12mm height)
- CTWPC-15008B (150mm width, 8mm height)
- CTWPC-16815B (168mm width, 15mm height)
- CTWPC-15923B (159mm width, 23mm height)
- CTWPC-17017B (170mm width, 17mm height)
- CTWPC-16215B (162mm width, 15mm height)
- CTWPC-19512B (195mm width, 12mm height)
- CTWPC-15813B (158mm width, 15mm height)
- CTWPC-20310B (203mm width, 10mm height)
- CTWPC-20009B (200mm width, 9mm height)
- CTYX-220/25010B (220mm/250mm width, 10mm height)



Flat WPC Wall Panels



CTQB-8010 80mm  
CTQB-12010 120mm

CTQB-1509 150mm  
CTQB-16518 165mm



SNQB-4008 400mm

SNQB-6009 600mm


### Packing and Shipping



### WPC Corner Line



### Installation Guide






WPC Timber Tube




WPC Ceiling




CTFT-65R




CTFT-4050




CTFT-5050




CTFT-5075



CTCE-4045



CTCE-4080



Expansion screw


Alloy Screw

Stainless steel


WPC ceiling



CTFT-50100B




CTFT-50150




Accessory




CTCE-5060



CTCE-5090



CTCE-40100




# Acoustic Wall Panel

|             |   |
|-------------|---|
| Name        | Acoustic Wall Panel   |
| Size        | 600x1200mm 600x2400mm 600x2700mm or customized  |
| Thickness   | 21mm  |
| Weight      | 6-8kg/m <sup>2</sup>  |
| Surface     | Natural Veneer/EV Veneer /PVC Film/ Melamine Paper  |
| Component   | MDF Panel + 100% polyester fiber panel  |
| Application | Bedroom,kindergarten,school, cinema, conference room,recording studio, TV station, library, concert hall... |



## DESIGN MDF SLAT



## Design Series

SCAN TO GET VR SCENE




| DIY SERIES | Slat Edges Choice                  |   | First Layer Cover Choice |   |
|------------|------------------------------------|---|--------------------------|---|
|            | Standard Size<br>600mmx2400mmx21mm |   |                          |   |
|            | ✓                                  | ✓ | ✓                        | ✓ |



WTAP-16 600\*600mm WTAP-17 600\*600mm WTAP-18 610\*700mm WTAP-19 600\*600mm WTAP-20 600\*600mm



WTAP-21 600\*600mm WTAP-22 600\*600mm WTAP-23 610\*700mm WTAP-24 600\*600mm WTAP-25 600\*600mm



WTAP-26 600\*600mm WTAP-27 600\*400mm WTAP-28 610\*700mm WTAP-29 600\*600mm WTAP-30 600\*600mm



WTAP-31 815\*545mm WTAP-32 300\*600mm WTAP-33 600\*300mm WTAP-34 600\*600 mm WTAP-35 350\*300mm



WTAP-36 800\*660mm WTAP-37 595\*595mm WTAP-38 600\*600mm WTAP-39 640\*650mm WTAP-40 715\*610mm



WTAP-41 600\*600mm WTAP-42 600\*600mm WTAP-43 610\*700mm WTAP-44 600\*600mm WTAP-45 600\*600mm



WTAP-46 600\*600mm WTAP-47 600\*510mm WTAP-48 650\*520mm WTAP-49 710\*605mm WTAP-50 884\*623mm



WTAP-51 650\*520mm WTAP-52 600\*555mm WTAP-53 640\*505mm WTAP-54 915\*555mm WTAP-55 730\*500mm





WTAP-56 670\*450mm WTAP-57 775\*580mm WTAP-58 875\*575mm WTAP-59 695\*460mm WTAP-60 765\*385mm



WTAP-61 2400\*300mm WTAP-62 2400\*300mm WTAP-63 2400\*300mm WTAP-64 2400\*300mm WTAP-65 2400\*300mm

# Flexible Wall Panel

|           |                    |
|-----------|--------------------|
| Finish    | Paper/PVC/Veneer   |
| Material  | HDF/MDF/WOOD       |
| Length    | 240cm~300cm        |
| Width     | 30cm~120cm         |
| Thickness | 9mm/12mm/15mm/18mm |



**WTAP-A09**  
Material: MDF+Paper  
Size:12\*24mm



**WTAP-A10**  
Material: MDF+Wood veneer  
Size:12\*24mm



**WTAP-A09**  
Material: MDF+Wood veneer  
Size:12\*24mm





**WTAP-R40-1**  
Material: MDF+Wood veneer  
Size:12\*24mm



**WTAP-R40-2**  
Material: MDF+Paper  
Size:9\*18mm



**WTAP-F01**  
Material: MDF+Wood veneer  
Size:12\*24mm



**WTAP-R05-1**  
Material: MDF+Paper  
Size:18\*25mm



**WTAP-R05-2**  
Material: MDF+Wood veneer  
Size:18\*30mm



**WTAP-V05**  
Material: MDF+Wood veneer  
Size:15\*48mm



**WTAP-R07-1**  
Material: MDF+Wood veneer  
Size:18\*35mm



**WTAP-R07-2**  
Material: MDF+Wood veneer  
Size:18\*35mm



**WTAP-R07-3**  
Material: MDF+Wood veneer  
Size:15\*30mm

# PVC Marble Sheet

|             |  |
|-------------|--|
| Name        | PVC marble sheet   |
| Size        | 1220*2440mm/2800mm<br>(length can be customized)                         |
| Thickness   | 2/2.5/3mm(or customized)   |
| Density     | 2000kg/m <sup>3</sup>  |
| Surface     | Mirror glossy,Matte,Skin feel,High glossy,<br>Embossed stone,3D printing |
| Film        | Heat transfer film,PVC Film  |
| Material    | PVC,Calcium powder   |
| Application | Home,Hotel,Restaurant,Hospital,School,Mall...                            |



# Thermal Transfer Printing Marble Sheet



WHT-09



WHT-19



WHT-20



WHT-21



WHT-22



WHT-23



WHT-24

# PVC Film Marble Sheet




Matte



WPF-02

Mirror glossy



WPF-02



WPF-04



WPF-17



WPF-06



WPF-10



WPF-18



WPF-08




WPF-19



WPF-20

# Gilded Marble Sheet




WT1892501



WT80005T



WT1892512-1




WT1892506




WT1892505



WT80001T



WT1892302




WT1892509



WT24819T



WT80008T




WT24822T

# Embossed Marble Sheet



# Mirror Steel Profile




Aluminum Profile




## Inspection & Loading



A Shape



W Shape



H Shape



U Shape



L Shape



T Shape



Length



Width



Thickness






## Bamboo Charcoal Wall Panel


|             |   |
|-------------|---|
| Name        | Bamboo Charcoal Wall Panel                        |
| Size        | 1220*2440mm/2800mm<br>(length can be customized)  |
| Thickness   | 5mm/8mm   |
| Density     | 650-700kg/m <sup>3</sup>                          |
| Surface     | PVC or PET film                                   |
| Material    | Polyvinyl chloride/Calcium powder                 |
| Application | Office; Hotel; Shopping mall;<br>Living room, etc |



### Bamboo Charcoal Wall Panel



### Bamboo Fiber Wall Panel



# Color series



# BAMBOO CHARCOAL WALL PANEL PET STONE SERIES

SCAN TO GET VR SCENE



WTMB-01



WTMB-02



WTMB-03



WTMB-04



WTMB-05



WTMB-06




WTMB-07



WTMB-08



WTMB-09



WTMB-10



BAMBOO CHARCOAL WALL PANEL  
WOOD SERIES

SCAN TO GET VR SCENE



WTGW-03



WTGW-05



WTGW-11



WTGW-04



WTGW-06



WTGW-12



WTGW-07



WTGW-09



WTGW-13



WTGW-08



WTGW-10



WTGW-14



WTGW-01



WTGW-02



BAMBOO CHARCOAL WALL PANEL  
PET METAL SERIES



SCAN TO GET VR SCENE



BAMBOO CHARCOAL WALL PANEL  
FABRIC SERIES




SCAN TO GET VR SCENE



BAMBOO CHARCOAL WALL PANEL  
WATER RIPPLES SERIES



SCAN TO GET VR SCENE



BAMBOO CHARCOAL WALL PANEL  
MIRROR SERIES




SCAN TO GET VR SCENE



# Aluminum Alloy Accessories

| Model name | Product Photo | Sectional View | Installation Drawing |
|------------|---------------|----------------|----------------------|
| WTAC-1     |               |                |                      |
| WTAC-2     |               |                |                      |
| WTAC-3     |               |                |                      |
| WTAC-4     |               |                |                      |
| WTAC-5     |               |                |                      |
| WTAC-6     |               |                |                      |
| WTAC-7     |               |                |                      |
| WTAC-8     |               |                |                      |
| WTAC-9     |               |                |                      |

# Integrated Wall Combination Scheme





**Carved wall panel**

NEW PRODUCT



WTCNC1      WTCNC2      WTCNC3      WTCNC4      WTCNC5



WTCNC6      WTCNC7      WTCNC8      WTCNC9      WTCNC10





Model: WTDL-01



Model: WTDL-11



Model: WTDL-12



Model: WTDL-14



Model: WTDL-17



Model: WTDL-16



Model: WTDL-19



Model: WT-024



Model: WTDA-05



Model: WTDA-06



Model: WTDA-09



Model: WTDA-12

## 100%WPC Hollow Door

### Waterproof

- Waterproof
- Mositure proof
- Anti-Midew

### Anti-Termite

- Anti-Worm
- Ani Termite

### Fast Delivery

- PVC film coating
- Painting



### Environmental

- Waterproof
- Mositure proof
- Anti-Midew

### Cutomized

- Anti-Worm
- Ani Termite


### Easy Installation

- PVC film coating
- Painting



### E Frame

Modle:E100/E120/E140  
Material: WPC  
Color: customized



### 1110L Architrave

Modle:L8060  
Material: WPC  
Color: customized



### 1112L Architrave

Modle:E100/E120/E140  
Material: WPC  
Color: customized



WPC Hollow Door Structure

## Optional Colors



WTH8-24



WTH8-18



WTH8-17



WTH8-14



WTH8-3



WTB9-32



WTB9-31



WTH8-25



WTH8-21



WTH8-20



WTH8-19



WTH8-13



WTH8-11



WTH8-1




WTH8-22



WTH8-15



WTH8-12



WTH8-2



WTH8-23



WTH8-10



WTH8-5



WTH8-26




WTH8-16



WTH8-6

## WPC Door Frame




WTA1403643





WTA0803643




WTA1003643



WTA1003350




WTA1203350



WTA1203343




WTA0844544




WTA1803350



WTA1804343



WTA1403350




WTA1603350




WTA1604343


## WPC Door Architrave




WTX10080-12




WTX8040-12




WTX8060-12




WTX45335-15




WTX4527-125




WTX4060-107



WTX5030-15




WTXR8039-24




WTXR10055-16



WTR10085-16



WTX7042-15



WTX4037-155



## SPC Flooring

|              |                                      |
|--------------|--------------------------------------|
| Construction | Stone Polymer Composite(SPC)         |
| Size         | 230*1525mm;184*1220mm(Customized)    |
| Slip Film    | 1mm/1.5mm/2mm (EVA or IXPE)          |
| Thickness    | 4/5/6/7/8mm (Customized)             |
| Wear layer   | 0.3/0.5/0.7mm(Customized)            |
| Materiall    | PVC and stone                        |
| Feature      | Waterproof ;Fireproof;Wear-resistant |

Embossed-in-Register



SCAN TO GET VR SCENE




WTSPC301E.I.R

## SPC Colors



## SPC Parameter





# LVT Flooring

|              |                                 |
|--------------|---------------------------------|
| Construction | Luxury Vinyl Tile(LVT)          |
| Regular Size | 152.4*914.4mm/457.2*457.2       |
| Slip Film    | With adhesive/Dry Glue          |
| Thickness    | 1/1.2/1.5/1.8/2mm               |
| Wear Layer   | 0.15mm/0.3mm                    |
| Materiall    | PVC and stone                   |
| Feature      | Waterproof ;Fireproof ;Wearable |





# Customized Alien Shape

Hexagon  
Area: 0.045M<sup>2</sup>/PCS




Hexagon Installation example

Diamond  
Area: 0.072M<sup>2</sup>/PCS



Diamond Installation example


Square  
Area: 0.0625M<sup>2</sup>/PCS



Square Installation example



# SPC Wall Panel



## SPC PARAMETER

|             |  |
|-------------|--|
| Size        | 600*2440mm, (Length can be customized)<br>1200*2440mm/2800mm |
| Thickness   | 4mm and 5mm  |
| Density     | 2100kg/m <sup>3</sup>  |
| Surface     | Matt, Glossy, High Glossy                                    |
| Film        | PVC Film   |
| Material    | PVC, Calcium Powder  |
| Application | Home, Hotel, Restaurant,<br>School, Hospital, Mall..         |

# SPC WALL PANEL ADVANTAGES



**RETARDANT**  
Fire retardant, safer and more assured.



**WEAR-RESISTING**  
Scratch and wear resistant



**WATERPROOF**  
It will not mold, become damp or deform when exposed to water.



**CLICKSYSTE M**  
The side of SPC wall panel can be made with slot or not

- Easy installation
- Formaldehyde-free
- Waterproof and moisture-proof
- Fire-retardant
- ANTI-TERMITE
- Low construction noise
- Oil-proof and anti-fouling
- Scratch-resistant and wear-resistant



KITCHEN



STUDY



BACKGROUND WALL



TV WALL



TOILET



CORRIDOR



LIVING ROOM




BEDROOM



G012-3085




G019-3061




G020-3071



G024-3048




G016-3073



G028-3092



G001-3111



G004-3122

# Soft Stone

| Item          | Specification  |
|---------------|--|
| Material      | Stone powder, high polymer material, fiber etc             |
| Standard Size | 600*1200mm   |
| Weight        | 2.8-7.5kg/sqm  |
| Usage         | Flexible veneer sheet exterior decorative wall stone tiles |
| Application   | Interior and exterior wall decoration                      |




## Project Case Exterior Wall & Interior Wall



WTSP-013 WTSP-014 WTSP-018 WTSP-021 WTSP-022



WTSP-027 WTSP-029 WTSP-030 WTSP-031 WTSP-032



WTSP-068 WTSP-085 WTSP-097 WTSP-112 WTSP-113



WTSP-B10 600\*1200mm 1200\*2400mm WTSP-05 600\*1200mm 1200\*2400mm WTSP-03 600\*1200mm 1200\*2400mm WTSP-LB05 600\*1200mm WTSP-LB03 600\*1200mm WTSP-LY03 600\*1200mm



WTSP-LD04 600\*1200mm 1200\*2400mm WTSP-LD06 600\*1200mm 1200\*2400mm WTSP-12 600\*1200mm 1200\*2400mm WTSP-LYY06 600\*1200mm WTSP-LYY03 600\*1200mm WTSP-LYY07 600\*1200mm



WTSP-127 WTSP-137 WTSP-151 WTSP-153 WTSP-164



**WTSS-01**  
600\*1200mm/1200\*2400mm



**WTSS-02**  
600\*1200mm/1200\*2400mm




**WTSS-03**  
600\*1200mm/1200\*2400mm



**WTSS-04**  
600\*1200mm/1200\*2400mm



**WTSS-05**  
600\*1200mm/1200\*2400mm



**WTSS-06**  
600\*1200mm/1200\*2400mm




**WTSS-07**  
600\*1200mm/1200\*2400mm



**WTSS-08**  
600\*1200mm/1200\*2400mm




**WTSS-19**  
600\*1200mm/1200\*2400mm




**WTSS-09**  
600\*1200mm/1200\*2400mm



**WTSS-11**  
600\*1200mm/1200\*2400mm



**WTSS-12**  
600\*1200mm/1200\*2400mm



**WTSS-13**  
600\*1200mm/1200\*2400mm



**WTSS-14**  
600\*1200mm/1200\*2400mm



**WTSS-15**  
600\*1200mm/1200\*2400mm



**WTSS-16**  
600\*1200mm/1200\*2400mm




**WTSS-17**  
600\*1200mm/1200\*2400mm



**WTSS-18**  
600\*1200mm/1200\*2400mm



**WTSS-20**  
600\*1200mm/1200\*2400mm



**WTSS-21**  
600\*1200mm/1200\*2400mm



**WTSL-22**  
1200\*3000mm



**WTSL-26**  
930\*2680mm



**WTSL-27**  
1200\*3000mm




**WTSL-28**  
1180\*3250mm



**WTSL-29**  
1200\*2730mm



**WTSL-30**  
1200\*3000mm



**WTSL-31**  
1200\*3000mm



**WTSL-32**  
1200\*3000mm



**WTSL-33**  
1200\*3000mm



**WTSL-24**  
1200\*3000mm



**WTSL-34**  
1200\*2400mm



**WTSL-35**  
1150\*3000mm







**WTSL-36**  
1200\*3000mm



**WTSL-37**  
1200\*3000mm


# PS wall panel




5mm  
300mm  
Item:30001  
Size: 300\*5\*2900mm



6mm  
300mm  
Item:32001  
Size:300\*6\*2900mm




7mm  
300mm  
Item:33001  
Size: 300\*7\*2900mm



6mm  
300mm  
Item:31001  
Size:300\*6\*2900mm



7mm  
300mm  
Item:34001  
Size:300\*7\*2900mm



# PU Stone

| Item        | Specification   |
|-------------|---|
| Material    | Polyurethane  |
| Size        | 1200*600*(20-50)mm/(30-110)mm   |
| Weight      | 2.0-4.5kg per Piece   |
| Usage       | Interior and Exterior Wall  |
| Application | Villas,Apartment,Shopping Mall,Hotel,Restaurant<br>Hospital,School,Office Building,etc. |



# Outdoor PU Stone




**OM-1** Size:300\*600MM Thickness: 40MM  
**OM-2** Size:600\*1200MM Thickness: 20MM  
**OM-3** Size:307\*1120MM Thickness: 20MM  
**OM-4** Size:600\*1200MM Thickness: 20MM



**S3-1** Size:1200\*600MM Thickness: 30MM  
**M10-1** Size:1200\*600MM Thickness: 100MM  
**H3-1** Size:1200\*600MM Thickness: 25MM  
**H3-2** Size:1200\*600MM Thickness: 25MM  
**H3-4** Size:1200\*600MM Thickness: 30MM



**OM-5** Size:302\*1200MM Thickness: 20MM  
**OM-6** Size:305\*1215MM Thickness: 50MM  
**OM-8** Size:300\*1195MM Thickness: 30MM  
**OM-10** Size:570\*1175MM Thickness: 55MM



**H3-12** Size:1200\*600MM Thickness: 20MM  
**H3-14** Size:1200\*600MM Thickness: 25MM  
**L3-1** Size:1200\*600MM Thickness: 25MM  
**H3-5** Size:1200\*600MM Thickness: 25MM  
**H3-9** Size:1200\*600MM Thickness: 40MM



SCAN TO GET VR SCENE

# Outdoor ASA Wall Panel

| Item        | Specification  |
|-------------|--|
| Material    | ASA, PVC, Calcium powder   |
| Size        | 200*26mm/113*15mm/140*23mm   |
| Weight      | 450-1750g/m  |
| Usage       | Interior and Exterior Wall   |
| Application | Villas, Apartment, Shopping Mall, Hotel, Restaurant, Hospital, School, Office Building, etc. |




# ASA Color Option




Light Grey    Black Walnut    Red wood    Walnut    Cocobolo    Caramel    Golden Teak    Teak



WTASA-20026



WTASA-11315



WTASA-14023




## WPC First Generation Decking


SCAN TO GET VR SCENE




WTSH-14025A




WTSH-14025B




WTSH-14025C




WTRH-14025B



WTRH-14025A



WTSL-14020C



## WPC 3D Embossed Decking


WITOP DECOR  
www.witopdecor.com




WTSH3-14025




WTSH3-14625




WTSH3-16025




WTRH3-14025



WTCRH3-14823



WTSL3-14020C



## First Generation Color Option



BLACK SILVER GREY DARK COFFEE LIGHT COFFEE LIGHT GREY



RED BROWN RED WOOD TEAK MAPLE SANDY BROWN

## Decking Accessories




PJKK-01



PJKK-02



PJKK-03




PJLG-05




# WPC Co-extrusion Decking




WPCSH-14522




WTCRH-13822




WTCSL-13822




WTCRH-14822



WTCSA-7011




## Second Generation Color Option




# WPC First Generation Timber Tube




WTTB-2525




WTTB-5050



WTTB-50100




WTTB-60150





# WPC Second Generation Timber Tube




WTCTB-4530



WTCTB-5050




WTCTB-50100

















# WPC Classic Wall Panel Surface Treatment


SCAN TO GET VR SCENE




# Co-extrusion Wall Panel Surface Treatment




## Co-extrusion Half Covered Wall Panel



WTHC-17713




WTHC-21926





## Fence Panel



WTFCT-16020



WTFCT-68F3  
(Aluminum Alloy Post)



## Wall Cladding Accessories



PJFB-02



PJJX-03



PJFB-04



PJFB-05

## Decking Installation Steps




1. Boards must not be laid directly on the ground but should be fixed to the joists of a suitable supporting substructure. Fix the joists to the ground with expansion screws, the joist spacing should not exceed 350 mm.

2. Attach the stainless steel starter clip to the end of the WPC joist before starting to lay your WPC decking boards.

3. Our WPC boards are easily fastened to the joists of a supporting substructure with the help of our stainless steel screw and plastic T-Clip system. Start at the outside of the area to be decked. Place your first board and fix it to each joist it crosses using a row of starter clips.

4. Then fit T-clips into the groove along the side of the board and screw them into the supporting joists with the screws provided, one T-Clip for each supporting joist.



5. Fit your next board by sliding it onto the T-Clips used to secure the first board and fitting another set of T-Clips to secure the opposite side of the board, again one T-Clip for each supporting joist. Follow a similar process to fix subsequent boards.

6. At butt joints – where the ends of two decking boards meet, this may mean doubling up on supporting joists as you will need to ensure that each board is held in place with its own T-Clip where they meet.

7. Having fastened your boards all that remains is to tidy up the sides of your new deck with our WPC skirting and corner trims which can be used to hide the unfinished end of boards and supporting joists.

Our hollow decking end caps are used to seal off the ends of hollow core boards to give your decking a professional finished look, and are available in the same colours as all our composite decking boards. Apply them to neatly complete your decking project.

## Packing and Shipping



# Artificial Grass Wall



CGUIV-016  
SIZE:100\*100CM



CGUIV-017  
SIZE:100\*100CM



CGUIV-018  
SIZE:100\*100CM



CGUIV-023  
SIZE:100\*100CM



CGUIV-019  
SIZE:100\*100CM



CGUIV-020  
SIZE:100\*100CM



CGUIV-021  
SIZE:100\*100CM



CGUIV-024  
SIZE:100\*100CM



Item No.:CGUIV-025  
Size:100\*100CM



Item No.:CGUIV-026  
Size:100\*100CM



Item No.:CGUIV-027  
Size:100\*100CM



Item No.:CGUIV-028  
Size:100\*100CM



Item No.:CGUIV-029  
Size:100\*100CM



Item No.:CGUIV-030  
Size:100\*100CM



Item No.:CGUIV-031  
Size:100\*100CM



Item No.:CGUIV-032  
Size:100\*100CM



Item No.:CGUIV-033  
Size:100\*100CM



Item No.:CGUIV-034  
Size:100\*100CM



Item No.:CGUIV-035  
Size:100\*100CM



Item No.:CGUIV-036  
Size:100\*100CM

# First Generation DIY WPC Decking

## Striped Groove



Sandy brown Redwood Teak Light Coffee Dark Coffee Reddish Brown White Light Grey Dark Grey Black



Teak Redwood Reddish Brown Light Coffee Dark Coffee Light Grey Black Teak Black



Sandy brown Teak Reddish Brown Light Coffee Black

## 2D Embossed



Sandy brown Teak Reddish Brown Light Coffee

## 3D Embossed



Sandy brown Teak Light Coffee Dark Coffee Dark Grey Black



Teak Light Coffee Dark Coffee Light Grey Dark Grey Teak Light Coffee

# Second Generation DIY WPC Decking

## Co-extrusion



Maple Old Wood Teak Rosewood Charcoal

## Turf



