

A decorative graphic consisting of a central white box with a grey border, featuring a notch on the top-left and bottom-right corners. This box is connected to a grey circuit-like line that extends horizontally across the top and bottom of the page, with small circles at the ends and corners, suggesting a technical or industrial theme.

Zhongding

Product Catalog


Wall Panel Manufacturer

Our Products

01 \ Carbon Crystal Wall Panel



Product Structure Diagram



Product Information

Size (mm)	Packing Details For Containers
Width: 61/1220 Length:2440/2600/2800/2900/3000 Customized length under 6 meters Thickness:5mm/8mm	Standard Size:1220x2800x5mm 1280 pieces/ 20 GP Container
Material/Cross-section	EP level
Bamboo charcoal Core	E0
Advantage	Fire Rating
Environmental protection/Flame retardant/ waterproof/bendable	B1
Splicing Method	Process
Tight splicing/ metal profile splicing	PUR coating/PUR flat sticker


More patterns



02 \ Bamboo Fiberboard (WPC Wall Panel)



Product Structure Diagram




Product Information

Size (mm)	Thickness
Width: 61/1220 Length:2440/2600/2800/2900/3000 Customized length under 6 meters	5/8mm
Material/Cross-section	EP level
Bamboo Wood Core	ENF
Advantage	Fire Rating
Environmental protection/Flame retardant/ waterproof/bendable	B1
Splicing Method	Process
Tight splicing/ metal profile splicing	PUR Coating/PUR Flat Sticker

More patterns



SY-225



SY-224




SY-220



SY-215



SY-217




SY-163

03 \ SPC Anti-Collision Wall Panel



Product Structure Diagram



Product Information



Size (mm)	Thickness
Width: 1220 Length:2440/2600/2800/3000 Customized length under 6 meters	8mm
Material/Cross-section	EP level
SPC Anti-collision Layer +Bamboo charcoal Core or Bamboo Wood Core	ENF
Advantage	Fire Rating
Environmental protection/Flame retardant/ waterproof/bendable	B1
Splicing Method	Process
Tight splicing/metal profile connection/process seam	PUR Coating/PUR Flat Sticker

More patterns



PET138



PET165



PET178



PET2-27



PET197



PET156



PET135




PET189



PET188



PET187



PET181



PET175

04\ UV Marble Sheet



Product Information

Picture	Material/Cross-section		Size (mm)	Surface Technology
UV Marble Sheet	SPC		Width:1220 Length:2440/2800 Thickness:4	UV Coating
	Ep rating	Fire rating	Advantage	Splicing Method
	E0	B1	Water proof & Bendable	Tight splicing/metal profile splicing

More patterns



UV-B_46



UV-B_45



UV-B_44



UV-B_43



UV-B_42



UV-B_41



UV-B_40



UV-B_39



UV-B_38



UV-B_36



UV-B_35



UV-B_34



UV-B_33



UV-B_32









UV-B_31

05\ Fluted Wall Panel




Product Information

Image	Name	Cross-section
	<p>160*24 Fluted Wall Panel</p>	 <p>160*24*3000</p>
	<p>160 Arc Fluted Wall Panel</p>	 <p>158*15*3000</p>

	<p>160 Solid Grating</p>	 <p>160*18*3000</p>
	<p>150*7.8 Solid Grating</p>	 <p>150*7.8*3000</p>
	<p>159 Inner Arc Solid Grille</p>	 <p>159*15*3000</p>
	<p>180*16 Architectural Grating</p>	 <p>179*16*3000</p>
	<p>170*18 Hollow Fluted Wall Panel</p>	 <p>173*18*3000</p>


More patterns



G-19



G-18



G-17



G-16



G-15




G-14



G-13



G-12



G-11



G-10



G-9



G-8


06 \ Polyester Acoustic Panel



Product Information

Product Name	Polyester fiber acoustic panel
Product Material	Polyester fiber+MDF/PC+Veneer covered
Product Specifications	600/2400/2700/3000*60021mm
Product Color	Technology veneer, natural veneer, PVC film, etc.
Ross-sectional Size	See the following part for demonstration

Section size display



More patterns



美国橡木
American Oak



胡桃木
Walnut Wood



洗白白橡木
Wash White Oak



红橡木
Red Oak



樱桃木
Cherry Wood



烟熏橡木
Smoked Oak



酸枝木
Sour Twig Wood



黑橡木
Black Oak




白橡木
White Oak

07 \ SPC wall panel




Product Structure Diagram



Product Information

Picture	Material/Cross-section	Size (mm)	Surface Technology
SPC Wall Panel	SPC +PETG		Laser inking
	Width:600 Length:2800 Thickness:4		
	Ep rating	Fire rating	Advantage
E0	B1	Water proof & Bendable	Tight splicing/metal profile splicing

More patterns



08 \ SPC Flooring



Product Information

Product Name	SPC Flooring
Product Material	SPC+Silent Cotton+Abrasion Layer
Product Specifications	72.5*600mm/1000*1580mm
Product Color	Wood grain, stone grain, blanket texture

More patterns



REP85002-1



REP85002-2



REP85002-3



REP85002-4



REP85002-5



REP85002-6



REP85002-7

09 \ Flexible stone




Product Information


Product Name	Flexible stone
Product Material	MCM
Product Specifications	1200*600mm /1200*2400mm /1200*3200mm
Product Series	Soft Porcelain Cave Stone Series Maomian Granite Series /Wave Stone Series Rammed Earth Series /New line Stone Series Soft porcelain slate series

More patterns

1.Maomian Granite Series



2.Soft porcelain slate series



3. New line Stone Series



新线石系列 FLT-011 碧珀



新线石系列 流沙橙



新线石系列 千层木



新线石系列 FLT-014 青墨间 | FLT-024 Blue Ink Room

4. Wave Stone Series



波浪石系列 FLT-015 波浪



波浪石系列 墨玉金花



波浪石系列 红飞翠青



波浪石系列 香格里拉 | Shangri-La

5. Rammed Earth Series



夯土版系列 玛瑙灰



夯土版系列 琉璃黄



夯土版系列 赤焰红



夯土版系列 朝霞红 | Chaoxia Red






6.Soft Porcelain Cave Stone Series



10 \ Outdoor Wall Panel




Product Information

Name	Image	Detail
<p>Second Generation Great Wall Panel Type A</p>		<p>Material: PE Size: 219*26*3000 Linear density:2.8Kg/m</p>
<p>Second Generation Great Wall Panel Type B</p>		<p>Material: PE Size: 219*26*3000 Linear density:2.8Kg/m</p>
<p>Second generation Great Wall panel semi-encapsulation</p>		<p>Material: PE Size: 219*26*3000 Linear density:3Kg/m</p>
<p>Second-generation Great Wall Board - Five Slots</p>		<p>Material: PE Size: 219*26*3000 Linear density:2.95Kg/m</p>

<p>Second generation exterior wall panel</p>		<p>Material: PE Size: 174*21*3000 Linear density:2.25Kg/m</p>
<p>Second generation exterior wall panel</p>		<p>Material: PE Size: 156*21*3000 Linear density:1.75Kg/m</p>
<p>Second generation sauna board</p>		<p>Material: PE Size: 72*11*3000 Linear density:1.05Kg/m</p>
<p>Second generation exterior wall panel</p>		<p>Material: PE Size: 172*30*3000 Linear density:2.42Kg/m</p>
<p>Second generation Great Wall panel</p>		<p>Material: PE Size: 160*20*3000 Linear density:2.25Kg/m</p>

11 \ Outdoor Flooring

Product Information

Name	Image	Detail
Second generation round hole floor (two colors)		<p>Material: PE</p> <p>Size: 138*23*3000</p> <p>Linear density:2.85Kg/m</p>
Second generation round hole floor (Monochrome)		<p>Material: PE</p> <p>Size: 138*23*3000</p> <p>Linear density:2.85Kg/m</p>
Second generation round hole floor		<p>Material: PE</p> <p>Size: 140*25*3000</p> <p>Linear density:2.8Kg/m</p>

More patterns



Packing



● Packing Details For Containers

Container Size	Wall Panel Length & Width	Thickness	Each Container Quantity	Quantity of Pallets	Unit Price / Pallet
20GP	2800mmx1220mm	5mm	1280 PCS	8	160
	2800mmx1220mm	8mm	800 PCS	8	100
40GP	2800mmx1220mm	5mm	1800-1900 PCS	12	160
	2800mmx1220mm	8mm	1200 PCS	12	100