



J PU Mushroom Stone(Thick)  
厚款蘑菇石

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 80MM

厚度: 80MM


J PU Mushroom Stone(Thick)



J001-5  
size: 1200\*600\*80mm



J002-5  
size: 1200\*600\*80mm



J003-5  
size: 600\*600\*80mm



J004-5  
size: 1200\*600\*80mm



J005-5  
size: 1200\*600\*80mm

# A PU Stone Panel

石皮

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 30MM

厚度: 30MM



A PU Stone Panel



A001-5  
size: 1200\*600\*30mm



A002-5  
size: 1200\*600\*30mm



A003-5  
size: 1200\*600\*30mm



A004-5  
size: 1200\*600\*30mm



A005-5  
size: 1200\*600\*30mm



A006-5  
size: 1200\*600\*30mm



A007-5  
size: 1200\*600\*30mm



A008-5  
size: 1200\*600\*30mm



A009-5  
size: 1200\*600\*30mm

A PU Stone Panel



Color number: 1  
Alabaster



Color number: 2  
Hanyu White



Color number: 3  
Light Grey



Color number: 4  
Volcanic Grey



Color number: 5  
Light Black



Color number: 6  
Dark Black



Color number: 7  
Golden Ma



Color number: 8  
China Red



Color number: 10  
Magnolia



Color number: 11  
Cement Grey



Color number: 12  
Rammed earth yellow



Color number: 15  
Light Golden Ma

## B PU Mushroom Stone 蘑菇石

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 50MM

厚度: 50MM



B PU Mushroom Stone



B001-5  
size: 1200\*600\*50mm



B002-5  
size: 1200\*600\*50mm



B003-5  
size: 600\*600\*50mm



B004-5  
size: 1200\*600\*50mm



B005-5  
size: 1200\*600\*50mm

B PU Mushroom Stone



Color number: 1  
Alabaster



Color number: 2  
Hanyu White



Color number: 3  
Light Grey



Color number: 4  
Volcanic Grey



Color number: 5  
Light Black



Color number: 6  
Dark Black



Color number: 7  
Golden Ma



Color number: 8  
China Red



Color number: 10  
Magnolia



Color number: 11  
Cement Grey



Color number: 12  
Rammed earth yellow



Color number: 15  
Light Golden Ma



## C PU Rock Stone 山岩

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 60MM

厚度: 60MM

C PU Rock Stone



C001-5  
size: 1200\*600\*60mm



C003-5  
size: 1200\*600\*60mm

## D PU Component Panel 九宫格

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 25MM

厚度: 25MM



D PU Component Panel



D001-5  
size: 1200\*600\*25mm



D004-5  
size: 1200\*600\*25mm



D005-5  
size: 1200\*600\*25mm



D006-5  
size: 1200\*600\*25mm



D007-5  
size: 1200\*600\*25mm

# E PU Geometry Series


几何体

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 25MM

厚度: 25MM



E PU Geometry Series



E001-5  
size: 1200\*600\*25mm



E002-5  
size: 1200\*600\*25mm



E003-5  
size: 1200\*600\*25mm



E004-5  
size: 1200\*600\*25mm



E005-5  
size: 1200\*600\*25mm



E006-5  
size: 1200\*600\*25mm

# F PU Feather Panel

羽毛石

Specification: 900\*200MM

规格: 900\*200MM

Thickness: 50MM

厚度: 50MM



F PU Feather Panel



F001-2  
size: 900\*200\*50mm



F001-5  
size: 900\*200\*50mm



F001-8  
size: 900\*200\*50mm



F001-10  
size: 900\*200\*50mm



F001-11  
size: 900\*200\*50mm



F001-12  
size: 900\*200\*50mm



F002-5  
size: 1200\*600\*25mm



F PU Wave Stone Panel


## G PU Stone Panel(Thin) 薄款石皮

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 16MM

厚度: 16MM



G PU Stone Panel(Thin)



G001-5  
size: 1200\*600\*16mm



G002-5  
size: 1200\*600\*16mm



G003-5  
size: 1200\*600\*16mm



G004-5  
size: 1200\*600\*16mm



G005-5  
size: 1200\*600\*16mm



G006-5  
size: 1200\*600\*16mm



G007-5  
size: 1200\*600\*16mm



G008-5  
size: 1200\*600\*16mm



G009-5  
size: 1200\*600\*16mm

# H PU Mushroom Stone(Hollow)

蘑菇石（无背筋）

Specification: 1200\*600MM

规格: 1200\*600MM

Thickness: 50MM

厚度: 50MM



H PU Mushroom Stone(Hollow)



H001-5  
size: 1200\*600\*50mm



H002-5  
size: 1200\*600\*50mm



H003-5  
size: 600\*600\*50mm



H004-5  
size: 1200\*600\*50mm






H005-5  
size: 1200\*600\*50mm





# 产品效果

## PRODUCT EFFECTS





# 产品展示


## PRODUCT DISPLAY



Size: 186\*14mm Meter weight: 950g



Size: 195\*15mm Meter weight: 730g




Size: 198\*12mm Meter weight: 1000g



Size: 190\*24mm Meter weight: 1050g




Size: 160\*24mm Meter weight: 1250g




Size: 160\*24mm Meter weight: 1050g



Size: 200\*25mm Meter weight: 1150g



Size: 26\*24mm Meter weight: 200g



Size: 160\*23mm Meter weight: 1050g



Size: 160\*23mm Meter weight: 900g



Size: 200\*20mm Meter weight: 1100g




Size: 151\*20mm Meter weight: 700g



Size: 160\*22mm Meter weight: 950g



Size: 160\*22mm Meter weight: 850g



Size: 152\*10.5mm Meter weight: 750g



Size: 145\*7mm Meter weight: 550g



Size: 150\*10mm Meter weight: 700g




Size: 50\*50mm Meter weight: 400g



Size: 100\*50mm Meter weight: 1200g



Size: 150\*50mm Meter weight: 1500g



Size: 198\*10.5mm Meter weight: 900g



Size: 198\*10.5mm Meter weight: 1050g



Size: 90\*50mm Meter weight: 1000g




Size: 35\*45mm Meter weight: 250g



Size: 98\*9mm Meter weight: 600g



Size: 155\*18mm Meter weight: 1620g




Size: 200\*12mm Meter weight: 1050g



Size: 100\*8.5mm Meter weight: 600g




Size: 157\*16mm Meter weight: 750g



Size: 171\*20mm Meter weight: 1000g




Size: 51\*31mm Meter weight: 700g



Size: 132\*8mm Meter weight: 730g



Size: 130\*6mm Meter weight: 720g



Size: 153\*14mm Meter weight: 1000g





Wechat:+8613616839985  
Whats:+8613616839985  
jackwu@longzjwallpanel.com



**KJWPC**



Haining Oujie Decoration Material Co.

Haining Oujie Decoration Material Co.



SHARING A BLUE SKY  
SHARING A GREEN HABITAT  
同享一片蓝天 共享绿色人居

WPC  
WOOD PLASTIC COMPOSITE

滴水穿石/不是因其力量  
而是因其坚韧不拔/锲而不舍  
追求细节/专注品质  
打造优质产品  
针较点滴/开拓创新  
提供贴心服务  
科杰始终为  
“同享一片蓝天/共享绿色人居”  
而努力奋斗！

Constant dripping wears away a stone.  
Not because of its power, but willpower.  
Search for detail, focus on quality.  
Building quality products  
Care about the bit, open up innovation  
Provide thoughtful service  
KJ always struggle for  
“Share a blue sky, share a green habitat!”



LZJWPC  
WOOD  
PLASTIC  
COMPOSITE




## About Us

Haining Oujie Decoration Material Co. is located in Jiashan Industrial Zone · Haining City, Zhejiang Province, China. Our company covers over 80,000m<sup>2</sup> and invests RMB 80,000,000 totally. Our company is specialized in producing a new type outdoor environmental protection material-- LZJ WPC (Wood Plastic Composite). We pay great attention to the quality and manufacture the best products to win the market. We are progressing everyday increasing the production capacity and committed to become the leader of WPC industry.



Partner:





**WORKSHOP**  
47 LINES

### TESTING ROOM



### EXHIBITION HALL



### STORAGE AND LOGISTICS





# KJ WPC WOOD PLASTIC COMPOSITE

## 什么是塑木？

PE塑木是由回收木粉和塑料混合挤出而成的一种新型绿色节能环保产品。该产品具有天然的木纹和颜色，同时也具有高分子材料的独特特性：防水，防虫，防紫外线，耐酸碱，耐磨损，免漆成型，可回收。也具有抗老化，无腐蚀，无裂纹，不变形，不浪费，免维护，承载力大，寿命长等优点。产品外观精美，安装简单，维护方便，省时省力，效率高，能满足客户的各种需求。广泛应用于别墅露台、户外游泳池、宾馆酒店、亲水步道、长廊花架、园林景观等。

## What is WPC?

PE WPC is a green energy saving and environmental protection product which is extruded from the mixture of recycled wood fiber and plastic (PE). The product offers the natural wood grain, color, texture, and possesses the advantages of high polymer materials: waterproof, fire-proof, moth-proof, anti-UV, acid and alkali resistance, wear resistance, paint-free molding, recyclable. WPC products also has the advantages of anti-aging, no corrosion, no cracks, no deformation, no waste, maintenance-free, big bearing capacity, longevity and so on. WPC product has exquisite appearance, easy for installation, simply maintenance, time saving and labor saving, high efficient, and satisfied with the various needs of customers. And WPC product is widely used in villas terrace, outdoor swimming pool, restaurant and hotel, walkways, corridor, flower shelf, garden and so on.



## WPC的产品特性

- 天然木纹质感，安装便捷，可满足客户需求
- 可钉、可刨、可锯、可钻、可塑性强
- 免喷漆，不含胶水，零甲醛，无需维修与养护，节省后期维修和保养费用
- 防水、防潮，不龟裂，不膨胀，不变形
- 防虫、防白蚁，耐用、寿命长
- 高环保性，无污染、无公害、可循环利用



- Beautiful and elegant nature wood grain texture and touch with easy installation, thus can meet various requirements of customers.
- Can be shaved, nailed, drilled and cut to fit accessories of different specifications.
- Mildew proof, resistant to rotting and splitting.
- Acid-and-alkali-resistant, corrosion-resistant, moisture-resistant and pest resistance.
- No painting, no glue, low maintenance.
- Anti-slip, fewer cracks and warp, barefoot friendly
- Good weather ability, suitable from -40°C to + 60°C.
- UV resistance, and durable.
- Dimension stability against moisture and temperature.
- Environmental friendly, fully recyclable and no other hazard chemical.

## 塑木与其它材料在景观应用上的比较

The difference between Wood Plastic Composite and other materials in landscape

材料 Material	环保塑木复合材料 Wood plastic composite	实木景观制品 Nature wood	铁艺景观制品 Iron
价格 Price	经济、稳定 Economic, stable	高、起伏 High, rising	较高、起伏 Higher, rising
外观 Appearance	美丽 Beautiful	美丽，具有天然木纹纹理，亲近自然 Beautiful, with nature, wood texture	生硬，很难与自然协调 Stiff, hard to coordinate with nature
施工 Installation	简单 Easy and fast	困难 Difficult	困难且慢 Difficult and slow
维护 Maintenance	便捷简单且维护费用低 Low cost and easy	需定期油漆补裂 Need to paint and fill craze regularly	难以维护且需定期维护油漆 Hard to repair, need to paint regularly
耐候性 Weather resistance	优异，抗水性好，不易霉变及褪色 Good weather resistance, waterproof, mildew proof, color stable, anticorrosion, mothproof	弱，抗水性差，易霉变、虫蛀、漆面剥落 Bad weather resistance, not water proof, easy to mildew, moth-eaten, paint off	易腐蚀 Easy corrosion



木塑地板  
WPC  
DECKING  
SERIES



The main material is PE and wood powder, it can be used in landscape, gardening, vilias and other outdoor paltform.

木塑地板主要将PE和木粉或者竹粉作为原材料，经高速混合、造粒之后，挤出成型。有效的结合了PE和木粉的双重特性。可塑性强、防水、防潮、防腐、硬度强、抗压能力大、零甲醛、绿色环保。木塑地板主要应用于园林景观、别墅户外装饰。





## CASE APPRECIATION 塑木地板案例赏析

纯天然材料·自然·环保·可回收再利用·实现循环经济·可广泛  
应用于园林·庭院·广场·步行街·小区景观道路等户外场所  
High strength/anticorrosion/weather resistance  
slip resistance/no cracking/no warp




# PLUS DECKING

## 深压纹地板

深压纹地板具有自然的外观，广泛应用于游泳池、露台、宾馆饭店、休闲便道、码头等  
Looking like natural wood,  
widely used in terrace hotel, pool, port, etc.

可选颜色/color/●●●●●●●●



深压空心/PLUS HOLLOW DECKING 深压实心/PLUS SOLID DECKING


Surface pattern selection



型号：XF-S002  
名称：橡木纹  
Name: OAK



型号：XF-S003  
名称：麻纹  
Name: Dotted ashtree



型号：XF-S004  
名称：刀砍纹  
Name: Driftwood



型号：XF-S005  
名称：树皮纹  
Name: Deep Bark grain



型号：XF-S006  
名称：大拉丝  
Name: Big line



型号：XF-S007  
名称：创意木纹  
Name: Creativity grain



型号：XF-S001  
名称：水曲柳  
Name: Ashtree



## CO-EXTRUSION DECKING 共挤地板

具有自然的外观，广泛应用于游泳池、露台、宾馆饭店、休闲便道、码头等  
Looking like natural wood,  
widely used in terrace hotel, pool, port, etc.

木地板是一种共挤地板，四面均匀而牢固地包裹着高分子材料保护层，保护层与内层在高温下挤出一体成型，不使用对环境有害的粘合剂。

Co-extrusion is an outer shell of polymer that completely encapsulates the board in an impermeable layer of protection from fading, staining, mold/mildew and scratching. The shell and core are a once-molded product extruded under high temperature, without using adhesive which harmful to the environment.



## PLASTIC CO-EXTRUSION

### 塑料共挤地板

具有自然的外观·广泛应用于游泳池·露台·宾馆饭店·休闲便道·码头等

Looking like natural wood,  
widely used in terrace hotel. pool. port. etc.



PE Core (芯料)

Long Lifespan 寿命长  
Stain Resistance 防污渍  
Ultra Low Maintenance 超低维护

保护层采用先进的高分子工程材料·工艺配方独特·经久耐用·

#### SHELL


The shell is made of polymer materials. Compared to other composites on the market, Xianfeng Co-extrusion decking caps the boards all the way around. Around the board ensures maximum protection against the elements.

## THERMOPLASTIC ELASTOMER (TPE)

### 弹性共挤地板

具有自然的外观·广泛应用于游泳池·露台·宾馆饭店·休闲便道·码头等

Looking like natural wood,  
widely used in terrace hotel. pool. port. etc.



PE Core (芯料)

Anti-Slip 防滑  
Soft Touching 柔软  
Sound Absorption 吸音  
Scratch Resistance 耐刮花  
Comfortable Texture 舒适  
Indentation Resistance 抗压痕

360°全包覆 超强改性弹性体  
360° Degree Modified Elastomer



木塑屏风  
WPC  
FENCE  
SERIES



Various European fence is beautiful elegant design, maintenance easily insect resistant, high rigidity. It gets you closer to the nature.

各类欧式屏风·造型优美·风格典雅·施工维护方便·无裂纹·翘曲·变形·绿色环保·让您更亲近自然。



WPC  
FENCE



## BILL FENCE

拥有天然木质感和纹理结构，量身定做，可满足客户的不同需求  
 As well as nature wood grain texture and touch  
 thus could meet various requirements of customers



墙板：XFW013  
 Size: 210x21mm



立柱：XFQ009  
 Size: 90x90mm



铝合金柱  
 Aluminum post



太阳能LED灯  
 Solar LED Light



WPC  
 WOOD  
 PLASTIC  
 COMPOSITE



## FORT FENCE

拥有天然木纹质感和纹理结构，量身定做，可满足客户的不同需求  
As well as nature wood grain texture and touch  
thus could meet various requirements of customers



屏风板：XFW008  
Size: 253x20mm



铝合金角码  
Aluminum L-corner




铝合金边框  
Aluminum Frame

## SINGNAL FENCE

拥有天然木纹质感和纹理结构，量身定做，可满足客户的不同需求  
As well as nature wood grain texture and touch  
thus could meet various requirements of customers



Basic屏风：XFW001  
Size: 143x13mm



Basic屏风：XFW016  
Size: 115x10mm



扁铝  
Flat Aluminum



铝柱封头  
Post cap





木塑墙板  
WPC  
**WALL**  
CLADDING



Wall cladding have favorable mechanical performance.  
No need for painting and glue.  
But with uv and fade resistance, durable in use.

木塑墙板耐候性优良，防潮保温不易腐蚀，抗紫外线，无需油漆不褪色，可循环再利用，更亲近自然。



## 墙板系列，让建筑更富亲和力

Wall panels make your building to be closer to nature



木塑墙板耐候性优良，防潮保温不易腐蚀，抗紫外线，无需油漆不褪色，可循环再利用，更亲近自然。  
Wall panels have favorable mechanical performance. No need for painting and glue. But with uv and fade resistance, durable in use.



墙板：XFW002  
Size: 156x21mm



墙板：XFW015  
Size: 225x17mm



方管：XFQ002  
Size: 51x51mm



# 更多应用

OTHER  
WOOD  
PLASTIC  
COMPOSITE  
SERIES



## PERGOLA 葡萄架

葡萄架系列经久耐用，风格别具一格  
With unique style  
pergola is more durable



立柱：XFQ003  
Size: 121x121mm



大刀梁：XFQ004  
Size: 200x60mm



小刀梁：XFQ001  
Size: 90x50mm



马车螺丝  
S.S. Screw for hinge



铝合金角码  
Aluminum L-corner

WPC has a wide range of applications. In addition to floors and wallboards, it has a wide range of applications in grapes, handrails, flower boxes, swimming pools and so on.

木塑外观自然，可塑性强，应用范围广泛，除了地板、墙板，在葡萄架、扶手、花箱、游泳池等方面都有很广的应用。

## WPC RAILING

### 木塑护栏

拥有天然木纹质感和纹理结构，量身定做，可满足客户的不同需求。

As well as nature wood grain texture and touch, thus could meet various requirements of customers



大立柱：XFQ003  
Size: 121x121mm



小立柱：XFQ002  
Size: 51x51mm



扶手：XFQ001  
Size: 90x50mm



柱帽  
Post cap



柱脚  
Post support


## OTHERS

### 更多应用

塑木还能根据设计师的要求做出各类花箱、休闲椅、垃圾箱等

Can be used various planter, bench, dustbin and so on






## DECKING INSTALLATION

### 木塑地板的安装

正确的安装方法对我们的产品非常重要，请在安装前仔细阅读配套的安装说明书！

Correct installation is very important. Please check the relevant instructions carefully before install your project.



## INSTALL ACCESSORIES

### 木塑地板安装配件

安装简单，利用地板、龙骨、连接件、不锈钢螺丝等配套使用。  
Our decking system includes decking boards, rails, connectors and screws, easy for installation.



龙骨：XFL 002  
Joist

不锈钢卡扣  
S.S.304 clip

塑料T卡  
Nylon clip with S.S. screw

地板封头  
Hollow decking endcap

地板格榫钉  
Expansion screw

起始扣  
S.S.304 Start clip



# WALL PANEL INSTALLATION

## 木塑墙板的安装

正确的安装方法对我们的产品非常重要，请在安装前仔细阅读配套的安装说明书！

Correct installation is very important. Please check the relevant instructions carefully before install your project.



# PRODUCT MODEL, PHOTO AND SIZE

## 产品型号、图片及尺寸

丰富的种类可供您全方位的选择！

A wide range of options for you!





Color number: 1  
Alabaster



Color number: 2  
Hanyu White



Color number: 3  
Light Grey



Color number: 4  
Volcanic Grey




Color number: 10  
Magnolia



Color number: 11  
Cement Grey




Color number: 15  
Light Golden Ma




Color number: 7  
Golden Ma



Color number: 5  
Light Black




Color number: 6  
Dark Black



Color number: 12  
Rammed earth yellow



Color number: 8  
China Red



Color number: 9  
Sapphire Blue



Color number: 13  
Peacock Green



Color number: 14  
Brick Red



Color number: 11A  
Light Cement Grey



Color number: 17  
Natural Grey



A001-1

size: 1200\*600\*30mm



A002-1

size: 1200\*600\*30mm



A003-1

size: 1200\*600\*30mm



A004-1

size: 1200\*600\*30mm



A005-1

size: 1200\*600\*30mm



A006-1

size: 1200\*600\*30mm



A007-1

size: 1200\*600\*30mm



A008-1

size: 1200\*600\*30mm



A009-1

size: 1200\*600\*30mm



**B001-1**

size: 1200\*600\*50mm



**B002-1**

size: 1200\*600\*50mm



**B003-1**

size: 600\*600\*50mm



**B004-1**

size: 1200\*600\*50mm



**B005-1**

size: 1200\*600\*50mm



**C001-1**

size: 1200\*600\*60mm



**C003-1**

size: 1200\*600\*60mm



**C004-1**

size: 1200\*600\*40mm



D001-1

size: 1200\*600\*30mm



D004-1

size: 1200\*600\*30mm



D005-1

size: 1200\*600\*30mm



D006-1

size: 1200\*600\*30mm



D007-1

size: 1200\*600\*30mm



D008-1

size: 1200\*600\*30mm



E001-1

size: 1200\*600\*25mm




E002-1

size: 1200\*600\*25mm



E003-1

size: 1200\*600\*35mm



E004-1

size: 1200\*600\*25mm




E005-1

size: 1200\*600\*25mm




E006-1

size: 1200\*600\*25mm



E007-1

size: 1200\*600\*25mm



E009-1

size: 1200\*600\*25mm



E010-1

size: 1200\*600\*25mm



E011-1

size: 1200\*600\*25mm



E012-1

size: 1200\*600\*23mm



E013-1

size: 1200\*600\*23mm



F001-1

size: 900\*200\*50mm



F002-1

size: 1200\*600\*25mm



F003-1

size: 1200\*600\*30mm



F005-1

size: 1200\*600\*35mm



F006-1

size: 1200\*600\*25mm



G001-1

size: 1200\*600\*16mm



G002-1

size: 1200\*600\*16mm



G003-1

size: 1200\*600\*16mm



G005-1

size: 1200\*600\*16mm



G006-1

size: 1200\*600\*16mm



G009-1

size: 1200\*600\*16mm



H001-1

size: 1200\*600\*50mm



H002-1

size: 1200\*600\*50mm



H003-1

size: 600\*600\*50mm



H004-1

size: 1200\*600\*50mm



H005-1

size: 1200\*600\*50mm





J001-1

size: 1200\*600\*80mm



J002-1

size: 1200\*600\*80mm



J003-1

size: 600\*600\*80mm



J004-1

size: 1200\*600\*80mm



J005-1

size: 1200\*600\*80mm





K001-1

size: 2900\*600\*50mm



K002-1

size: 2900\*600\*50mm



K003-1

size: 2900\*600\*50mm





K004-1  
size: 3000\*1200\*60mm



K005-1  
Size: 2900\*1200\*40mm



L001-1

size: 2400\*800\*50mm



L002-1

size: 2400\*800\*50mm



P001-1

size: 1200\*600\*50mm



P002-1

size: 1200\*600\*50mm



P004-1

size: 1200\*600\*50mm



P005-1

size: 1200\*600\*50mm





Q001-1

size: 1200\*600\*30mm



Q002-1

size: 1200\*600\*30mm



Q003-1

size: 1200\*600\*30mm



Q004-1

size: 1200\*600\*30mm



Q005-1

size: 1200\*600\*30mm



Q006-1

size: 1200\*600\*30mm



Q008-1

size: 1200\*600\*30mm



Q009-1

size: 1200\*600\*30mm



Q010-1

size: 1200\*600\*30mm



R001-1

size: 1200\*600\*60mm



R002-1

size: 1200\*600\*60mm



R004-1

size: 1200\*600\*60mm



R005-1

size: 1200\*600\*60mm

