



WAIT 2 SAVE
Wait longer. Save more

- 1. МЕДИЧНІ ЛІЖКА**
- 2. ЕЛЕКТРИЧНІ ТА БАГАТОФУНКЦІОНАЛЬНІ
ЛІКАРНЯНІ ЛІЖКА**
- 3. ЛІЖКА ДЛЯ ДОГЛЯДУ ЗА ЛЕЖАЧИМИ
ПАЦІЄНТАМИ**
- 4. ПОВОРІТНІ ЛІЖКА-ТРАНСФОРМЕРИ**
- 5. ПРОТИПРОЛЕЖНЕВІ МАТРАЦИ**
- 6. КРІСЛА ДЛЯ ПЕРЕМІЩЕННЯ ПАЦІЄНТІВ**
- 7. ІНВАЛІДНІ ВІЗКИ**
- 8. ЕЛЕКТРИЧНІ ІНВАЛІДНІ ВІЗКИ**
- 9. ДИТЯЧІ ІНВАЛІДНІ ВІЗКИ**
- 10. ТРАНСПОРТНІ АВІАЦІЙНІ ВІЗКИ**
- 11. ХОДУНКИ ТА РОЛАТОРИ**
- 12. ХОДУНКИ З СИДІННЯМ ТА САНІТАРНИМ
ОСНАЩЕННЯМ**
- 13. МИЛИЦІ**
- 14. МЕДИЧНІ АКСЕСУАРИ ТА КОМПЛЕКТУЮЧІ**

ПРО НАС

Wait2Save – компанія, що спеціалізується на комплексному постачанні меблів для бізнесу, комерційних, громадських та приватних просторів. Ми співпрацюємо з перевіреними фабриками-виробниками та організуємо виготовлення меблів під конкретний проєкт, стиль, розміри, комплектацію й бюджет клієнта.

Ми працюємо як єдина точка замовлення: допомагаємо підібрати необхідні меблі, узгодити матеріали, кольори та характеристики, сформувати комплектацію об'єкта, організувати виробництво, логістику та доставку. Замовити можна як окремі предмети, так і повне меблювання приміщення.

Wait2Save постачає меблі для офісів, бізнес-центрів, салонів краси, медичних центрів, ресторанів, кафе, готелів, навчальних закладів, житлових просторів та інших об'єктів. Завдяки співпраці з різними фабриками ми можемо запропонувати широкий вибір моделей і рішень без прив'язки до асортименту одного виробника.

Ми приділяємо особливу увагу якості матеріалів, функціональності, надійності конструкцій та відповідності меблів умовам їх майбутнього використання. Для комплексних замовлень можемо підготувати безкоштовний дизайн-проєкт, а також працюємо за готовими планами, кресленнями та 3D-візуалізаціями клієнта.

Пряма співпраця з фабриками та оптимізована модель роботи дозволяють зменшувати зайві витрати й пропонувати клієнтам конкурентні умови без традиційних роздрібних націнок.

Більшість меблів виготовляється під замовлення. Середній термін виробництва та доставки становить близько 90-100 днів і включає виготовлення, міжнародну логістику та доставку в Україну.

Наша мета – зробити замовлення меблів для будь-якого простору простішим: від вибору окремого виробу до повної комплектації об'єкта з урахуванням дизайну, бюджету та практичних завдань.



100%

Гарантія якості



5000+



1800+



570+

НОВИХ МОДЕЛЕЙ



3500+

НАДІШЛІТЬ ЗАПИТ

- ОПИШІТЬ ПРИМІЩЕННЯ, ПОТРЕБУ,
БЮДЖЕТ АБО НАДІШЛІТЬ ФОТО /
РЕФЕРЕНС.

ОТРИМАЙТЕ КОНСУЛЬТА ЦІЮ

- МИ УТОЧНЮЄМО
РОЗМІРИ, СТИЛЬ,
КОМПЛЕКТАЦІЮ,
МАТЕРІАЛИ ТА ТЕРМІНИ.

ПІДБІР МЕБЛІВ ПІД ВАШ ЗАПИТ

- ПРАЦЮЄМО З РІЗНИМИ
ФАБРИКАМИ ТА
ПІДБИРАЄМО РІШЕННЯ
ПІД ПРОЄКТ, БЮДЖЕТ І
ДИЗАЙН.

ДИЗАЙН- ПРОЄКТ АБО РОБОТА ЗА ВАШИМ ПРОЄКТОМ

- ДЛЯ КОМПЛЕКСНОГО МЕБЛЮВАННЯ
РОЗРОБЛЯЄМО **БЕЗКОШТОВНИЙ**
ДИЗАЙН-ПРОЄКТ. ТАКОЖ
РЕАЛІЗУЄМО КОМПЛЕКТАЦІЮ ЗА
ВАШИМ ГОТОВИМ ПЛАНОМ,
КРЕСЛЕННЯМИ АБО 3D-
ВІЗУАЛІЗАЦІЄЮ.

КОМЕРЦІЙНА ПРОПОЗИЦІЯ ТА КОШТОРИС

ГОТУЄМО ЗРОЗУМІЛИЙ РОЗРАХУНОК,
УЗГОДЖУЄМО ПОЗИЦІЇ, КОЛЬОРИ, РОЗМІРИ
Й ДЕТАЛІ.

ЗАМОВЛЕНН Я ТА ВИРОБНИЦТ ВО

ПІСЛЯ ПОГОДЖЕННЯ ОФОРМЛЮЄМО
ЗАМОВЛЕННЯ НА ФАБРИЦІ ТА
КОНТРОЛЮЄМО ПРОЦЕС.

ДОСТАВКА ТА КОМПЛЕКТА ЦІЯ

ОРГАНІЗОВУЄМО ПОСТАВКУ Й
ДОПОМАГАЄМО УКОМПЛЕКТУВАТИ ОБ'ЄКТ
МЕБЛЯМИ.

МОНТАЖ ТА ФІНАЛЬНЕ ОФОРМЛЕННЯ

ЗАБЕЗПЕЧУЄМО ПРОФЕСІЙНИЙ МОНТАЖ,
ЗБІРКУ ТА РОЗСТАНОВКУ МЕБЛІВ
ВІДПОВІДНО ДО ЗАТВЕРДЖЕНОГО ПРОЄКТУ
ТА ПЛАНУВАННЯ ОБ'ЄКТА.

Manual Bed

B01-1		Flat bed: iron headboard; bed size 2030*900*500mm, packing size 1950*950*180mm, 2 pcs beds in one carton; weight 35KG, Loading weight 120KG.
B01		Flat bed: ABS headboard; bed size 2050*900*500mm, packing size 1970*950*140mm, 1 pcs bed in one carton; weight 37KG, Loading weight 120KG.
B02-1		1 function manual flat bed: iron headboard; bed size 2030*900*500mm, packing size 1970*950*180mm, 2 pcs beds in one carton; weight 37KG, Load weight 120KG; , lift back 0-75°.
B03		1 function Manual bed: ABS headboard, 5 Folding aluminum alloy guardrails, chromed plating handle, bed size 2050*900*550mm, Packing size 1970*950*140mm, 1 pcs bed in one carton, Weight 48KG, Load Weight 130KG, Lift back 0- 75°.
B04		1 function manual bed: ABS bed headboard, 5 Folding aluminum alloy guardrails, chromed plating handle, Silent wheel, Bed size 2050*900*550mm, Packing size 1970*950*140, 1 pc bed in one carton, Weight 50KG, Load Weight 130KG, Lift the back 0- 75°.
BC01-2		1 function Manual bed: ABS bed headboard, punching bedboard, 5 Folding aluminum alloy guardrails, ABS fold crank, Silent wheel, Infusion stand, Bed size 2050*900*550mm, Packing size 2000*950*180, 1 pc bed in one carton, Weight 55KG, Load Weight 130KG, Lift theback 0-75°.

BC01-2B		1 function Manual bed: Round injection head board, integral bed frame, integral stamping bed surface, PP large guardrails, central control brake, universal caster, ABS folding crank, Bed size 2100*900*550mm, Packing size 2030*1010*550, 1 pc bed in one carton, Weight 65KG, Load Weight 150KG, Back lift up 0-75°.
A07-2E3		1 function Manual bed: iron bed headboard, welding cold punching bed board, section steel welding fully covered guardrail, chromed cranks, Bed size 2050*900*500mm, 1 pc bed in one carton, Lift the back 0- 75°
A07-2F3		1 function Manual bed: iron and wood bed headboard, welding cold punching bed board, section steel welding fully covered guardrail, chromed cranks, Bed size 1800*880*500mm, 1 pc bed in one carton, Lift the back 0- 75°
A07-2B3		1 function Manual bed: iron bed headboard, welding cold punching bed board, section steel welding fully covered guardrail, chromed cranks, Silent wheel, independent braking control, Bed size 2080*980*530mm, 1 pc bed in one carton, Lift the back 0- 75°
A07-52A5		1 function manual bed: Wooden bed headboard, welding cold punching bed board, 5 Folding stainless guardrails, ABS cranks, Silent wheel, Bed size 2030*1000*500mm, 1 pc bed in one carton, Load Weight 180KG, Lift the back 0- 75°. optional configuration: mattress, infusion rack, bedside color, dining table
A07-52C5		1 function manual bed: Wooden bed headboard, welding cold punching bed board, 5 Folding stainless guardrails, ABS cranks, Silent wheel, Bed size 2030*1000*500mm, 1 pc bed in one carton, Load Weight 180KG, Lift the back 0- 75°. optional configuration: mattress, infusion rack, bedside color, dining table
B05-1		2 function Manual bed: iron headboard, chromed plating cranks, Bed size 2030*900*550mm, Packing size 1970*950*180, 2 pcs beds in one carton, Weight 40KG, Load Weight 120KG, Lift the back 0- 75°, lift the legs 0-45°.

B06		2 function Manual bed: ABS headboard, Overall punching bedboard, 5 Folding aluminum alloy guardrails, chromed plating handle, Bed size 2050*900*550mm, Packing size 1970*950*140, 1 pc bed in one carton, Weight 48KG, Load Weight 120KG, Lift the back 0- 75°, lift the legs 0-45°.
B06-2B		2 function Manual bed: ABS headboard, 5 folding guardrails, electroplate cranks, potty-hole, Bed size 2050*900*550mm, Packing size 1970*950*140, 1 pc bed in one carton, Weight 53KG, Load Weight 150KG, back lifting function 0-75°, leg lifting 0-45°.
B07		2 function Manual bed: ABS headboard, 5 Folding aluminum alloy guardrails, chromed plating cranks, Silent wheels, Bed size 2050*900*550mm, Packing size 1970*950*140, 1 pc bed in one carton, Weight 50KG, Load Weight 120KG, Lift the back 0-75°, lift the legs 0-45°.
BC02-2		2 function Manual bed: ABS headboard, Round hole integral punching bedboard, 5 Folding aluminum alloy guardrails, chromed plating cranks, Silent wheels, Bed size 2100*900*550mm, Packing size 2030*950*180, 1 pc bed in one carton, weight 60KG, Load Weight 150KG, Lift the back 0- 75°, lift the legs 0-45°.
BC02-2A		2 function Manual bed: ABS and stainless steel headboard, Overall punching bedboard, 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2100*900*550mm, Packing size 2030*950*180, 1 pc bed in one carton, Weight 68KG, Load Weight 150KG, Lift the back 0- 75°, lift the legs 0-45°.
BC02-2B		2 function Manual bed: Aluminum alloy composite headboard, Overall punching bedboard, 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2100*900*550mm, Packing size 2030*950*180, 1 pc bed in one carton, Weight 68KG, Load Weight 130KG, Lift the back 0- 75°, lift the legs 0-45°.

BC02-2C		2 function Manual bed: Solid wood headboard, Overall punching bed platform, 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2100*900*550mm, Packing size 2030*950*180, 1 pc bed in one carton, Weight 75KG, Load Weight 130KG, Lift the back 0- 75°, lift the legs 0-45°.
BC02-2D		2 function Manual bed: Integral punching surface, ABS folding cranks, Solid wood headboard and surrounding, 5 folding guardrails, independent brake mute casters, back lifting function 0-75°, leg lifting 0-45°, Bed size 2100*900*500cm, packing size 2030*950*180cm, weight 75kg, bearing capacity 180kg.
BC02-3		2 function Manual bed: ABS headboard, Overall punching bedboard, PP guardrails, chromed plating cranks, Central brake universal casters, Bed size 2100*900*550mm, Packing size 2030*1010*550, 1 pc bed in one carton, weight 65KG, Load Weight 150KG, Lift the back 0-75°, lift the legs 0-45°.
B03-3		2 function Manual bed: ABS and stainless steel headboard, Overall punching bedboard, 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2050*900*550mm, Packing size 1970*930*140, 1 pc bed in one carton, Weight 60KG, Load Weight 130KG, Lift the back 0- 75°, leg lifting 0-45°
B01-1A5		2 function Manual bed: ABS headboard, steel welding grid bed panel , 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, independent brake control Bed size 2080*960*500mm, 1 pc bed in one carton, Lift the back 0-75°, leg lifting 0-45°
B03-1A6		2 function Manual bed: ABS headboard, import cold plate stamping forming board , 6 Folding aluminum alloy guardrails, steel foldable cranks, silent wheels , independent brake control Bed size 2050*900*500mm, 1 pc bed in one carton, Lift the back 0- 75°, leg lifting 0-45°

B04-4B2		2 function Manual bed: ABS and stainless steel headboard, import cold plate stamping forming board , ABS guardrail,main frame for steel, with power spring, steel foldable cranks, silent wheels , independent brake control Bed size 2050*900*500mm, 1 pc bed in one carton, Lift the back 0- 75° , leg lifting 0-45°
B03-1G2		2 function Manual bed: ABS headboard, overall cold punching bed board , European ABS guardrail, damping lifting design, ABS foldable cranks, silent wheels, independent brake control Bed size 2130*1030*500mm, 1 pc bed in one carton, Lift the back 0-75° , leg lifting 0-45°
BK03-4G3		2 function Manual bed: ABS, steel and wood composite headboard, overall cold punching bed board , full covered small spacing steel pipe structure damping lifting guardrail, ABS foldable cranks, silent wheels , central control brake system, Bed size 2130*980*500mm, 1 pc bed in one carton, Lift the back 0-75° , leg lifting 0-45°
B06-4G4		2 function Manual bed: ABS and stainless steel headboard, import cold plate stamping forming board , European steel pipe structure arc movable thickened steel pipe guardrail,ABS foldable cranks, silent wheels , independent brake control Bed size 2150*960*500mm, 1 pc bed in one carton, Lift the back 0-75° , leg lifting 0-45°
B07-1B3		2 function Manual bed: ABS bed headboard, welding cold punching bed board, section steel welding fully covered guardrail, chromed cranks, Silent wheel, independent braking control, Bed size 2080*980*530mm, 1 pc bed in one carton, Lift the back 0-75° , lift the legs 0-35°.
B07-52D5		2 function Manual bed: Wooden bed headboard, welding cold punching bed board, 5 folding stainless guardrail, ABS cranks, Bed size 2030*1000*500mm, load weight 180kg, 1 pc bed in one carton, Lift the back 0- 75° , lift the legs 0-35° . optional configuration: mattress, infusion rack, bedside color, dining table.



B03-51A6

2 function Manual bed:

Wooden bed headboard, welding cold punching bed board, 6 folding stainless guardrail, ABS cranks, independent braking control, double rows of silent wheel diameter 125 mm Bed size 2100*1000*500mm, load weight 200kg, 1 pc bed in one carton, Lift the back 0- 75°,lift the legs 0-35°.

optional configuration: mattress, infusion rack, bedside color, dining table.



B07-51D5

2 function Manual bed:

Wooden bed headboard, welding cold punching bed board, strip steel plate width 50 mm, 5 folding wood grain stainless guardrail, 50 * 50 square leg, ABS cranks, Bed size 2050*1000*500mm, load weight 180kg, 1 pc bed in one carton, Lift the back 0- 75°,lift the legs 0-35°.

optional configuration: mattress, infusion rack, bedside color, dining table.



BC05-1

3 function Manual bed:

ABS headboard, overall cold plate punching bedboard, ABS four-leaf pneumatic damping lifting guardrails, ABS foldable cranks, silent wheels, central control brake, Bed size 2050*900*550mm, Packing size 2000*930*350mm, Weight 110KG, Load 130KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-72cm



BC05

3 function Manual bed:

ABS headboard, overall cold plate punching bed board, ABS four-leaf pneumatic damping lifting guardrails, ABS foldable cranks, Central brake universal casters, Bed size 2200*900*450-720mm, Packing size 2140*1120*450mm, Weight 115KG, Load 160KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-72cm.



BC03

3 function Manual bed:

ABS headboard, Overall cold plate punching bedboard, 6 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2150*900*450-720mm, Packing size 2030*950*370, 1 pc bed in one carton, Weight 100KG, Load Weight 160KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-72cm.

BC03-1A



3 function Manual bed:

ABS headboard, Overall cold plate punching bedboard, 6 Folding stainless steel guardrails, ABS foldable cranks, silent wheels, Bed size 2150*900*450-720mm, Packing size 2030*950*370, 1 pc bed in one carton, Weight 105KG, Load Weight 160KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-72cm.

BC03-1B



3 function Manual bed:

ABS headboard, solid wood bedboard, 5 Folding stainless steel guardrails, ABS foldable cranks, silent wheels, Bed size 2150*900*450-700mm, Packing size 2030*950*370, 1 pc bed in one carton, Weight 110KG, Load Weight 160KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-70cm.

BC03-1C



3 function Manual bed:

ABS headboard, solid wood bedboard, 6 Folding stainless steel guardrails, ABS foldable cranks, Central brake universal caster, Bed size 2150*900*450-700mm, Packing size 2030*950*370, 1 pc bed in one carton, Weight 115KG, Load Weight 160KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-70cm.

C03-1G4



3 function Manual bed:

ABS headboard, Overall cold plate punching bedboard, steel pipe structure suitable for aging side door guardrails, ABS foldable cranks, silent wheels, Bed size 2130*960*420-720mm, 1 pc bed in one carton, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 42-72cm.
optional configuration: mattress, infusion rack, table

SH-01



5 function Manual nursing bed:

ABS headboard, cold plate punching bedboard, 5 Folding guardrails, silent wheels, Wood dining table, Infusion stand, head washing basin, potty hole, 6cm mattress, Bed size 2150*900*500mm, Packing size: 1970*950*270mm, 1 pc bed in one carton, Weight 75KG, Load Weight 150KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Note: The lifting and turning can not be carried out simultaneously.



SH-01A

5 function Manual nursing bed:

ABS headboard, cold plate punching bedboard, 5 Folding guardrails, silent wheels, dining table, Infusion stand, head washing basin, potty, 6cm mattress, Bed size 2050*900*500mm, Packing size 2050*950*270mm, 1 pc bed in one carton, Weight 78KG, Load Weight 150KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Note: The lifting and turning can not be carried out simultaneously



SH-01J

5 function Manual nursing bed:

Compositewood headboard,coldplatepunchingbedboard, 5 Folding guardrails, silent wheels, dining table, Infusion stand, head washing basin, potty, 6cm mattress, Bed size 2030*1000*530mm, Packing size 2050*950*270mm, 1 pc bed in one carton, Weight 110KG, Load Weight 200KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Bed body raw material thickness 1.2mm 4080 square pipe, bed surface raw material thickness 1.2mm 1530 square pipe , thick wall 2.75mm or 3mm casters ,Wear-resistant, independent brake, stable and reliable Solid welding Note: The lifting and turning can not be carried out simultaneously



SH-02

5 function Manual nursing bed:

ABS headboard, overall punching bedboard, 5 Folding guardrails, silent wheels, wood dining table, Infusion stand, head washing basin, potty, 6cm mattress, Bed size 2050*900*500mm, Packing size 1970*950*350mm, 1 pc bed in one carton, Weight 75KG, Load Weight 130KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Note: The lifting and turning can not be carried out simultaneously



SH-02A

5 function Manual nursing bed:

ABS headboard, overall punching bedboard, 5 Folding guardrails, silent wheels, wood dining table, Infusion stand, head washing basin, potty, Bed size 2050*900*500mm, Packing size 2020*950*350mm, 1 pc bed in one carton, Weight 85KG, Load Weight 130KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Note: The lifting and turning can not be carried out simultaneously

C09		5 function Manual nursing bed: ABS headboard, overall punching bedboard with multisections 6cm mattress, 5 Folding guardrails, silent wheels, adjustable PP dining table, Infusion stand, potty, head washing basin, Bed size 2150*1000*550mm, Packing size 2050*1050*560cm, 1 pc bed in one carton, Weight 135KG, Load Weight 150KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°, splitable wheelchair.
-----	---	---

Electric Bed B08

DB06-51-4		2 function Electric bed: ABS and stainless steel headboard, Cold plate strip punching bedboard, 5 Folding aluminum alloy guardrails, ABS foldable cranks, silent wheels, Bed size 2050*900*550mm, Packing size 1970*930*140, 1 pc bed in one carton, Weight 60KG, Load Weight 130KG, Lift the back 0-75°, lift the legs 0-45°.
		2 function Electric bed: Wooden bed headboard, Cold plate strip punching bed board, 2130*1030*530mm, silent wheels, Bed size 2130*1030*530mm, 1 pc bed in one carton, Load Weight 200KG, Lift the back 0- 70°, lift the legs 0-30°. optional configuration: mattress, infusion stand, bedside color, dining table
DB04		3 function Electric bed: ABS headboard, cold plate punching bedboard, 6 Folding stainless steel guardrails, silent wheels, Bed size 2150*900*450-690mm, Packing size 2030*950*400, 1 pc bed in one carton, Weight 110KG, Load Weight 180KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-69cm.
DB05		3 function Electric bed: ABS headboard, overall cold plate punching bed board, ABS four-leaf pneumatic damping lifting guardrails, Central brake universal caster, Bed size 2200*900*450-690mm, Packing size 2030*1150*450mm, Weight 115KG, Load 180KG, lift back 0-75°, lift legs 0-45°, overall lifting of the bed 45-69cm.

DH-04		3 function Electric nursing bed: ABS headboard, folding guardrails, mute caster, infusion stand, Back lift to 0-75 °, leg fall 45° and rise 30°, Bed size 2050*900*500cm, packing size 2000*950*340cm, weight 85kg, bearing capacity 180kg.
DC03-4-6		3 function Electric ultra-low bed: ABS and stainless steel headboard, overall cold punching bed board, 6 folding guardrails, silent wheels, Bed size 2130*1030*430-730mm, 1 pc bed in one carton, Weight 110KG, Load Weight 200KG, Lift back 0-75°, lift legs 0-45°, overall lifting of the bed 43-73cm. optional configuration: mattress, infusion rack, dining table
DCK03-6-1		3 function Electric bed: ABS headboard, overall cold plate punching bed board, ABS four-leaf pneumatic damping lifting guardrails, Central brake universal caster, bed tail plate PP guardrail embedded control panel, Bed size 2130*1030*430-730mm, Weight 115KG, Load 200KG, lift back 0-75°, lift legs 0-45°, overall lifting of the bed 43-73cm. optional configuration: mattress, infusion rack, dining table
DCK03-7-1		3 function Electric bed: ABS headboard, overall cold plate punching bed board, ABS four-leaf pneumatic damping lifting guardrails, Central brake universal caster, bed tail plate PP guardrail embedded control panel, dual control panels, Convenient to adjust, Bed size 2130*1030*430-730mm, Weight 115KG, Load 200KG, lift back 0-70°, lift legs 0-30°, overall lifting of the bed 43-73cm. optional configuration: mattress, infusion rack, dining table
DH01		5 function manual and electric dual use nursing bed: ABS headboard, overall punching bedboard, 4 folding guardrails, silent wheels, PP dining table, Infusion stand, potty, 6cm mattress, head washing basin, Bed size 2080*960*560mm, Packing size 2000*950*340mm, 1 pc bed in one carton, Weight 110KG, Load Weight 200KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°. Note: The lifting and turning can not be carried out simultaneously.

DH-03



5 function Electric nursing bed:

ABS headboard, overall punching bedboard, PP guardrails, silent wheels, PP dining table, Infusion stand, potty, 6cm mattress, head washing basin, Bed size 2050*900*500mm, Packing size 2000*950*340mm, 1 pc bed in one carton, Weight 125KG, Load Weight 130KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°.

Note: The lifting and turning can not be carried out simultaneously.

DW03-1-5



5 function electric nursing bed:

ABS headboard, overall punching bed board, Make long-term use without deformation, 5 folding guardrails, silent wheels, table, Infusion stand, potty, 6cm mattress, head washing basin, Bed size 2130*960*430-730mm, 1 pc bed in one carton, Weight 110KG, Load Weight 200KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°.

Note: The lifting and turning can not be carried out simultaneously.

The timing turnaround time is 30 minutes and 45 minutes.

DWK03-6-1



5 function manual and electric dual use nursing bed:

ABS headboard, overall punching bedboard, four leaf ABS damping lifting guardrail, diameter of 125mm, silent wheels, dining table, Infusion stand, potty, 6cm mattress, head washing basin, bed tail plate PP guardrail embedded control panel, Convenient orientation, Bed size 2130*960*430-730mm, 1 pc bed in one carton, Weight 110KG, Load Weight 200KG, Lift back 0-75°, lift legs 0-30°, fall legs 45°, Turn left and right 45°.

Note: The lifting and turning can not be carried out simultaneously.

The timing turnaround time is 30 minutes and 45 minutes. Parameter characteristics:

optional configuration: mattress, infusion rack, dining table

DS-H01		Wooden bed headboard, folding frame, silent wheels independent brake, Bed size 2130*1030*530mm, 1 pc bed in one carton, Load Weight 200KG, Lift the back 0- 70°, lift the legs 0-30°, Forward tilt and backward tilt function.
DS-DJ1		Electric multifunctional rotating nursing bed: Wooden headboard, overall punching bedboard, silent wheels, dining table, Infusion stand, potty, 6cm mattress, head washing basin, , Bed size 2050*1000mm, bed frame surface 1950*900mm, 1 pc bed in one carton, Load Weight 200KG, AdjustmentAngle:backtiltAngle:80°-85° upper winding leg Angle: 25° -30° overall lifting Angle: 390-660mm bed body rotating Angle: 90° ,4 motors, Bedbed tail with all oak solid wood (with soft bag) color decoration Note: The lifting and turning can not be carried out simultaneously. The timing turnaround time is 30 minutes and 45 minutes. Parameter characteristics: optional configuration: mattress, infusion rack, dining table Rotation: before rotation, the whole bed to the lowest point before rotation, the back will automatically slowly fall to a most comfortable position to 90° , The bent legs will fall, The back will rise, The Angle can be adjusted by itself and by using the guardrail on both sides, So that we can transfer the user to a wheelchair, Push mobile.

Air Mattresses for Hospital Bed

RB-03 	Fluctuating jet type, Fabric material: medical ventilation PVC; Product size: 1950*900mm; Weight 15.3 kg; Load capacity: 135 kg; Ultra-quiet air pump.
--	---

RB-04		Fluctuant jet, with hole type, Fabric material: medical ventilation PVC; Product size: 1950*900mm; Weight 15.5 kg; Load capacity: 135 kg; Ultra-quiet air pump.
RB-05		Spherical wave type; Fabric material: medical PVC + PU; Size: 2000*900mm; Load capacity: 135 kg; Ultra-quiet air pump.

Transfer chair

TS-1		Hydraulic transfer chair The height range is 76-94cm, the width is 53.5cm, the length is 70cm, the seat height range is 42- 60cm, the bottom shelf height is 13cm, the bed height is required to be above 13cm, the weight is 38kg, the load-bearing capacity is 150kg, the thick sponge leather cushion is provided, with a toilet, suitable for bedridden people, middle-aged and elderly B people, those who lack exercise, postpartum and postoperative recovery, can add a dining table or tray storage rack, the back buckle is one key lock, the packaging size may be 75*60*40cm, universal wheels,safety buckle Transfer chair
TS-2		High and light thickness steel, electric lifting, 360 degree adjustable hanging arm, thick nylon strap webbing, silent wheel independent brake, shovel toxin 1070mm, width 630-920mm, load capacity 180kg, height 1200mm, weight 45kg, load capacity 180kg+

Aluminium Walker

ZX-01		Aluminium alloy Walking aid Single H rack, 8 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.5kg, height:81cm-99cm, load weight:100kg,14.8 kg/carton, 6 pcs in one carton. packing size:81*44*55cm
--------------	---	---

ZX-02		Aluminium alloy Walking aid Bronze surface, 8 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.5kg, height: 81cm-99cm, load weight: 100kg, 14.8 kg/carton, 6 pcs in one carton. packing size: 81*44*55cm
ZX-05		Aluminium alloy double-bend Walking aid Single H rack, 6 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.6kg, height: 75cm-88cm, load weight: 100kg, 6 pcs in one carton. packing size: 87*40*54cm
ZX-06		Aluminium alloy double-bend Walking aid with canvas seat 8 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.8kg, height: 81cm-99cm, load weight: 100kg, 6 pcs in one carton. packing size: 87*40*54cm
ZX-08		Aluminium alloy Walking aid with front wheels Single H rack, 9 hole height adjustable; bright silver surface treatment; unit weight: 2.4kg, height: 75cm-93cm, load weight: 100kg, 6 pcs in one carton. packing size: 82*52*56cm
ZX-09		Aluminium alloy double-bend Walking aid with front wheels and seat 6 hole height adjustable; bright silver surface treatment; unit weight: 2.4kg, seat height: 50cm, load weight: 100kg, 6 pcs in one carton. packing size: 82*52*56cm

ZX-10		Aluminium alloy double-bend Walking aid with commode 6 hole height adjustable; bright silver surface treatment; unit weight: 2.9kg, load weight:100kg, 6 pcs in one carton. packing size:82*60*56cm
---------------------	--	--

Stainless Walker

SX-01		Stainless steel Walking aid Single H rack , 6 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.4kg, height:75cm-88cm, load weight:100kg, 6 pcs in one carton. packing size:87*40*54cm
---------------------	---	---

SX-02		Stainless steel double-bend Walking aid Single H rack , 6 hole height adjustable; Interactive fixed dual-use, bright silver surface treatment; unit weight: 2.6kg, height:75cm-88cm, load weight:100kg, 6 pcs in one carton. packing size:87*40*54cm
SX-03		Stainless steel Walking aid Double H rack , 6 hole height adjustable; bright silver surface treatment; unit weight: 2.4kg, height:75cm-88cm, load weight:100kg, 6 pcs in one carton. packing size:87*40*54cm
SX-05		Stainless steel Walking aid with front wheels Double H rack, 6 hole height adjustable; bright silver surface treatment; unit weight: 2.5kg, height:75cm-88cm, load weight:100kg, 6 pcs in one carton. packing size:81*44*55cm

SX-06		Stainless steel Walking aid with front wheels and seat 6 hole height adjustable; bright silver surface treatment; unit weight: 3.4kg, seat height:50cm, load weight:100kg, 6 pcs in one carton. packing size:97*56*53cm
SX-07		Stainless steel Walking aid with front wheels and seat 6 hole height adjustable; bright silver surface treatment; unit weight: 3.9kg, seat height:50cm, load weight:100kg, 6 pcs in one carton. packing size:97*60*55cm

Rollator

E-01		4 wheels, Iron material,handrail Height adjustable 75-86cm,net weight: 8.5kg, max load weight: 150kg, 2pcs in one carton, packing size: 80*63*38cm, Optional accessories: Iron Basket or carry pouch
E-02		6 wheels, Iron material,handrail Height adjustable 75-86cm,net weight: 8.5kg, max load weight: 150kg, 2pcs in one carton, packing size: 80*63*38cm, Optional accessories: Iron Basket or carry pouch
E-03		6 wheels, with foot pedal, Iron material,handrail Height adjustable 75-86cm,net weight: 8.5kg, max load weight: 150kg, 2pcs in one carton, packing size: 80*63*38cm, Optional accessories: Iron Basket or carry pouch

E-04		6 wheels, detachable legs, Iron material,handrail Height adjustable 75-86cm,net weight: 8.5kg, max load weight: 150kg, 2pcs in one carton, packing size: 80*63*38cm, Optional accessories: Iron Basket or carry pouch
E-05		Iron material,handrail Height adjustable 75-86cm,net weight: 10kg, max load weight: 150kg, 2pcs in one carton, packing size: 80*63*38cm,

Crutch

G-01		Aluminium alloy Axillary crutch Double adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, height adjustable: 110cm-140cm, unit weight: 1.5kg, load weight: 100kg, 10 pairs in one carton, packing size:120*27*31cm
G-01S		Aluminium alloy Axillary crutch Single adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, 9 height adjustable, height: 100cm-120cm, 115-135cm, 125-145cm, unit weight: 1kg, load weight: 100kg,10 pairs in one carton, packing size:120*27*31cm
G-02		Stainless steel Axillary crutch Double adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, height adjustable: 110cm-140cm, unit weight: 1.5kg, load weight: 100kg, 10 pairs in one carton, packing size:120*27*31cm

G-02S		Stainless steel Axillary crutch Single adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, 9 height adjustable, height: 100cm-120cm, 115-135cm, 125-145cm, unit weight: 1kg, load weight: 100kg, 10 pairs in one carton, packing size: 120*27*31cm
G-03		Aluminium Spring damping Axillary crutch Single adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, height adjustable: 110cm-140cm, unit weight: 1.5kg, load weight: 100kg, 10 pairs in one carton, packing size: 120*27*31cm
G-03S		Stainless steel Spring damping Axillary crutch Single adjustable, PVA hand grips, mats, PVC non-slip mats, yellow gray color, height adjustable: 110cm-140cm, unit weight: 1.5kg, load weight: 100kg, 10 pairs in one carton, packing size: 120*27*31cm
G-04		Aluminium alloy Axillary crutch Detachable, foldable, PVA hand grips, hand grip 8 holes adjustable, Axillary bottom 13 holes adjustable, PVC non-slip mats, gray color height adjustable: 98cm-158cm, suitable height: 135-195cm, unit weight: 2.2kg, load weight: 130kg, 10 pairs in one carton, packing size: 120*27*31cm
G-05		Aluminium alloy Elbow crutch Wear-resistant, non-slip bottom pad, TPR material grip and drag, Adjustable height of grip: 20-33cm (adjustable for four gears), Lift height adjustable: 70-90cm (ten gears adjustable), Adjustable total height: 125cm, Adjustable low height: 90cm, unit weight: 0.5kg, load weight: 100kg, 50 pcs in one carton, packing size: 94*50*40cm
G-06		Aluminium alloy Elbow crutch Wear-resistant, non-slip bottom pad, Lift height adjustable: 70-95cm, overall height: 95-127cm, unit weight: 0.6kg, 50 pcs in one carton, packing size: 94*50*40cm

G-07		Stainless steel Elbow crutch Wear-resistant, non-slip bottom pad, Lift height adjustable: 70-95cm, overall height:95-127cm, unit weight: 0.6kg, 50 pcs in one carton, packing size:94*50*40cm
------	--	---

Walking Stick

SJ-01		Aluminum alloy four-foot walking stick/cane Base size 21*21cm; adjustable height: 74-97cm, unit weight:0.7kg, 20 pcs in one carton. packing size:94*50*40cm
SJ-02		Aluminum alloy four-foot walking stick/cane (can add light) Base size 20*21cm; adjustable height: 76-98cm, unit weight:0.7kg, 20 pcs in one carton. packing size:94*46*46cm
SJ-03		Aluminum alloy four-foot walking stick/cane Iron pipe spray base, adjustable height: 74-97cm, unit weight:0.8kg, 20 pcs in one carton. packing size:83*51*28cm
SJ-04		Aluminum alloy three-foot walking stick/cane Iron pipe spray base, adjustable height: 74-97cm, unit weight:0.8kg, 20 pcs in one carton. packing size:83*51*28cm

SJ-05		Aluminum alloy four-foot walking stick/cane Iron pipe spray base, adjustable height: 74-97cm, unit weight:0.8kg, 20 pcs in one carton. packing size:87*45*45cm
SJ-07		Aluminum alloy four-foot walking stick/cane Iron pipe spray base, adjustable height: 74-96cm, unit weight:0.6kg, 30 pcs in one carton. packing size:87*45*45cm
SJ-08		Aluminum alloy four-foot walking stick/cane Iron pipe spray base, adjustable height: 66-89cm, unit weight:0.6kg, 30 pcs in one carton. packing size:87*45*45cm
SJ-09		Aluminum alloy four-foot walking stick/cane Iron pipe spray base, adjustable height: 66-89cm, unit weight:0.6kg, 40 pcs in one carton. packing size:77*45*45cm
SJ-10		Aluminum alloy three-foot walking stick/cane Adjustable height: 74-97cm, adjustable height: 66-89cm, unit weight:0.5kg, 30 pcs in one carton. packing size:87*45*50cm
SJ-11		Aluminum alloy four-foot walking stick/cane Iron pipe spray base 21*21cm, adjustable height: 74-97cm, yellow blue color, unit weight:0.7kg, 20 pcs in one carton. packing size:94*50*40cm

SJ-12		Stainless four-foot walking stick/cane Iron pipe spray base 12*17cm, adjustable height: 74-97cm, unit weight:0.6kg, load weight: 100kg, 30 pcs in one carton. packing size:87*45*45cm
SJ-13		Stainless three-foot walking stick/cane Iron pipe spray base, adjustable height: 74-97cm, unit weight:0.6kg, load weight: 100kg, 30 pcs in one carton. packing size:87*45*45cm

Cane

SZ-01		Aluminium alloy single cane PVC plastic handle, bright silver / bronze/ black/ chrome, unit weight:0.4kg, 80 pcs in one carton. packing size:74*43*28cm
SZ-02		Aluminium alloy 5-section Folding cane PVC plastic handle, bright bronze/ chrome color, unit weight:0.3kg, height adjustable 81-91cm, 100 pcs in one carton. packing size:70*32*32cm
SZ-03		Aluminium alloy single cane (can add light) PVC plastic handle, bright bronze/ chrome/ black color, unit weight:0.4kg, 60 pcs in one carton. packing size:73*43*28cm

SZ-04		Aluminium alloy little three-foot cane (can add light) PVC plastic handle, bright bronze/ chrome color, unit weight:0.5kg, 30 pcs in one carton. packing size:73*43*28cm
SZ-05		Aluminium alloy little four-foot cane (can add light) 9 hole height adjustable, PVC plastic handle, bright chrome/black color, unit weight:0.5kg, height adjustable 68-96cm, 40 pcs in one carton. packing size:73*43*28cm
SZ-06		Aluminium alloy little four-foot cane (can add light) Base size 8*7.5cm; adjustable height: 76-98cm, unit weight:0.5kg, 30` pcs in one carton. packing size:73*43*28cm
SZ-07		Aluminium 4-section Blind cane Foldable, unit weight:0.3kg, 100 pcs in one carton. packing size:66*33*22cm

Walking Stick Stool

JD-1		Stainless steel Walking stick stool Plastic seat surface, seat height 50cm, overall height: 85cm, unit weight:1kg, 20 pcs in one carton. packing size:87*42*50cm
------	---	---

JD-2		Stainless steel Walking stick stool Plastic seat surface, seat height 50cm, overall height: 85cm, unit weight:1.2kg, 20 pcs in one carton. packing size:87*48*50cm
JD-3		~~Stainless+Iron Walking stick stool~~ Iron seat surface, foldable, seat height 50cm, overall height: 85cm, unit weight:1 kg, load weight 100kg, 20 pcs in one carton. packing size:87*42*50cm
JD-4		Stainless steel Walking stick stool Plastic seat surface, foldable, seat height 50cm, overall height: 85cm, unit weight:1.2kg, load weight 100kg, 20 pcs in one carton. packing size:87*48*50cm
JD-5		Aluminium Walking stick stool (can add light) Plastic seat surface, foldable, seat height 50cm, overall height: 85cm, sliver, brown color, unit weight:1 kg, load weight 100kg, 20 pcs in one carton. packing size:87*42*50cm

Shower Chair D01		Aluminium alloy bath chair 8 hole height adjustable, U-shaped seat surface, seat surface with water leakage hole, non slip foot pad, unit weight: 2.3kg, height: 35-52.5cm, load weight: 100kg, 5 pcs in one carton. Package size: 58*35*62cm
--------------------------------	---	---

		Aluminium alloy high backrest bath chair 6 hole height adjustable, U-shaped seat surface, seat surface with water leakage hole, non slip foot pad, with backrest, unit weight: 2.8kg, height: 35-52.5cm, load weight: 130kg, 5 pcs in one carton. Package size: 58*35*62cm
D02		Aluminium alloy high backrest bath chair with rails 6 hole height adjustable, U-shaped seat surface, seat surface with water leakage hole, non slip foot pad, with backrest, unit weight: 3.6kg, height: 35-52.5cm, load weight: 130kg, 5 pcs in one carton. Package size: 58*35*62cm
D03		Aluminium alloy high backrest bath chair with liftable rails 6 hole height adjustable, U-shaped seat surface, seat surface with water leakage hole, non slip foot pad, with backrest, unit weight: 3.6kg, height: 35-52.5cm, load weight: 130kg, 5 pcs in one carton. Package size: 58*35*62cm

D04

Commode chair

F01		Iron tube sprayed, white, high backrest, foldable, potty hole; unit weight 2.9kg, bearing weight 115kg; packing size 98*40*70cm, 9 pcs per carton.
F02		Iron tube sprayed, black, high backrest, synthetic leather backrest, foldable, potty hole; unit weight 2.9kg, bearing weight 115kg; packing size 98*40*70cm, 9 pcs per carton.

F03		Iron tube sprayed, black, white, high backrest, synthetic leather sitting surface and backrest, foldable, potty hole; unit weight 3.3kg, bearing weight 115kg; packing size 98*40*70cm, 7 pcs per carton.
F04		Iron tube sprayed, black, high backrest, synthetic leather sitting surface and backrest, foldable, plastic handrails, potty hole; unit weight 5.4kg, bearing weight 115kg; packing size 100*60*60cm, 5 pcs per carton.
F05		Iron tube sprayed, black, high backrest, synthetic leather sitting surface and backrest, foldable, plastic handrails, potty hole; unit weight 5.4kg, bearing weight 115kg; packing size 100*60*60cm, 5 pcs per carton.
F06		Steel tube sprayed, foldable, plastic handrails, potty hole; unit weight 4kg, bearing weight 115kg; packing size 80*56*58cm, 6 pcs per carton.
F07		Steel tube frame, high backrest, foldable, plastic handrails, potty hole; unit weight 4.8kg, bearing weight 115kg; packing size 95*64*58cm, 5 pcs per carton.
F08		Steel tube frame, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.

F09		Steel tube frame, with wheels, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.
F10		Steel tube frame, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.
F11		Steel tube frame, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.
F12		Steel+iron tube frame, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.
F13		Iron tube frame, foldable, height adjustable, plastic handrails, potty hole; unit weight 5kg, bearing weight 115kg; packing size 95*58*60cm, 5 pcs per carton.
F14		Toilet height enhancer 44*52*34.5cm, Netweight: 2.5KG, load weight 135KG, 1pc per carton

Knee Brace

HX-01		Blue, Gray, Red, Black; XL, L, M, S; 0.13kg; Spandex, nylon, silicone, spring.
HX-02		Blue, Black; Free size, adjustable straps; 0.2kg; Mercerized bonded cloth, silicone.
HX-03		Blue, Black, Gray; Free size, adjustable straps; 0.1kg; Nylon, Spandex, mercerized cotton, silicone.
HX-04		Red, Blue, Black; XL, L, M, S; 0.1kg; Nylon, Spandex.

Waist brace

HY-01		Blue color, S M L XL size, 50/100pcs in one carton
HY-02		Red color, S M L XL size, 50/100pcs in one carton

HY-03		Yellow color, S M L XL size, 50/100pcs in one carton
---------------------	--	---

Neck Traction Device

RC-07		Material: full velvet,single tube, metal valve latex ball, blue clip, rubber tube; Color: coffee, gray, rose red, blue, purple; Net weight: 0.235 kg; Packing carton size: 41*51*76cm, 100pcs/a carton.
RC-08		Material: full three-tube, flannel, metal valve latex ball, blue clip, rubber tube; Color: coffee, gray, rose red, blue, purple; Net weight: 0.235 kg; Packing carton size: 41*51*76cm, 100pcs/a carton.
NT-01		Material: half pile single tube, flannel, metal valve latex ball, blue clip, rubber tube; Color: coffee Net weight: 0.185 kg; Packing carton size: 41*51*76cm, 100pcs/a carton.

Manual Wheelchair

DS-809		Steel chromed plating frame, leather seat surface, adjustable aluminum alloy pedals, front wheel 8 inch, rear wheel 24 inch, solid tire. wheelchair height 88cm, length 105cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 17kg, load weight 110 kg, package size 93*24*88cm.
DS-809B		Steel chromed plating frame, leather seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, front wheel 8 inch, rear wheel 24 inch, solid tire. wheelchair height 88cm, length 105cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 19kg, load weight 110 kg, package size 93*25*88cm.
DS-809S		Steel chromed plating frame, powdered support, synthetic leather seat surface, adjustable plastic pedals, front wheel 8 inch, rear wheel 24 inch, smooth tire. wheelchair height 88cm, length 105cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 17kg, load weight 110 kg, package size 93*25*88cm.
DS-809N		Electroplated frame, 7-inch front wheels, 24-inch rear wheels, nylon wheels, PU tires, fixed soft leather armrests, pvc seat surface, backrest, aluminum alloy pedals, stainless steel guards, seat width 45 cm, seat depth 45 cm, back height 48cm, package size: 93*88*25cm Net weight 17kgs, maximum load 125kgs

DS-809D		Electroplated frame, 7-inch front wheels, 24-inch rear wheels, PU tires, aluminum alloy wheels, stainless steel hand ring, pvc handrails, leather seat surface, doublelayer toilet, with toilet box, seat width 45 cm, seat depth 45 cm, Back height 48cm, aluminum alloy pedals, packing size: 93*88*25cm. Net weight 17kgs, maximum load 125kgs
DS-809C		Black steel pipe frame, 7-inch front wheels, 24-inch rear wheels, PU tires, aluminum alloy wheels, stainless steel hand rings, soft leather armrests, Leather seat surface, seat width 45cm, seat depth 45cm, back height 48cm, iron pedals, packing size: 93*88*25cm. Net weight 16kgs, maximum load 125kgs
DS-24PL		Powdered coat frame, canvas seat surface, adjustable plastic pedals, Front 7-inch anti-skid wheel, rear 24 inch integral wheel solid tyre, wheelchair height 88cm, wheelchair length 105cm, seat width 45cm, seat height 48cm, seat depth 45cm, weight 17kg, load weight 110kg. package size 93*25*88cm.
DS-24PR		Steel pipe spray frame, canvas seat surface, adjustable spray plastic pedals, Front 7-inch anti-skid wheel, rear wheel 24 inch, wheelchair height 88cm, wheelchair length 105cm, seat width 45cm, seat height 48cm, seat depth 45cm, weight 17kg, load weight 110kg. package size 93*25*88cm.

DS-24D		Powder coated steel frame, black color, Front 7-inch anti-skid wheel, rear wheel 24 inch thicken solid tyre, black canvas seat surface, detachable legs, foldable backrest, plastic foot pedals, folding backrest, plastic handrail, protective straps, seat width 45cm, weight 15kg, load weight 110kg. package size 82*22*78cm, 1 pc per carton.
DS-24T		Steel pipe frame, 7-inch front wheels, 24-inch rear wheels, solid tires, aluminum alloy wheels, iron rings, pvc handrails, canvas seat surface, black spraying, seat width 45 cm, seat depth 45 cm, back height 48 cm, ABS Pedal, packing size: 93*88*25cm. Net weight 15kgs, maximum load 125kgs
DS-24PA		Steel pipe spray frame, canvas seat surface, with line hand brake, adjustable spray iron pedals, front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair height 88cm, length 103cm, seat width 45cm, seat height 48cm and seat depth 45cm, Weight 16kg, load weight 100kg, package size 93*26*88cm.
DS-24PZ		Steel pipe spray frame, canvas seat surface with potty hole, with line hand brake, adjustable spray iron pedals, front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair height 88cm, length 103cm, seat width 45cm, seat height 48cm and seat depth 45cm, Weight 17kg, load weight 100kg, package size 93*26*93cm.

DS-24DZ		Steel chromed plating pipe frame, canvas seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair height 88cm, length 105cm, seat width 45cm, seat height 48cm and seat depth 45cm, Weight 17kg, load weight 100kg, package size 93*26*88cm.
DS-20C		Steel pipe frame, 7-inch front wheels, 20-inch rear wheels, nylon wheels, PU tires, movable armrests, leg rests, ABS pedals, painted guardrails, seat width 45 cm, seat depth 36 cm, back height 47 cm, Breathable pattern knitted seat surface, packing size: 73*29*70cm, net weight 12kgs, maximum load 100kgs
DS-12R		Powder coated steel frame, red canvas seat surface, adjustable plastic foot pedals, Front 7-inch anti-skid wheel, rear wheel 12 inch solid tyre, with hand brake, The back can be bent and the legs can be lifted, wheelchair height 88cm, wheelchair length 98cm, seat width 45cm, seat height 48cm, seat depth 45cm, weight 12.5kg, load weight 110kg. package size 76*28*72cm, 1 pc per carton
DS-16S		Steel pipe spray frame, Front 7 inch non-slip wheel, rear 16 inch solid tire, Height 87cm, length 88cm, seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, foldable backrest. with line hand brake, weight 12kg, load weight 100kg, package size 68*29*74cm.

DS-20S		Powder coated steel frame, grey color, Front 7 inch non-slip wheel, rear 20 inch black solid tyre, Seat mesh breathable fabric, blue, orange, red, black Adjustable iron pedals, foldable backrest. with line hand brake, plastic handrail, protective straps, blue, orange, red, black seat width 45cm, weight 13kg, load weight 100kg, package size 76*28*68cm, 1 pc per carton
DS-20G		Powder coated steel frame, black color, Front 7 inch non-slip wheel, rear 20 inch integral wheel PU tyre, Seat mesh breathable fabric, blue, green, Adjustable plastic pedals, foldable backrest. with line hand brake, plastic handrail, protective straps, seat width 45cm, weight 13kg, load weight 100kg, package size 76*28*68cm, 1 pc per carton
DS-12L		Aluminium alloy frame, Front 7 inch non-slip wheel, rear 12 inch solid PU tire, height 87cm, length 88cm, Seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, folding backrest, nurse brake. weight 11kg, load weight 110kg, packing size 76*28*68cm.
DS-16R		Aluminium alloy frame, Front 7 inch non-slip wheel, rear 16 inch solid PU tire, height 87cm, length 88cm, Seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, folding backrest, nurse brake. weight 11kg, load weight 110kg, packing size 76*28*68cm.

DS-20L		Aluminium alloy frame, Front 6 inch non-slip wheel, rear 20 inch PU tire, height 87cm, length 88cm, Seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, folding backrest, nurse brake. weight 11kg, load weight 110kg, packing size 76*28*68cm.
DS-20R		Aluminium alloy frame, Front 6 inch non-slip wheel, rear 20 inch PU tire, height 87cm, length 88cm, Seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, folding backrest, nurse brake. weight 11kg, load weight 110kg, packing size 76*28*68cm.
DS-20E		Aluminium alloy frame, black color, Front 7 inch non-slip wheel, rear 20 inch integral wheel PU tyre, Seat mesh breathable fabric, orange+black, Adjustable plastic pedals, foldable backrest. with line hand brake, plastic handrail, protective straps , seat width 45cm, weight 13kg, load weight 100kg, package size 76*28*68cm,1 pc per carton
DS-24L		Aluminium alloy frame, Front 8 inch non-slip wheel, rear 24 inch PU tire, height 87cm, length 88cm, Seat width 45cm, seat height 48cm, seat depth 43cm, Seat mesh breathable fabric, Adjustable pedals, folding backrest, nurse brake. weight 11kg, load weight 110kg, packing size 87*25*89cm.

DS-306		Child wheelchair, steel pipe spray frame, black color canvas seat surface, with line hand brake, adjustable spray iron pedals, front wheel 7 inch, rear wheel 20 inch, inflatable tire. wheelchair height 96cm, length 86cm, seat size 35*38cm, Weight 13kg, load weight 100kg, package size 96*25*86cm.
DS-307		Child wheelchair, steel pipe spray frame, yellow color canvas seat surface, with line hand brake, adjustable spray iron pedals, front wheel 7 inch, rear wheel 20 inch, PU tire. wheelchair height 96cm, length 86cm, seat size 35*38cm, Weight 13kg, load weight 100kg, package size 96*25*86cm.
DS-F1		Aircraft wheelchair, aluminium alloy frame, foldable, elevated armrest Front 6 inch non-slip wheel, rear 8 inch solid tire, height 92cm, length 78cm, Seat width 39cm, seat height 46cm, seat canvas fabric, with brake. weight 6.3kg, load weight 75kg, packing size 53*33*73cm.
DS-F2		Aircraft wheelchair, aluminium alloy frame, foldable, elevated armrest Front 6 inch non-slip wheel, rear 8 inch solid tire, height 92cm, length 78cm, Seat width 39cm, seat height 46cm, seat canvas fabric, with brake. weight 6.8kg, load weight 100kg, packing size 30*50*75cm.

DS-24AL		Steel pipe frame, 7-inch front wheels, 24-inch rear wheels, aluminum alloy wheels, PU tires, fixed armrests, pvs material, orthopedic detachable leg rests, iron guards, canvas seat, seat width 45 cm, seat depth 45 cm, Back height 48cm, package size: 93*88*25cm, Net weight 16kgs, maximum load 125kgs
DS-504		~~Powder coated steel frame~~ Front 7-inch wheel, rear wheel 24 spoke wheel Inflatable tire, plastic hand pushing ring, canvas seat surface, detachable legs, elevate armrest, foldable backrest, plastic foot pedals, leather handrail, protective straps, air pump, seat width 50cm, weight 16kg, load weight 110kg. package size 86*25*90cm, 1 pc per carton.
DS-505		powdered frame, liftable armrest, removable legs, canvas seat surface, adjustable plastic foot pedals, 8inch grey front wheel, rear wheel 24inch integral wheel, smooth tyre, plastic hand pushing ring, plastic protect panel, leather handrail, equipped with anti rollover small wheels, There is a reflective strip behind the backrest, 1 multi-functional wrench, safety belt seat width 45cm, weight 15.5-16.5kg, load weight 120kg. package size 87*25*89cm, 1 pc per carton
DS-506		Powder coated steel frame Front 8-inch wheel, rear wheel 24 inch mountain tires, plastic hand pushing ring, canvas seat surface, detachable legs, elevate armrest, foldable backrest, plastic foot pedals, leather handrail, protective straps, air pump, seat width 50cm, weight 16kg, load weight 110kg. package size 86*25*90cm, 1 pc per carton.

DS-24F



Bold steel pipe frame, 7-inch front wheels, 24-inch rear wheels, rubber tires, nylon wheels, double-layer cushions, adjustable armrests, adjustable leg rests, marble powder paint finish, seat width 50 cm, seat depth 50 cm, Back height 48cm, packing size: 82*34*95cm, net weight 23kgs, maximum load 150kgs,

BT-1



Steel pipe spray frame, backrest reclining 0-45°, canvas seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115kg, package size 93*26*93cm.

QT-1



Steel pipe spray frame, backrest reclining 0-90°, canvas seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.

QT-2



Steel pipe spray frame, backrest reclining 0-90°, leather seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, solid tire. wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115kg, package size 93*26*93cm.

QT-3		Steel chromed plating pipe frame, hydraulic backrest reclining 0-90°, canvas seat surface with potty hole, adjustable plastic pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, solid tyre. wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.
QT-4		Steel chromed plating pipe frame, hydraulic backrest reclining 0-90°, Seat mesh breathable fabric with potty hole, adjustable plastic pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch integral wheel solid tyre. wheelchair high 121cm, length 106cm, seat width 45cm, seat height 50cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.
QT-5		Steel chromed plating pipe frame, backrest reclining 0-90°, canvas seat surface with potty hole, adjustable metal pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, PU tire. wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.
QT-6		Steel chromed plating pipe frame, powdered support, hydraulic backrest reclining 0-90°, leather seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, PU tire. plastic hand pushing ring, wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.

QT-7		Steel chromed plating pipe frame, hydraulic backrest reclining 0-90°, leather seat surface with potty hole, with line hand brake, adjustable aluminum alloy pedals, Leg support can be raised and lowered. front wheel 7 inch, rear wheel 24 inch, solid tire. metal hand pushing ring, wheelchair high 113cm, length 92cm, seat width 45cm, seat height 48cm and seat depth 45cm. Weight 22kg, load weight 115 kg, package size 93*26*93cm.
DS-6015		Steel pipe spray frame, backrest reclining 0-90°,Honeycomb mesh breathable cushion seat surface, with line hand brake, yellow blue red color, adjustable plastic pedals, Leg support can be raised and lowered. front wheel 6 inch, rear wheel 16 inch, solid tire. with plastic table, Anti rollover wheel, wheelchair high 98cm, length 92cm, seat size 38*37cm, seat height 45cm. Weight 25kg, load weight 100kg, package size 87*30*94cm.
DS-6016		Aluminium alloy frame, backrest reclining 0-90°,Honeycomb mesh breathable cushion seat surface, with line hand brake, yellow blue red color, adjustable plastic pedals, Leg support can be raised and lowered. front wheel 6 inch, rear wheel 16 inch, solid tire. with plastic table, Anti rollover wheel, wheelchair high 98cm, length 92cm, seat size 38*37cm, seat height 45cm. Weight 25kg, load weight 100kg, package size 87*30*94cm.
DS-6017		Powder coated steel frame, canvas seat surface, detachable backrest, with shopping box, Handcycle height 95cm, Handcycle length 170cm, seat width 46cm, seat height 50cm, seat depth 42cm, weight 32kg, load weight 250kg. package size 120*50*70cm,1 pc per carton
DS-6018		Powder coated steel frame, canvas seat surface, detachable backrest, adjustable handle, with shopping box, Handcycle height 95cm, Handcycle length 170cm, seat width 46cm, seat height 50cm, seat depth 42cm, weight 32kg, load weight 250kg. package size 120*50*70cm,1 pc per carton

Electric Wheelchair

DS-6001		Steel spray frame; Colors: red, blue, black; The back can be folded, the legs can be removed, and the armrest can be lifted; wheelchair size: 108*65*91cm, Front wheel: 10 inches, Rear wheel: 16 inches; Gross weight: 44kg; Carrying capacity: 120 kg; Package size: 86*42*76cm; battery capacity: 24V 12A; motor power: 250W*2; speed: 0-6 km; charging time: 8-10 hours; Maximum travel distance: 25 km.
DS-6001F		High strength carbon steel frame, 360 ° universal controller, lifting armrest, detachable legs, 250W * 2 motor, 24V 12A battery, total length 120cm, total width 65cm, total height 91cm, seat width 47cm, front wheel 16 inches, rear wheel 10 inches, load-bearing capacity 100kg, net weight 38+7kg (battery), climbing ability<=13 °, cruising range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-6002		High strength carbon steel frame, dual-purpose flashlight, 360 ° universal controller, lifting armrest, detachable legs, 250W * 2 motor, 24V 12A battery, total length 119cm, total width 70cm, total height 95cm, seat width 47cm, front wheel 10 inches, rear wheel 24 inches magnesium alloy integrated wheel, load-bearing capacity 100kg, net weight 38+7kg (battery), climbing ability<=13 °, range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-6002T		High strength carbon steel frame, dual-purpose flashlight, 360 ° universal controller, lifting armrest, detachable legs, 250W * 2 motor, 24V 12A battery, total length 119cm, total width 70cm, total height 95cm, seat width 47cm, front wheel 10 inches, rear wheel 24 inches magnesium alloy integrated wheel, load-bearing capacity 100kg, net weight 38+7kg (battery), climbing ability<=13 °, range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-6003		High strength carbon steel frame, 360 ° universal controller, lifting armrest, detachable legs, 250W * 2 motor, 24V 12A battery, total length 120cm, total width 70cm, total height 91cm, seat width 49cm, front wheel 10 inches, rear wheel 16 inches, load-bearing capacity 100kg, net weight 38+7kg (battery), climbing ability<=13 °, cruising range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box

DS-6004		Steel spray frame; Colors: red, blue, black; The back can be folded, the legs can be removed, wheelchair size: 105*68*95cm, Front wheel: 8 inches, Rear wheel: 16 inches; wheelchair weight: 48 kg; Carrying capacity: 120 kg, Package size:86*42*76cm; battery capacity: 24V 12A; motor power: 250W*2; speed: 0-6 km; charging time: 8-10 hours; Maximum travel distance: 25 km.
DS-6005		Steel spray frame;Colors: red, blue, black; The back can lie flat and the legs can be lifted; wheelchair size: 108*65*128cm ; Front wheel: 10 inches, Aluminum alloy wheels; Rear wheel: 16 inches; wheelchair weight: 48 kg; Carrying capacity: 120 kg; Package size:88*44*83cm; battery capacity: 24V 12A; motor power: 250W*2; speed: 0-6 km;charging time: 8-10 hours; Maximum travel distance: 25 km.
DS-6005T		High strength carbon steel frame, fully reclined wheelchair with adjustable front and rear angles, 360 ° universal controller, lifting armrest, detachable legs, 250W * 2 motor, 24V 12A battery, total length 115cm, total width 68cm, total height 123cm, seat width 47cm, front wheel 10 inches, rear wheel 22 inches, load-bearing capacity 100kg, net weight 38+7kg (battery), climbing ability<=13 °, range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-6006		Carbon steel frame, foldable, armrests can be lifted up, legs can be lifted up, breathable seat cushion, 360 ° universal controller, DC24V 250W * 2 powerful brushed motor, ultra-fine quality high-quality battery 12Ah * 2, side mounted battery, total length 95cm, total width 67cm, total height 93cm, seat width 44cm, seat height 52cm, backrest height 40cm, armrest distance 20cm from seat surface, folding width 38cm, front wheel 8 inches, rear wheel 12 inches, load-bearing 100kg, net weight 28/32kg, packaging size 70 * 41 * 77cm, 1 piece per box
DS-6007		Carbon steel frame, foldable, armrests can be lifted up, legs can be lifted up, breathable seat cushion, 360 ° universal controller, DC24V 250W * 2 powerful brushed motor, ultra-fine quality high-quality battery 12Ah * 2, side mounted battery, total length 95cm, total width 60cm, total height 94cm, seat width 44cm, seat depth 44cm, seat height 52cm, backrest height 40cm, armrest distance 20cm from seat surface, folding width 38cm, front wheel 8 inches, rear wheel 12 inches, load-bearing 100kg, net weight 28/32kg, packaging size 70 * 41 * 77cm, 1 piece per box

DS-6008		Carbon steel frame, foldable, armrests can be lifted up, legs can be lifted up, breathable seat cushion, 360 ° universal controller, DC24V 250W * 2 powerful brushed motor, ultra-fine quality high-quality battery 12Ah * 2, side mounted battery, total length 95cm, total width 60cm, total height 94cm, seat width 44cm, seat depth 44cm, seat height 52cm, backrest height 40cm, armrest distance 20cm from seat surface, folding width 38cm, front wheel 8 inches, rear wheel 12 inches, load-bearing 100kg, net weight 28/32kg, packaging size 70 * 41 * 77cm, 1 piece per box
DS-6009		Carbon steel frame, foldable, armrests can be lifted up, legs can be lifted up, breathable seat cushion, 360 ° universal controller, DC24V 250W * 2 powerful brushed motor, ultra-fine quality high-quality battery 12Ah * 2, side mounted battery, total length 95cm, total width 60cm, total height 94cm, seat width 44cm, seat depth 44cm, seat height 52cm, backrest height 40cm, armrest distance 20cm from seat surface, folding width 38cm, front wheel 8 inches, rear wheel 12 inches, load-bearing 100kg, net weight 28/32kg, packaging size 70 * 41 * 77cm, 1 piece per box
DS-6010		Aluminum alloy frame, 360 ° brushless controller, foldable armrest, 200W * 2 brushless electromagnetic brake motor, 24V 12A battery, total length 92cm, total width 60cm, total height 88cm, seat width 46cm, front wheel 8 inches, rear wheel 12 inches, load-bearing capacity 100kg, net weight 14.5+2kg (battery), ternary lithium battery, climbing ability<=13 °, range 10-15km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-6012		Aluminum alloy frame, 360 ° controller, foldable armrest, 200W * 2 electromagnetic brake motor, 24V 6A battery, total length of 96cm, total width of 59cm, total height of 90cm, seat width of 44cm, front wheel of 7 inches, rear wheel of 10 inches, load-bearing capacity of 100kg, net weight of 19+3kg (battery), ternary lithium battery, climbing ability<=13 °, range of 10-15km (depending on road conditions and weight), speed of 1-6km (adjustable in five gears), 1 piece per box
DS-6016		Aluminum alloy frame, 360 ° universal controller, foldable armrest, 250W * 2 electromagnetic brake motor, 24V 12A battery, total length of 104cm, total width of 64cm, total height of 90cm, seat width of 47cm, front wheel of 8 inches, rear wheel of 12 inches, load-bearing capacity of 100kg, net weight of 27+3kg (battery), lead acid battery, climbing ability<=13 °, range of 10-15km (depending on road conditions and weight), speed of 1-6km (adjustable in five gears), 1 piece per box

DS-6017		Aluminum alloy frame, 360 ° universal controller, foldable armrest, 250W * 2 electromagnetic brake motor, 24V 12A battery, total length of 104cm, total width of 64cm, total height of 90cm, seat width of 47cm, front wheel of 8 inches, rear wheel of 12 inches, load-bearing capacity of 100kg, net weight of 27+3kg (battery), lithium battery, climbing ability<=13 °, range of 10-15km (depending on road conditions and weight), speed of 1-6km (adjustable in five gears), 1 piece per box
DS-6018		Aluminum alloy frame, fully reclined wheelchair , 360 ° universal controller, foldable armrests, 250W * 2 motors, 24V 12A battery, total length of 104cm, total width of 60cm, total height of 102cm, seat width of 47cm, front wheel of 8 inches, rear wheel of 12 inches, load-bearing capacity of 100kg, net weight of 27+8kg (battery), lead acid battery, range of 10-15km (depending on road conditions and weight), speed of 1-6km (adjustable in five gears), 1 piece per box, 30 * 70 * 68cm
DS-6019		Aluminum alloy frame, fully reclined wheelchair with adjustable front and rear angles, front and rear running lights, 360 ° universal controller, foldable armrests, 250W * 2 electromagnetic brake motors, 24V 12A battery, total length of 104cm, total width of 60cm, total height of 102cm, seat width of 47cm, front wheel of 8 inches, rear wheel of 12 inches, load-bearing capacity of 100kg, net weight of 27+3kg (battery), lithium battery, range of 10-15km (depending on road conditions and weight), speed of 1-6km (adjustable in five gears), 1 piece per box, 30 * 70 * 68cm
DS-7001		Half carbon fiber frame, 360 ° brushless controller, 250W * 2 brushless motor electromagnetic brake, 24V 12A lithium battery, total length 93cm, total width 59cm, total height 92cm, seat width 41cm, front wheel 7 inches, rear wheel 10 inches, load-bearing capacity 100kg, net weight 16+3kg (battery), range 20-25km (depending on road conditions and body weight), speed 1-6km, pack 1 piece per box

DS-7002		Full carbon fiber frame, 360 ° brushless controller, 250W * 2 brushless motor electromagnetic brake, 24V 12A battery, total length 93cm, total width 59cm, total height 92cm, seat width 41cm, front wheel 7 inches, rear wheel 10 inches, load-bearing capacity 100kg, net weight 16+3kg (battery), lithium battery, climbing ability<=13 °, range 20-25km (depending on road conditions and weight), speed 1-6km (adjustable in five gears), 1 piece per box
DS-7003		Half carbon fiber frame, 360 ° brushless controller, 250W * 2 brushless motor electromagnetic brake, 24V 12A lithium battery, total length 93cm, total width 59cm, total height 92cm, seat width 41cm, front wheel 7 inches, rear wheel 10 inches, load-bearing capacity 100kg, net weight 16+3kg (battery), range 20-25km (depending on road conditions and body weight), speed 1-6km, pack 1 piece per box
DS-7004		High strength magnesium alloy frame, 360 ° brushless controller, 250W * 2 brushless motor electromagnetic brake, no sloping, 24V 12A lithium battery, total length 92cm, total width 60cm, total height 93cm, seat width 44cm, front wheel 7 inches, rear wheel 10 inches, load-bearing capacity 100kg, net weight 16+3kg (battery), range 20-25km, speed 1-6km, 1 piece per box
DS-7011		Aluminum aircraft wheelchair, foldable armrests, 8-inch front wheels, 12 inch rear wheels, 24V 6A lithium battery, net weight 16kg, load-bearing 100kg, range 10-15km, speed 1-6km/h, packing size 61*35*82cm, 1 piece per box
DS-7012		Aluminum alloy frame, 360 ° brushless controller, 200W * 2 brushless motor electromagnetic brake, no sloping, 24V 12A lithium battery, total length 95cm, total width 56cm, total height 96cm, seat width 43cm, front wheel 7 inches, rear wheel 12 inches, load-bearing capacity 120-150kg, net weight 17+3kg (battery), range 15-20km, speed 1-6km, packaging size 59 * 36 * 78cm, 1 piece per box

DS-010		Electric stairs climber wheelchair; Color yellow and red; All aluminum alloy frame; electronic display; wooden box; Net Weight 27kg; Gross weight 45kg; loading Weight 160 kg; Package size 116*30*58cm; PVC seat,hidden wires design; battery 24V 13A; motor power 250W*2; speed 0-6 km;charging time 8-10 hours
DS-800		Heavy duty electric wheelchair, leather seats, detachable footrests and foldable pedals, soft armrests, rubber rear wheels, spring shock absorber 320W * 2 electromagnetic brake motor, 24V 40A battery, total length 125cm, total width 75cm, total height 128cm, seat width 46cm, front wheel 10 inches, rear wheel 12 inches, load-bearing capacity 150kg, net weight 65+26kg (battery), range 40km (depending on road conditions and weight), speed 1-6km/h (adjustable in five gears), 1 piece per box

Electric Scooter

X-01		Dimensions: 108*49*94cmPackaging size: 110*52*56cmColor: red,blue,silver Battery:24V 12AH (lead-acid)Speed:0-8km/h max load capacity:120kgGround Clearance:85mmTyres:0 197*60mmGW/NW:50/44 kg Power of motor:24v 250wController:24V 45ACharger:DC24V 2AMax Grade Ability: 12°Electromagnetic brake system Running distance: 15km
X-02C		Dimensions:108*49*94cmPackaging size:110*52*56cmColor:red,blue,silver Battery:24V 12AH (lead-acid)Speed: 0-8km/h max load capacity:120kgGround Clearance:85mmTyres: 197*60mmGW/NW:44/40 kg Power of motor: 24v 250wController:24V 45ACharger:DC24V2AMax Grade Ability: 12°Electromagnetic brake system Running distance: 15km

X-02D		Dimensions:108*49*94cmPackaging size:110*52*56cmColor:red,blue,silver Battery:24V 12AH (lead-acid)Speed: 0-8km/h max load capacity:120kgGround Clearance:85mmTyres: 197*60mmGW/NW:50/44 kg Power of motor:24v 250wController:24V 45ACharger:DC24V2AMax Grade Ability: 12°Electromagnetic brake system Running distance: 15km
X-03		Dimensions:129*50*100cmPackaging size:131*53*57cmColor:red,blue,silver Battery:24V 20AH (lead-acid)Speed:0-10km/h max load capacity: 150kgGround Clearance:95mmTyres: 215*60mmGW/NW:65/55kgPower of motor:24v 350wController:24V 70ACharger:DC24V3AMax Grade Ability: 12°Electromagnetic brake system Running distance: 20km
X-04		Dimensions:125*50*100cmPackaging size:125*53*58cmColor: red,blue,silver Battery:24V 20AH (lead-acid)Speed:0-10km/h maxload capacity:150kgGround Clearance:95mmTyres: 215*60mmGW/NW:65/55kg Power of motor:24v 350wController:24V 70ACharger:DC24V3AMax Grade Ability: 12°Electromagnetic brake system Running distance: 20km
X-05		Dimensions:129*50*100cmPackaging size:131*53*57cmColor:red,blue,silver Battery:24V 20AH (lead-acid)Speed:0-10km/h max load capacity:150kgGround Clearance:95mmTyres: 0215*60mmGW/NW:65/55 kg Power of motor:24v 350wController:24V 70ACharger:DC24V3AMax Grade Ability: 12°Electromagnetic brake system Running distance: 20km

X-12		Dimensions:97*50*96cmPackaging size: 52*44*73cmColor: red,blue,silver Battery: 24V 10AH (lead-acid)Speed:0-7km/h max load capacity: 120kgGround Clearance:75mmTyres:0175*50,0185*55mmGW/NW:27/24 kg Power of motor 24v 180wController:24V 45ACharger:DC24V2AMax Grade Ability: 12°Electromagnetic brake system Running distance: 12km
X-13		Folding scooter, 180W silent brushless motor, electromagnetic brake, does not slide on slopes, 24V 12A lithium battery, total length of 98cm, total width of 46cm, total height of 75cm, seat width of 38cm, front wheel of 7 inches, rear wheel of 8 inches, load-bearing capacity of 100kg, net weight of 19kg (battery), range of 25km (depending on road conditions and weight), speed of 10km, 1 piece per box
L-68		Dimensions:140*79*107cmPackaging size:149*72*109cmColor:red silver Battery:24V 20AH*2 (lead-acid)Speed:0-15km/h maxload capacity:180kgGround Clearance:110mmTyres: \$ 305*95mm;0 350*100mmGW/NW:134/114 kg Power of motor:24v 800wController:24V 120ACharger:DC24V5AMax Grade Ability: 12°Electromagnetic brake system Running distance: 35km
L-28		Dimensions: 135*50*100cmPackaging size: 138*52*68cm;Color: red,blue,silver Battery: 24V 20AH (lead-acid)Speed:0-10km/h max load capacity:150kgGround Clearance:95mmTyres: 255*80mmGW/NW:75/65kg Power of motor 24v 400wController:24V 90ACharger:DC24 V3AMax Grade Ability: 12°Electromagnetic brake system Running distance: 20km



+380 93 283 71 53



wait2save.office@gmail.com



wait2save.com.ua



Зв'язок з менеджером

ТОВ "Вейт Ту Сейв"

Код ЄДРПОУ: 46351748

Юридична адреса: 01013, Україна, м. Київ, Столичне шосе, буд. 3
LLC "Wait2Save"



WAIT 2 SAVE
Wait longer. Save more